

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Feb-11-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.36 | 8.0 | 12.1 | 11.5 | 1.6 | 34.0 | |
| Feb-11-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.26 | 4.6 | 8.6 | 21.9 | 1.9 | 20.0 | |
| Feb-11-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 3.3 | 9.8 | 25.3 | 1.9 | 19.0 | |
| Feb-11-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 2.9 | 11.2 | 27.3 | 1.9 | 20.0 | |
| Feb-11-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 2.5 | 7.8 | 37.1 | 1.9 | 15.0 | |
| Feb-11-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 1.9 | 9.7 | 37.4 | 1.6 | 16.0 | |
| Mar-11-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 0.4 | 4.0 | 0.4 | 1.0 | | |
| Mar-11-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.12 | 0.9 | 3.7 | 0.5 | 1.5 | 2.0 | |
| Mar-11-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.05 | 0.8 | 3.2 | 0.5 | 1.4 | 2.0 | |
| Mar-11-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.09 | 0.8 | 2.5 | 0.5 | 1.4 | 1.0 | |
| Mar-11-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 0.8 | 2.3 | 0.5 | 1.4 | 0.0 | |
| Mar-11-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 0.7 | 2.7 | 0.5 | 1.3 | 0.0 | |
| Apr-07-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 2.2 | 7.9 | | 1.8 | 8.0 | |
| Apr-07-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 2.4 | 12.0 | | 2.0 | 14.0 | |
| Apr-07-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 1.9 | 6.0 | | 2.2 | 12.0 | |
| Apr-07-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 1.2 | 4.6 | | 2.4 | 9.0 | |
| Apr-07-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 0.9 | 3.9 | | 2.1 | 10.0 | |
| Apr-07-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 0.5 | 3.2 | | 1.7 | 7.0 | |
| Jun-08-2021 | 8:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.11 | 0.0 | 3.4 | 29.3 | 0.0 | 0.0 | |
| Jun-08-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.08 | 0.0 | 2.6 | 30.6 | 0.0 | 0.0 | |
| Jun-08-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.06 | 0.0 | 2.4 | 32.8 | 0.2 | 2.0 | |
| Jun-08-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.09 | 0.0 | 2.2 | 35.9 | 0.3 | 0.0 | |
| Jun-08-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.14 | 0.0 | 2.7 | 38.7 | 0.6 | 0.0 | |
| Jun-08-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.13 | 0.0 | 2.8 | 41.7 | 0.7 | 2.0 | |
| Jun-08-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.13 | 0.0 | 3.4 | 45.1 | 0.0 | 4.0 | |
| Jul-23-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.18 | 0.2 | 9.9 | 30.9 | 1.5 | | |
| Jul-23-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.19 | 0.2 | 11.4 | 39.0 | 2.0 | 19.0 | |
| Jul-23-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.26 | 0.7 | 24.1 | 42.0 | 2.5 | 23.0 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Jul-23-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 9.4 | 62.4 | 1.3 | 11.0 | |
| Jul-23-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.08 | 0.0 | 5.0 | 68.7 | 0.9 | 8.0 | |
| Jul-23-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | 0.0 | 3.4 | 68.5 | 1.1 | 6.0 | |
| Aug-25-2021 | 8:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.36 | 0.7 | 11.5 | 21.1 | 0.7 | 12.0 | |
| Aug-25-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.43 | 0.4 | 11.8 | 24.9 | 0.7 | 17.0 | |
| Aug-25-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.44 | 0.0 | 12.3 | 33.4 | 0.5 | 16.0 | |
| Aug-25-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.42 | 0.0 | 15.0 | 38.9 | 0.4 | 19.0 | |
| Aug-25-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.35 | 0.0 | 9.5 | 53.0 | 0.9 | 21.0 | |
| Aug-25-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.35 | 0.1 | 5.9 | 66.9 | 1.4 | 23.0 | |
| Aug-25-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.29 | 0.0 | 5.0 | 75.0 | 1.3 | 24.0 | |
| Sep-17-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.56 | 1.7 | 16.4 | 16.5 | 1.5 | | |
| Sep-17-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 1.6 | 17.0 | 23.7 | 1.9 | 17.0 | |
| Sep-17-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.43 | 2.1 | 23.3 | 26.0 | 2.5 | 22.0 | |
| Sep-17-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 1.5 | 21.6 | 38.9 | 2.8 | 26.0 | |
| Sep-17-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 1.5 | 11.7 | 56.2 | 4.6 | 20.0 | |
| Sep-17-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 1.2 | 8.1 | 65.5 | 2.9 | 17.0 | |
| Sep-29-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.37 | 1.0 | 15.8 | 16.7 | 0.7 | | |
| Sep-29-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.26 | 0.0 | 9.6 | 27.1 | 0.0 | 4.0 | |
| Sep-29-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 0.5 | 7.0 | 36.7 | 0.3 | 6.0 | |
| Sep-29-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 | 0.4 | 7.8 | 42.5 | 0.2 | 7.0 | |
| Sep-29-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.18 | 0.4 | 8.1 | 47.0 | 0.4 | 4.0 | |
| Sep-29-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.19 | 0.7 | 6.7 | 52.0 | 0.5 | 2.0 | |
| Nov-24-2021 | 10:00 AM | 0.0 | 0.0 | 0.1 | 0.0 | 0.33 | 3.4 | 9.6 | 4.7 | 1.0 | 45.0 | |
| Nov-24-2021 | 11:00 AM | 0.0 | 0.0 | 0.4 | 0.0 | 0.31 | 2.9 | 7.5 | 8.7 | 0.9 | 48.0 | |
| Nov-24-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 2.1 | 9.8 | 13.8 | 0.9 | 51.0 | |
| Nov-24-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.31 | 1.8 | 11.3 | 16.4 | 0.9 | 42.0 | |
| Nov-24-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.29 | 1.2 | 11.1 | 21.4 | 0.8 | 35.0 | |
| Nov-24-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 0.6 | 11.4 | 25.9 | 0.6 | 32.0 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Jan-22-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | | 4.4 | 19.6 | | 0.4 | 11.0 | |
| Jan-22-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | | 1.9 | 8.0 | | 0.3 | 7.0 | |
| Jan-22-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | | 1.4 | 6.8 | | 0.5 | 6.0 | |
| Jan-22-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | | 1.7 | 8.1 | | 0.5 | 4.0 | |
| Jan-22-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | | 1.1 | 6.1 | | 0.3 | 2.0 | |
| Jun-08-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.15 | 0.6 | 2.0 | 36.5 | 1.2 | 16.0 | |
| Jun-08-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.17 | 1.0 | 2.6 | 39.5 | 1.6 | 1.0 | |
| Jun-08-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.18 | 1.4 | 3.1 | 42.3 | 2.3 | 0.0 | |
| Jun-08-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.15 | 1.0 | 2.3 | 45.4 | 2.2 | 0.0 | |
| Jun-08-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.14 | 0.7 | 5.6 | 44.6 | 1.9 | 0.0 | |
| Sep-03-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.44 | 3.1 | 8.5 | 34.9 | 2.6 | 0.0 | |
| Sep-03-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.46 | 2.8 | 12.5 | 41.7 | 3.5 | 23.0 | |
| Sep-03-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.45 | 2.9 | 16.5 | 46.6 | 3.2 | 23.0 | |
| Sep-03-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.36 | 2.6 | 8.9 | 65.8 | 2.8 | 18.0 | |
| Sep-03-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.25 | 2.1 | 6.2 | 72.7 | 2.5 | 10.0 | |
| Sep-29-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.45 | 0.0 | 21.7 | 9.5 | 2.6 | | |
| Sep-29-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.31 | 0.6 | 15.7 | 15.3 | 2.5 | 15.0 | |
| Sep-29-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 0.0 | 12.9 | 25.7 | 1.5 | 25.0 | |
| Sep-29-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 0.3 | 11.7 | 30.8 | 1.6 | 7.0 | |
| Sep-29-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 0.1 | 10.6 | 38.4 | 1.5 | 8.0 | |
| Sep-29-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 0.0 | 8.7 | 44.2 | 0.7 | 11.0 | |
| Sep-29-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 0.0 | 11.8 | 47.6 | 1.3 | 12.0 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Feb-11-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.64 | 3.3 | 20.8 | 0.0 | 0.1 | | |
| Feb-11-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.57 | 6.7 | 20.7 | 0.0 | 1.5 | | |
| Feb-11-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.54 | 7.3 | 19.4 | 0.0 | 0.9 | 35.0 | |
| Feb-11-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.41 | 6.0 | 13.6 | 0.0 | 0.8 | 16.0 | |
| Feb-11-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.37 | 4.4 | 8.7 | 0.0 | 0.8 | 17.0 | |
| Feb-11-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 2.6 | 7.7 | 0.0 | 0.8 | 12.0 | |
| Feb-11-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.34 | 2.4 | 16.8 | 0.0 | 0.7 | 16.0 | |
| Mar-11-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 1.2 | 5.3 | 0.0 | 0.0 | 0.0 | |
| Mar-11-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 1.4 | 5.0 | 0.0 | 0.0 | 0.0 | |
| Mar-11-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 2.2 | 3.5 | 0.0 | 0.8 | 0.0 | |
| Mar-11-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 2.1 | 3.5 | 0.0 | 0.5 | 0.0 | |
| Mar-11-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 1.9 | 3.7 | 0.0 | 0.5 | 0.0 | |
| Apr-07-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.29 | 4.3 | 9.3 | | 0.6 | 17.0 | |
| Apr-07-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 3.4 | 5.2 | | 1.0 | 8.0 | |
| Apr-07-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 2.6 | 3.5 | | 1.1 | 9.0 | |
| Apr-07-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 2.1 | 3.5 | | 1.2 | 9.0 | |
| Apr-07-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 2.5 | 3.0 | | 1.6 | 8.0 | |
| Apr-07-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 2.3 | 3.5 | | 1.7 | 10.0 | |
| Apr-30-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 6.1 | 9.3 | 42.5 | 5.0 | | |
| Apr-30-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 4.9 | 8.2 | 57.0 | 5.6 | 21.0 | |
| Apr-30-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 3.6 | 7.1 | 73.0 | 6.0 | 16.0 | |
| Apr-30-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.26 | 2.2 | 6.9 | 84.6 | 5.2 | 17.0 | |
| Apr-30-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.25 | 1.7 | 5.4 | 89.1 | 5.2 | 11.0 | |
| Jun-25-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.15 | 1.9 | 3.8 | 28.0 | 2.1 | | |
| Jun-25-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.11 | 1.6 | 3.0 | 36.1 | 2.1 | 5.0 | |
| Jun-25-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.11 | 1.4 | 2.2 | 43.0 | 2.4 | 3.0 | |
| Jun-25-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.12 | 1.2 | 1.5 | 48.6 | 2.7 | 2.0 | |
| Jun-25-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.12 | 1.3 | 1.1 | 51.3 | 3.6 | 3.0 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Jun-15-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.17 | 0.0 | 7.6 | 24.0 | 0.6 | 0.0 | |
| Jun-15-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.17 | 0.0 | 7.0 | 28.2 | 0.4 | 3.0 | |
| Jun-15-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 | 0.0 | 6.2 | 34.0 | 0.4 | 2.0 | |
| Jun-15-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 0.0 | 6.4 | 38.2 | 0.9 | 4.0 | |
| Jun-15-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.18 | 0.0 | 8.3 | 41.9 | 1.0 | 6.0 | |
| Jun-15-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.18 | 0.0 | 7.3 | 47.3 | 1.3 | 6.0 | |
| Aug-18-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.31 | 3.6 | 7.3 | 24.9 | 2.4 | 10.0 | |
| Aug-18-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 3.1 | 8.6 | 26.4 | 2.5 | 11.0 | |
| Aug-18-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 2.6 | 8.5 | 33.0 | 2.4 | 15.0 | |
| Aug-18-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.33 | 2.1 | 9.0 | 41.7 | 2.4 | 14.0 | |
| Aug-18-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 2.1 | 5.5 | 47.2 | 2.5 | 14.0 | |
| Aug-18-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 2.3 | 9.1 | 51.4 | 2.8 | 11.0 | |
| Aug-18-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 2.0 | 6.2 | 53.2 | 2.6 | 11.0 | |
| Sep-23-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.32 | 2.4 | 20.9 | 19.4 | 3.0 | | |
| Sep-23-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.25 | 1.3 | 15.5 | 37.7 | 4.4 | 26.0 | |
| Sep-23-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 0.3 | 17.1 | 49.5 | 3.3 | 32.0 | |
| Sep-23-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.35 | 0.8 | 21.7 | 58.0 | 6.0 | 28.0 | |
| Sep-23-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.38 | 1.7 | 20.7 | 76.3 | 6.3 | 33.0 | |
| Sep-23-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.35 | 0.6 | 16.4 | 93.6 | 4.7 | 35.0 | |
| Nov-10-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.35 | 0.4 | 12.4 | 6.2 | 0.0 | | |
| Nov-10-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.26 | 2.2 | 11.0 | 8.5 | 0.9 | 10.0 | |
| Nov-10-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.19 | 2.5 | 10.2 | 10.0 | 1.1 | 11.0 | |
| Nov-10-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 1.6 | 9.2 | 12.7 | 0.6 | 17.0 | |
| Nov-10-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 0.1 | 9.8 | 17.7 | 0.0 | 24.0 | |
| Nov-10-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.9 | 12.6 | 18.2 | 1.1 | 13.0 | |
| Nov-10-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.33 | 1.3 | 11.8 | 20.1 | 1.9 | 10.0 | |
| Dec-01-2021 | 11:00 AM | 0.0 | 0.0 | 0.3 | 4.0 | 0.39 | 0.4 | 32.0 | 20.4 | 0.8 | 51.0 | |
| Dec-01-2021 | 12:00 PM | 0.3 | 0.0 | 0.2 | 4.8 | 0.41 | 1.1 | 31.4 | 28.7 | 1.2 | 52.0 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)



| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|---------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Dec-01-2021 | 1:00 PM | 0.2 | 0.0 | 0.7 | 0.0 | 0.41 | 1.3 | 37.5 | 32.7 | 1.4 | 56.0 | |
| Dec-01-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.38 | 1.7 | 22.7 | 49.4 | 2.0 | 45.0 | |
| Dec-01-2021 | 3:00 PM | 0.0 | 0.0 | 1.0 | 0.0 | 0.38 | 0.6 | 13.9 | 58.9 | 1.4 | 42.0 | |
| Dec-01-2021 | 4:00 PM | 0.2 | 0.0 | 1.3 | 0.0 | 0.33 | 0.5 | 16.6 | 58.4 | 1.5 | 42.0 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Mar-31-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 1.8 | 14.8 | | 1.9 | | |
| Mar-31-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 2.4 | 13.6 | | 2.8 | 4.0 | |
| Mar-31-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.18 | 1.6 | 7.6 | | 2.2 | 10.0 | |
| Mar-31-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.17 | 2.1 | 6.7 | | 2.4 | 10.0 | |
| Mar-31-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 | 2.0 | 22.2 | | 2.0 | 6.0 | |
| Mar-31-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.15 | 1.4 | 2.6 | | 2.2 | 5.0 | |
| Mar-31-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.14 | 1.2 | 3.3 | | 2.1 | 8.0 | |
| Mar-31-2021 | 4:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.14 | 1.0 | 3.2 | | 1.9 | 7.0 | |
| Mar-31-2021 | 5:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.12 | 1.0 | 1.7 | | 2.0 | 7.0 | |
| Mar-31-2021 | 6:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.6 | 1.0 | | 1.6 | 8.0 | |
| Mar-31-2021 | 7:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 0.7 | 2.1 | | 1.7 | 7.0 | |
| Mar-31-2021 | 8:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.29 | 0.8 | 5.6 | | 1.7 | 6.0 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Mar-31-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.17 | 3.5 | 15.6 | 20.8 | 1.3 | | |
| Mar-31-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.13 | 3.0 | 14.2 | 27.7 | 1.3 | 17.0 | |
| Mar-31-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.12 | 2.6 | 8.7 | 39.8 | 1.1 | 7.0 | |
| Mar-31-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.06 | 3.6 | 5.0 | 49.9 | 1.8 | 9.0 | |
| Mar-31-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 | 3.1 | 3.7 | 56.0 | 1.6 | 8.0 | |
| Mar-31-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.18 | 1.3 | 2.8 | 59.1 | 0.0 | 10.0 | |
| Mar-31-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 | 1.8 | 2.6 | 61.8 | 0.6 | 5.0 | |
| Mar-31-2021 | 4:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 | 2.2 | 2.7 | 64.0 | 1.0 | 7.0 | |
| Mar-31-2021 | 5:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 | 2.0 | 2.1 | 63.7 | 0.8 | 7.0 | |
| Mar-31-2021 | 6:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 | 2.0 | 2.0 | 62.8 | 0.8 | 3.0 | |
| Mar-31-2021 | 7:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.15 | 1.9 | 2.8 | 60.2 | 0.7 | 0.0 | |
| Mar-31-2021 | 8:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.25 | 2.0 | 7.3 | 55.4 | 1.2 | 3.0 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| May-13-2021 | 8:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.58 | 3.2 | 19.4 | 15.3 | 1.9 | 24 | |
| May-13-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.38 | 2.0 | 13.2 | 33.9 | 2.0 | 29 | |
| May-13-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 1.8 | 7.8 | 50.5 | 2.3 | 16 | |
| May-13-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 2.2 | 8.4 | 61.8 | 3.1 | 9 | |
| May-13-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.26 | 2.2 | 7.4 | 75.4 | 3.6 | 8 | |
| May-13-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 1.5 | 7.0 | 81.8 | 3.1 | 9 | |
| May-13-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.18 | 0.9 | 5.0 | 80.7 | 2.7 | 10 | |
| May-13-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.14 | 1.2 | 3.7 | 79.2 | 2.8 | 6 | |
| May-13-2021 | 4:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 1.0 | 3.0 | 77.5 | 2.9 | 3 | |
| May-13-2021 | 5:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 1.2 | 3.7 | 77.0 | 3.3 | 3 | |
| May-13-2021 | 6:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 1.2 | 4.5 | 72.9 | 2.7 | 3 | |
| May-13-2021 | 7:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 1.0 | 3.6 | 72.4 | 2.6 | 7 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Jan-22-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | | 2.4 | 21.6 | 12.8 | 0.4 | 6.0 | |
| Jan-22-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 4.7 | 31.8 | 0.0 | 4.0 | |
| Jan-22-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 4.9 | 30.8 | 0.0 | 4.0 | |
| Jan-22-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | | 2.5 | 7.5 | 27.0 | 1.5 | 2.0 | |
| Jan-22-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | | 2.0 | 10.5 | 24.5 | 1.2 | | |
| Apr-14-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 2.0 | 3.3 | 42.5 | 0.5 | 11.0 | |
| Apr-14-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 2.4 | 3.7 | 43.1 | 0.8 | 9.0 | |
| Apr-14-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 2.6 | 4.3 | 44.8 | 0.9 | 8.0 | |
| Apr-14-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.25 | 2.4 | 4.1 | 48.6 | 0.9 | 10.0 | |
| Apr-14-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.17 | 2.1 | 3.6 | 51.2 | 1.0 | 6.0 | |
| Apr-14-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.18 | 2.0 | 3.5 | 52.5 | 1.0 | 5.0 | |
| Jun-03-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.19 | 0.0 | 6.4 | 40.9 | 1.2 | 9.0 | |
| Jun-03-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.11 | 0.0 | 6.4 | 46.0 | 1.1 | 9.0 | |
| Jun-03-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.11 | 0.0 | 4.8 | 54.5 | 1.2 | 7.0 | |
| Jun-03-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.19 | 0.0 | 5.4 | 61.5 | 1.7 | 8.0 | |
| Jun-03-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 4.1 | 64.7 | 1.4 | 9.0 | |
| Jun-03-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 4.2 | 62.1 | 2.2 | 9.0 | |
| Jun-29-2021 | 8:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.15 | 0.0 | 5.1 | 18.7 | 0.4 | 0.0 | |
| Jun-29-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 | 0.0 | 3.2 | 26.6 | 0.4 | 1.0 | |
| Jun-29-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.15 | 0.0 | 4.1 | 30.8 | 0.4 | 3.0 | |
| Jun-29-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.13 | 0.0 | 4.3 | 37.3 | 1.0 | 5.0 | |
| Jun-29-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.13 | 0.0 | 3.7 | 43.4 | 1.9 | 6.0 | |
| Jun-29-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 3.0 | 46.5 | 1.1 | 4.0 | |
| Jun-29-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.11 | 0.0 | 2.7 | 48.7 | 0.9 | 5.0 | |
| Aug-10-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.31 | 4.3 | 11.3 | 27.4 | 2.5 | | |
| Aug-10-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 3.5 | 11.5 | 37.3 | 3.1 | | |
| Aug-10-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 3.4 | 16.3 | 43.0 | 3.6 | | |
| Aug-10-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 3.5 | 14.7 | 53.0 | 3.3 | | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Aug-10-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 2.1 | 5.1 | 61.6 | 2.7 | 9.0 | |
| Aug-10-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 2.0 | 3.0 | 61.0 | 2.9 | 11.0 | |
| Aug-10-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 1.9 | 2.7 | 65.2 | 3.0 | 9.0 | |
| Aug-25-2021 | 8:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.37 | 3.5 | 9.7 | 21.2 | 2.4 | 2.0 | |
| Aug-25-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.37 | 2.8 | 6.7 | 29.3 | 2.2 | 5.0 | |
| Aug-25-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 2.6 | 10.5 | 31.8 | 2.3 | 17.0 | |
| Aug-25-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.33 | 2.5 | 9.8 | 42.9 | 2.5 | 15.0 | |
| Aug-25-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.32 | 2.0 | 6.3 | 56.0 | 2.4 | 14.0 | |
| Aug-25-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 2.0 | 3.9 | 67.4 | 2.3 | 21.0 | |
| Aug-25-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.19 | 1.8 | 3.9 | 75.0 | 2.4 | 20.0 | |
| Sep-16-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.41 | 0.8 | 14.2 | 27.3 | 1.9 | 21.0 | |
| Sep-16-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.32 | 0.8 | 13.8 | 43.0 | 2.8 | 16.0 | |
| Sep-16-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.26 | 0.8 | 10.7 | 60.5 | 3.8 | 20.0 | |
| Sep-16-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 0.1 | 9.4 | 74.0 | 3.5 | 22.0 | |
| Sep-16-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.29 | 1.4 | 8.6 | 85.1 | 4.2 | 18.0 | |
| Sep-16-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.32 | 0.7 | 8.6 | 99.5 | 3.7 | 24.0 | |
| Oct-07-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 19.1 | 13.6 | 0.0 | 12.0 | |
| Oct-07-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 0.0 | 9.9 | 24.2 | 0.8 | 10.0 | |
| Oct-07-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 0.0 | 7.1 | 32.5 | 1.1 | 9.0 | |
| Oct-07-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 0.1 | 6.5 | 39.8 | 1.3 | 6.0 | |
| Oct-07-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 0.0 | 6.7 | 43.7 | 1.2 | 5.0 | |
| Nov-17-2021 | 10:00 AM | 1.3 | 1.7 | 2.3 | 0.0 | 0.43 | 1.1 | 12.4 | 17.0 | 1.3 | 27.0 | |
| Nov-17-2021 | 11:00 AM | 0.0 | 0.0 | 1.1 | 0.0 | 0.48 | 0.9 | 10.1 | 20.1 | 1.0 | 28.0 | |
| Nov-17-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.45 | 0.7 | 8.0 | 23.9 | 1.0 | 33.0 | |
| Nov-17-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 0.3 | 11.3 | 23.5 | 0.7 | 28.0 | |
| Nov-17-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.29 | 0.2 | 11.4 | 26.0 | 0.6 | 30.0 | |
| Nov-17-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 0.9 | 12.5 | 27.4 | 1.3 | 27.0 | |
| Dec-21-2021 | 9:00 AM | 0.1 | 0.0 | 0.2 | 0.0 | 0.42 | 1.3 | 15.1 | 4.5 | 1.2 | | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)

| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Dec-21-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.37 | 0.9 | 11.3 | 7.7 | 1.1 | 28.0 | |
| Dec-21-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.29 | 1.2 | 8.4 | 9.2 | 1.3 | 19.0 | |
| Dec-21-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.34 | 1.9 | 11.3 | 9.1 | 1.4 | 30.0 | |
| Dec-21-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.38 | 1.8 | 11.2 | 9.4 | 1.2 | 30.0 | |
| Dec-21-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.41 | 0.7 | 11.6 | 12.8 | 1.1 | 18.0 | |
| Dec-21-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.42 | 0.1 | 11.4 | 14.7 | 1.0 | 20.0 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)



| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| Apr-30-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.26 | 2.8 | 15.0 | 39.7 | 2.8 | 25 | |
| Apr-30-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 3.2 | 16.3 | 49.9 | 4.5 | 23 | |
| Apr-30-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.23 | 1.7 | 15.8 | 64.7 | 4.4 | 20 | |
| Apr-30-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 0.3 | 11.6 | 81.9 | 3.7 | 18 | |
| Apr-30-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 0.0 | 8.0 | 90.5 | 2.7 | 17 | |
| Jun-15-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 1.0 | 3.6 | 28.4 | 1.7 | 1 | |
| Jun-15-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.9 | 3.2 | 30.2 | 1.7 | 0 | |
| Jun-15-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.14 | 1.0 | 2.7 | 36.3 | 1.8 | 1 | |
| Jun-15-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.12 | 0.9 | 2.8 | 41.2 | 1.9 | 0 | |
| Jun-15-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.12 | 1.1 | 2.0 | 47.5 | 2.2 | 0 | |
| Jun-15-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.12 | 1.1 | 2.3 | 52.0 | 2.3 | 0 | |
| Aug-18-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 0.9 | 6.1 | 25.5 | 0.9 | 13 | |
| Aug-18-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.25 | 0.3 | 10.2 | 26.2 | 0.7 | 16 | |
| Aug-18-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.24 | 0.0 | 7.5 | 34.2 | 0.8 | 20 | |
| Aug-18-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.22 | 0.0 | 10.4 | 42.8 | 0.8 | 20 | |
| Aug-18-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.17 | 0.0 | 8.9 | 48.3 | 1.3 | 18 | |
| Aug-18-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.16 | 0.0 | 6.7 | 52.2 | 1.1 | 13 | |
| Sep-23-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.49 | 2.8 | 17.2 | 36.5 | 3.0 | 16 | |
| Sep-23-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.49 | 1.7 | 10.2 | 54.8 | 1.7 | 16 | |
| Sep-23-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 2.0 | 11.1 | 68.1 | 2.5 | 15 | |
| Sep-23-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.32 | 1.3 | 11.8 | 83.9 | 1.9 | 20 | |
| Sep-23-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.17 | 1.1 | 10.5 | 96.9 | 1.7 | 23 | |
| Oct-07-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.35 | 1.7 | 9.0 | 25.2 | 0.9 | 6 | |
| Oct-07-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 1.4 | 8.7 | 31.9 | 0.8 | 4 | |
| Oct-07-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.21 | 0.7 | 8.2 | 37.8 | 0.5 | 4 | |
| Oct-07-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.17 | 1.0 | 6.8 | 43.2 | 0.7 | 6 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)



| Date | Time | Benzene (ppb) | Ethylbenzene (ppb) | Toluene (ppb) | Xylene (ppb) | CO (ppm) | H2S (ppb) | NO2 (ppb) | O3 (ppb) | SO2 (ppb) | PM-2.5 (ug/m3) | PM-10 (ug/m3) |
|-------------|----------|------------------|-----------------------|------------------|-----------------|-------------|--------------|--------------|-------------|--------------|-------------------|------------------|
| May-13-2021 | 8:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.49 | 0.9 | 24.1 | 12.4 | 0.7 | 8 | |
| May-13-2021 | 9:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.34 | 0.4 | 16.4 | 30.9 | 1.3 | 6 | |
| May-13-2021 | 10:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.28 | 0.2 | 11.5 | 47.6 | 1.6 | 3 | |
| May-13-2021 | 11:00 AM | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.2 | 10.1 | 62.1 | 2.1 | 14 | |
| May-13-2021 | 12:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.2 | 10.2 | 73.0 | 2.8 | 13 | |
| May-13-2021 | 1:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.29 | 0.0 | 9.1 | 81.9 | 1.4 | 17 | |
| May-13-2021 | 2:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.27 | 0.0 | 7.7 | 80.2 | 0.8 | 8 | |
| May-13-2021 | 3:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.25 | 0.0 | 6.1 | 78.0 | 1.8 | 8 | |
| May-13-2021 | 4:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.19 | 0.0 | 7.8 | 77.1 | 1.5 | 7 | |
| May-13-2021 | 5:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.19 | 0.0 | 7.8 | 77.3 | 1.9 | 4 | |
| May-13-2021 | 6:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.19 | 0.0 | 6.8 | 73.6 | 0.7 | 10 | |
| May-13-2021 | 7:00 PM | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 5.3 | 72.0 | 1.3 | 8 | |

Applicable Standards

Toluene: 111 ppb (Chronic Risk exposure level)

PM-2.5: 35 ug/m3 (24-hr Average)

Ozone: 70 ppb (8-hr Average)

CO: 35 ppm (1-hr Average)

NO2: 100 ppb (1-hr Average)

SO2: 75 ppb (1-hr Average)