

2024 Enforcement Report

Updates to Enforcement Plan Attachments

Arvin-Lamont AB 617 Community

San Joaquin Valley Air Pollution Control District

Enforcement Plan

List of Permitted Facilities

The Valley Air District has some of the most stringent regulations in the country for limiting emissions from businesses and other stationary sources of air contaminants. There are numerous types of equipment as well as industrial and commercial processes that require a Permit to Operate with the District. The following is a current listing of all facilities located within the Arvin-Lamont Community which have active Permits to Operate with the District. A previous listing was provided in [Appendix E](#) of the Arvin-Lamont Community Emissions Reduction Program (CERP).

Facility Name	Facility ID	Facility Address	Facility Description
7-ELEVEN INC	S-2137	1540 BEAR MOUNTAIN BLVD @ COMMANCHE	GASOLINE DISPENSING
ANTHONY VINEYARDS INC	S-7832	425 KING ST	GRAPES
ARVIN COMMUNITY SERVICES DISTRICT	S-4182	4TH ST & CAMPUS	WATER SUPPLY
ARVIN COMMUNITY SERVICES DISTRICT	S-9591	MILLUX RD & WALNUT DR	GOVERNMENT SERVICES
ARVIN COMMUNITY SERVICES DISTRICT	S-9592	MEYER ST & MILLUX RD	GOVERNMENT SERVICES
ARVIN PETROLEUM INC. #47008	S-9035	950 E BEAR MOUNTAIN BLVD	GASOLINE DISPENSING
ARVIN POST ACUTE	S-7013	323 CAMPUS DR	NURSING AND PERSONAL CARE
ARVIN SANITARY LANDFILL	S-3433	5500 N WHEELER RIDGE RD	SANITARY LANDFILL
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	ELEMENTARY AND SECONDARY SCHOOLS
AT&T MOBILITY	S-2927	WEEDPATCH HWY AND BLACKBURN RD	TELECOMMUNICATIONS
BENNETT PETROLEUM	S-333	HEAVY OIL CENTRAL	OIL AND GAS PRODUCTION
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
BURGER KING # 9637	S-4051	802 BEAR MOUNTAIN	RESTAURANT - FAST FOOD
BURGER KING 28765	S-9764	7930 PANAMA RD	FAST FOOD RESTAURANT
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	OIL AND GAS PRODUCTION
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
CHARTER COMMUNICATIONS	S-8167	10311 STOBAUGH ST	CABLE TELEVISION SERVICES
CITY OF ARVIN	S-4169	200 CAMPUS DR	GOVERNMENT SERVICES
CITY OF ARVIN	S-3031	205 1/2 LANGFORD AVE	GOVERNMENT SERVICES
CKG MART INC	S-3402	8116 LAMONT AVE	GASOLINE DISPENSING
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	GASOLINE DISPENSING
DM CAMP & SON - RANCH #8 - SECTION 28	S-5225	MALAGA AND HWY 223	AGRICULTURAL FIELD CROPS
DM CAMP & SONS - RANCH #8	S-5224	MALAGA RD AND BUENA VISTA BLVD	GENERAL FARMS, PRIMARILY CROP
EDSAL SANDUSKY CORP	S-866	16125 WIDMERE RD	FABRICATED METAL PRODUCTS
FASTRIP OIL CO	S-2357	11209 MAIN ST	GASOLINE DISPENSING
FRANKS CABINET SHOP	S-3130	11204 SAN DIEGO ST	WOOD KITCHEN CABINETS
G3 DAIRY	S-6637	5829 E PANAMA LN	DAIRY FARM
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	GASOLINE DISPENSING
GOGO LLC	S-7235	15311 CUDA RD	RADIOTELEPHONE SERVICES
GREGS PETROLEUM SERVICE	S-2257	901 S DERBY	GASOLINE DISPENSING
GREGS PETROLEUM SERVICE	S-1647	868 S DERBY	BULK PLANT
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
GRIMMWAY ENTERPRISES INC	S-2841	11412 MALAGA RD	VEGETABLES AND MELONS
GRIMMWAY FARMS	S-3197	830 E SYCAMORE	AGRICULTURAL PRODUCTS PREPARATION
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	GASOLINE DISPENSING
HUNTER EDISON OIL DEVELOPMENT, L.P.	S-2961	LIGHT OIL CENTRAL STATIONARY SOURCE	OIL AND GAS PRODUCTION
JACO HILL CO	S-2359	801 HAVEN DR	GASOLINE DISPENSING
JACO HILL CO	S-2372	10000 MAIN ST	GASOLINE DISPENSING
JAMIESON HILL	S-2374	10301 MAIN ST	GASOLINE DISPENSING
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	GASOLINE DISPENSING
JOE'S RENTALS	S-4035	889 S DERBY RD	READY-MIX CONCRETE
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	FIRE PROTECTION
KERN COUNTY GENERAL SERVICES	S-18	12022 MAIN ST	GENERAL GOVERNMENT
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	GENERAL GOVERNMENT
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	PETROLEUM REFINING
KERN ENERGY	S-4162	PANAMA LN @ WEEDPATCH HWY	SOIL AND GROUNDWATER REMEDIATION
KERN ENERGY	S-7648	VARIOUS UNSPECIFIED LOCATIONS	NONCLASSIFIABLE ESTABLISHMENT
KIRSCHENMAN ENTERPRISES INC #4	S-6758	DIGIORGIO RD & MALAGA RD	GENERAL FARMS, PRIMARILY CROP
LAMONT ELEMENTARY SCHOOL	S-9826	7998 ALICANTE STREET	SCHOOLS
LAMONT PUBLIC UTILITIES DISTRICT	S-8620	7300 MOUNTAIN VIEW ROAD	PUBLIC UTILITIES
LAMONT PUBLIC UTILITY DIST	S-2811	BEAR MTN BLVD	PUBLIC UTILITIES
LAMONT PUBLIC UTILITY DISTRICT	S-6684	CORNER OF SAN FERNANDO & RIBIER	GOVERNMENT SERVICES
LAMONT PUBLIC UTILITY DISTRICT	S-10040	7616 HALL RD	PUBLIC UTILITIES
LAMONT PUBLIC UTILITY DISTRICT	S-7452	10722 WILLIAMS ST	WATER SUPPLY
LAMONT PUBLIC UTILITY DISTRICT	S-8573	12809 MAIN ST	PUBLIC UTILITIES
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	OIL AND GAS PRODUCTION
ONE STOP LAMONT	S-9091	12816 MAIN ST	GASOLINE DISPENSING
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	S-1157	8313 E SEGRUE RD	TELECOMMUNICATIONS
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	S-1161	365 BEAR MOUNTAIN BLVD	TELECOMMUNICATIONS
PANAMA RANCH	S-7543	6219 E PANAMA LN	DAIRY FARM
PETRO CAPITAL RESOURCES LLC	S-7076	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
QUALITY MARKET & FUEL	S-2621	9701 MAIN ST	GASOLINE DISPENSING
R & R RESOURCES LLC	S-3331	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
RECOLOGY BLOSSOM VALLEY ORGANICS - SOUTH	S-2905	6061 N WHEELER RIDGE RD	FERTILIZER PRODUCTION
RUBEN'S AUTO BODY LLC	S-1688	11112 MAIN ST	AUTO BODY SPRAY COATING
S & S MINI MART, INC	S-679	10618 MAIN ST	GASOLINE DISPENSING
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
SEQUOIA EXPLORATION	S-2585	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
SEQUOIA EXPLORATION, INC.	S-2985	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
SOUTHERN VALLEY CHEMICAL CO	S-1580	101 SYCAMORE RD	INDUSTRIAL GASES-WHOLESALE
STENDERUP AG PARTNERS	S-8334	14820 S EDISON RD	GASOLINE DISPENSING FACILITY
TASTEFUL SELECTIONS	S-8533	13003 DI GIORGIO RD	AGRICULTURAL PRODUCTS PROCESSING, STORAGE
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
TS LEASING OPERATIONS INC	S-3914	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION

ULRICH BARN BUILDERS OF CALIFORNIA	S-7125	14346 SUNSET BLVD	PREFABRICATED WOOD BUILDINGS & COMPONENTS
US OIL & GAS	S-2286	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
VEOLIA WATER NORTH AMERICA	S-3629	18500 RANCHO RD	WATER SUPPLY
VERIZON WIRELESS (DT LAMONT)	S-7345	8419 DI GIORGIO RD	RADIOTELEPHONE SERVICES
VERIZON WIRELESS - ARVIN	S-4270	15311 CUDA RD	TELECOMMUNICATIONS
VERIZON WIRELESS - NORTH LAMONT	S-7537	5915 WEEDPATCH HWY	TELECOMMUNICATIONS
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	GASOLINE DISPENSING

Enforcement Plan Facility Inspections

Facilities that have permits with the Valley Air District are inspected on a regular basis by District Compliance staff to ensure all permit requirements are being followed. New and modified equipment is also inspected prior to permit issuance. District inspection staff also observes stack emission testing (known as source testing) for certain types of equipment to ensure that proper testing procedures and protocols are followed by the third-party testing company. They also conduct inspections when unforeseen equipment breakdowns occur which may affect a facility's ability to comply with all permit requirements.

In addition to the numerous inspections already conducted by the District each year at permitted facilities throughout the valley, the District committed in the Arvin-Lamont CERP to increase the frequency of periodic compliance inspections to once every six months at facilities that have had an emissions related violation within the last three years. The following is a listing of all District inspection activities at permitted facilities within the Arvin-Lamont Community from July 2023 through June 2024. A previous listing of inspections can be found in [Appendix E](#) of the Arvin-Lamont CERP.

Facility Name	Facility ID	Facility Address	Date	Inspection Type
BENNETT PETROLEUM	S-333	HEAVY OIL CENTRAL	7/5/2023	First Day of Annual Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	7/5/2023	Return to Compliance Verification Inspection
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	7/5/2023	First Day of Annual Inspection
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	7/5/2023	First Day of Routine Compliance Inspection
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	7/5/2023	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
BENNETT PETROLEUM	S-333	HEAVY OIL CENTRAL	7/5/2023	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
BENNETT PETROLEUM	S-333	HEAVY OIL CENTRAL	7/5/2023	First Day of Routine Compliance Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	7/11/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	7/18/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	7/19/2023	Source Test Observations
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	7/19/2023	Source Test Observations
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	7/19/2023	First Day of Routine Compliance Inspection (includes ATC startup)
CITY OF ARVIN	S-3031	205 1/2 LANGFORD AVE	7/19/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	7/19/2023	First Day of Routine Compliance Inspection (includes ATC startup)
GRIMMWAY ENTERPRISES INC	S-2841	11412 MALAGA RD	7/25/2023	First Day of Routine Compliance Inspection (includes ATC startup)
GRIMMWAY ENTERPRISES INC	S-2841	11412 MALAGA RD	8/1/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/18/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/22/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/22/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/23/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
ONE STOP LAMONT	S-9091	12816 MAIN ST	8/24/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/24/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	8/24/2023	First Day of Routine Compliance Inspection (includes ATC startup)
QUALITY MARKET & FUEL	S-2621	9701 MAIN ST	8/24/2023	Source Test Observations
QUALITY MARKET & FUEL	S-2621	9701 MAIN ST	8/24/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/29/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/30/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/31/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
RECOLOGY BLOSSOM VALLEY ORGANICS - SOUTH	S-2905	6061 N WHEELER RIDGE RD	8/31/2023	First Day of Routine Compliance Inspection (includes ATC startup)
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	9/1/2023	Return to Compliance Verification Inspection
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	9/1/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/5/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
R & R RESOURCES LLC	S-3331	LIGHT OIL CENTRAL	9/5/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/7/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
JACO HILL CO	S-2372	10000 MAIN ST	9/11/2023	First Day of Routine Compliance Inspection (includes ATC startup)
CKG MART INC	S-3402	8116 LAMONT AVE	9/11/2023	First Day of Routine Compliance Inspection (includes ATC startup)
JAMIESON HILL	S-2374	10301 MAIN ST	9/11/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/13/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/15/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	9/20/2023	Source Test Observations
ARVIN POST ACUTE	S-7013	323 CAMPUS DR	9/20/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	9/20/2023	First Day of Routine Compliance Inspection (includes ATC startup)
CKG MART INC	S-3402	8116 LAMONT AVE	9/20/2023	Return to Compliance Verification Inspection
JAMIESON HILL	S-2374	10301 MAIN ST	9/20/2023	Return to Compliance Verification Inspection
JACO HILL CO	S-2372	10000 MAIN ST	9/20/2023	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/21/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	9/21/2023	First Day of Routine Compliance Inspection (includes ATC startup)
LAMONT ELEMENTARY SCHOOL	S-9826	7998 ALICANTE STREET	9/21/2023	First Day of Routine Compliance Inspection (includes ATC startup)
ULRICH BARN BUILDERS OF CALIFORNIA	S-7125	14346 SUNSET BLVD	9/25/2023	Aborted Inspection (no part of inspection started)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/26/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
DM CAMP & SONS - RANCH #8	S-5224	MALAGA RD AND BUENA VISTA BLVD	9/26/2023	First Day of Routine Compliance Inspection (includes ATC startup)
GREGS PETROLEUM SERVICE	S-1647	868 S DERBY	9/27/2023	First Day of Routine Compliance Inspection (includes ATC startup)
GREGS PETROLEUM SERVICE	S-2257	901 S DERBY	9/27/2023	First Day of Routine Compliance Inspection (includes ATC startup)
ULRICH BARN BUILDERS OF CALIFORNIA	S-7125	14346 SUNSET BLVD	10/2/2023	Aborted Inspection (no part of inspection started)
STENDERUP AG PARTNERS	S-8334	14820 S EDISON RD	10/10/2023	First Day of Routine Compliance Inspection (includes ATC startup)
STENDERUP AG PARTNERS	S-8334	14820 S EDISON RD	10/10/2023	Source Test Observations
BURGER KING 28765	S-9764	7930 PANAMA RD	10/11/2023	First Day of Routine Compliance Inspection (includes ATC startup)
ULRICH BARN BUILDERS OF CALIFORNIA	S-7125	14346 SUNSET BLVD	10/11/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	10/12/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
SOUTHERN VALLEY CHEMICAL CO	S-1580	101 SYCAMORE RD	10/24/2023	First Day of Routine Compliance Inspection (includes ATC startup)
S & S MINI MART, INC	S-679	10618 MAIN ST	10/24/2023	First Day of Routine Compliance Inspection (includes ATC startup)
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	10/24/2023	First Day of Routine Compliance Inspection (includes ATC startup)
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	10/24/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	10/26/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	11/7/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/15/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	11/16/2023	First Day of Annual Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/16/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
SEQUOIA EXPLORATION, INC.	S-2985	LIGHT OIL CENTRAL	11/16/2023	First Day of Routine Compliance Inspection
SEQUOIA EXPLORATION, INC.	S-2985	LIGHT OIL CENTRAL	11/16/2023	First Day of Routine Compliance Inspection (includes ATC startup)
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	11/16/2023	First Day of Routine Compliance Inspection
SEQUOIA EXPLORATION	S-2585	LIGHT OIL CENTRAL	11/20/2023	First Day of Routine Compliance Inspection
SEQUOIA EXPLORATION	S-2585	LIGHT OIL CENTRAL	11/20/2023	First Day of Annual Inspection
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	11/20/2023	First Day of Routine Compliance Inspection (includes ATC startup)
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	11/22/2023	First Day of Annual Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/28/2023	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/28/2023	First Day of Routine Compliance Inspection (includes ATC startup)
TASTEFUL SELECTIONS	S-8533	13003 DI GIORGIO RD	11/30/2023	First Day of Routine Compliance Inspection
SEQUOIA EXPLORATION, INC.	S-2985	LIGHT OIL CENTRAL	11/30/2023	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/4/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/4/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	12/4/2023	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/4/2023	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/5/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/5/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
PETRO CAPITAL RESOURCES LLC	S-7076	LIGHT OIL CENTRAL	12/8/2023	First Day of Annual Inspection
ARVIN PETROLEUM INC. #47008	S-9035	950 E BEAR MOUNTAIN BLVD	12/11/2023	First Day of Routine Compliance Inspection (includes ATC startup)
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	12/19/2023	First Day of Routine Compliance Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	12/19/2023	First Day of Routine Compliance Inspection
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	12/19/2023	First Day of Annual Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	12/19/2023	First Day of Annual Inspection
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	12/19/2023	Return to Compliance Verification Inspection
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	12/19/2023	First Day of Routine Compliance Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/27/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/2/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/3/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
FASTRIP OIL CO	S-2357	11209 MAIN ST	1/4/2024	First Day of Routine Compliance Inspection (includes ATC startup)
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	1/9/2024	First Day of Routine Compliance Inspection
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	1/9/2024	First Day of Annual Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/9/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)

KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	1/10/2024	First Day of Routine Compliance Inspection (includes ATC startup)
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	1/10/2024	First Day of Routine Compliance Inspection (includes ATC startup)
GOGO LLC	S-7235	15311 CUDA RD	1/11/2024	First Day of Routine Compliance Inspection (includes ATC startup)
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	1/19/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	1/19/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/23/2024	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/23/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/24/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/24/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/24/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/24/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/31/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/31/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/31/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/31/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
GRIMMWAY ENTERPRISES INC	S-2841	11412 MALAGA RD	2/8/2024	First Day of Routine Compliance Inspection (includes ATC startup)
VEOLIA WATER NORTH AMERICA	S-3629	18500 RANCHO RD	2/8/2024	Aborted Inspection (no part of inspection started)
EDSAL SANDUSKY CORP	S-866	16125 WIDMERE RD	2/8/2024	First Day of Annual Inspection
GRIMMWAY FARMS	S-3197	830 E SYCAMORE	2/8/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	2/13/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
JACO HILL CO	S-2359	801 HAVEN DR	2/15/2024	First Day of Routine Compliance Inspection (includes ATC startup)
7-ELEVEN INC	S-2137	1540 BEAR MOUNTAIN BLVD @ COMMANCHE	2/15/2024	First Day of Routine Compliance Inspection (includes ATC startup)
JACO HILL CO	S-2359	801 HAVEN DR	2/15/2024	Source Test Observations
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	2/20/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	2/26/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	2/27/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	2/27/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	2/28/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	3/4/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
CKG MART INC	S-3402	8116 LAMONT AVE	3/7/2024	First Day of Routine Compliance Inspection (includes ATC startup)
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	3/7/2024	First Day of Routine Compliance Inspection (includes ATC startup)
VEOLIA WATER NORTH AMERICA	S-3629	18500 RANCHO RD	3/14/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	3/15/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
CKG MART INC	S-3402	8116 LAMONT AVE	3/18/2024	Return to Compliance Verification Inspection
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	3/18/2024	First Day of Routine Compliance Inspection (includes ATC startup)
LAMONT ELEMENTARY SCHOOL	S-9826	7998 ALCANTE STREET	3/18/2024	First Day of Routine Compliance Inspection (includes ATC startup)
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	3/18/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	3/18/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
LAMONT ELEMENTARY SCHOOL	S-9826	7998 ALCANTE STREET	3/20/2024	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	3/27/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
RECOLOGY BLOSSOM VALLEY ORGANICS - SOUTH	S-2905	6061 N WHEELER RIDGE RD	3/27/2024	First Day of Routine Compliance Inspection (includes ATC startup)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	4/2/2024	First Day of Routine Compliance Inspection
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	4/2/2024	First Day of Routine Compliance Inspection (includes ATC startup)
S & S MINI MART, INC	S-679	10618 MAIN ST	4/8/2024	First Day of Routine Compliance Inspection (includes ATC startup)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	4/8/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
STENDERUP AG PARTNERS	S-8334	14820 S EDISON RD	4/8/2024	First Day of Routine Compliance Inspection (includes ATC startup)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	4/8/2024	First Day of Routine Compliance Inspection
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	4/12/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	4/12/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	4/12/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	4/15/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	4/15/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
TS LEASING OPERATIONS INC	S-3914	LIGHT OIL CENTRAL	4/16/2024	First Day of Routine Compliance Inspection (includes ATC startup)
BURGER KING 28765	S-9764	7930 PANAMA RD	4/22/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	4/24/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	5/2/2024	First Day of Routine Compliance Inspection (includes ATC startup)
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	5/2/2024	First Day of Routine Compliance Inspection (includes ATC startup)
LAMONT ELEMENTARY SCHOOL	S-9826	7998 ALCANTE STREET	5/2/2024	First Day of Routine Compliance Inspection (includes ATC startup)
HUNTER EDISON OIL DEVELOPMENT, L.P.	S-2961	LIGHT OIL CENTRAL STATIONARY SOURCE	5/8/2024	First Day of Routine Compliance Inspection (includes ATC startup)
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	5/16/2024	Return to Compliance Verification Inspection
LAMONT ELEMENTARY SCHOOL	S-9826	7998 ALCANTE STREET	5/16/2024	Return to Compliance Verification Inspection
LAMONT PUBLIC UTILITY DISTRICT	S-10040	7616 HALL RD	5/30/2024	First Day of Routine Compliance Inspection (includes ATC startup)
ARVIN PETROLEUM INC. #47008	S-9035	950 E BEAR MOUNTAIN BLVD	6/5/2024	First Day of Routine Compliance Inspection (includes ATC startup)
CITY OF ARVIN	S-3031	205 1/2 LANGFORD AVE	6/5/2024	First Day of Routine Compliance Inspection (includes ATC startup)
R & R RESOURCES LLC	S-3331	LIGHT OIL CENTRAL	6/10/2024	First Day of Routine Compliance Inspection
R & R RESOURCES LLC	S-3331	LIGHT OIL CENTRAL	6/10/2024	First Day of Routine Compliance Inspection (includes ATC startup)
CHARTER COMMUNICATIONS	S-8167	10311 STOBAUGH ST	6/17/2024	First Day of Routine Compliance Inspection (includes ATC startup)
ARVIN SANITARY LANDFILL	S-3433	5500 N WHEELER RIDGE RD	6/17/2024	First Day of Routine Compliance Inspection (includes ATC startup)
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	6/18/2024	First Day of Routine Compliance Inspection
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	6/18/2024	First Day of Routine Compliance Inspection (includes ATC startup)
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	6/18/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	6/18/2024	First Day of Annual Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	6/18/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
KERN ENERGY	S-7648	VARIOUS UNSPECIFIED LOCATIONS	6/26/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-4162	PANAMA LN @ WEEDPATCH HWY	6/26/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
KERN ENERGY	S-7648	VARIOUS UNSPECIFIED LOCATIONS	6/26/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
KERN ENERGY	S-4162	PANAMA LN @ WEEDPATCH HWY	6/26/2024	First Day of Routine Compliance Inspection (includes ATC startup)
ANTHONY VINEYARDS INC	S-7832	425 KING ST	6/27/2024	First Day of Routine Compliance Inspection (includes ATC startup)

Enforcement Plan Summary of Complaints

District inspectors respond to approximately 3,000 public air pollution complaints District-wide each year. Some complaints are related to permit facilities, however a majority of complaints received by the District are for other sources of pollution such as illegal open burning, fireplace burning, dust generating activities, and miscellaneous odors. The District responds to all public complaints received, and makes every effort to respond as quickly as possible. Most complaints are investigated the same day they are reported. The following is a summary of all public air pollution complaints received and responded to within the Arvin-Lamont Community from July 2023 through June 2024. A previous report of complaints can be found in [Appendix E](#) of the Arvin-Lamont CERP.

Complaint Number	Date/Time Received	Owner/Operator/Responsible Party	Column1	Property Address	Complaint Type	Complaint Description	Resolution	Resolution Description
S-2307-003	7/6/23 12:45 PM	SEQUOIA EXPLORATION	S-2585	LIGHT OIL CENTRAL	Odor	API# 02914474 well: warren 2 from sequoia explorations was inspected with s Flir G620 camera and a leak was found on the well head	NOV Issued	Staff inspected Warren 2 Well and found a gas leak greater than 50,000 PPM, violating California Oil and Gas Regulation Section 95669. Sequoia Exploration repaired the leak on July 7, 2023, within the required timeframe. A Notice of Violation was issued for the leak.
S-2307-004	7/6/23 12:57 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Smoke coming off flare. Flame is 5 times larger than normal.	No Violation	Staff performed an investigation and found the facility's flare in operation, but did not observe visible emissions. However, staff did observe intermittent black smoke from the facility's Burn Heater. Visible emissions ceased after three minutes, a full visible emission evaluation was not completed. Further, the CEMS monitor serving the flare system did record 125 emissions greater than permit limits, NOV 5032279 was issued. The cause of this event was due to a fuel gas imbalance of the refinery fuel gas system.
S-2307-006	7/7/23 3:35 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	There are strong odors coming from the refinery at this location. RP did an inspection with a FLIR test at the fence line, there was a big plume coming off the West side of the refinery. RP detected gases. Odor is very strong.	No Violation	confirmed a crude odor south of the refinery's fence line. Odors originated from a permit exempt storage tank with content of P51500. This tank is exempt due to Rule 4623, Appendix A. Staff used a FLIR camera which led to the discovery of emissions coming from a pinhole puncture in the tank's roof and an unsecured manway. The facility repaired both items which resolved the issue.
S-2308-007	8/6/23 2:18 PM	ELIAS LOPEZ SIERRA		733 SOUTH DERBY STREET	Open Burn	Kern County Fire Dept. responded to the below address for a person who was burning illegally. Speaking with neighbors and Arvin Police Officers on scene, they stated that the below listed individual burns weeds, trash and scrap wood regularly. The area burned during this incident was approx. .25 acres and included several slats of wood fencing. There was scattered debris through out the burned area that had burned as well. I have additional pictures that this site will not allow me to upload.	NOV Issued	Staff investigated and obtained a copy of Kern County Fire Incident Report 23-36509. A Notice of Violation was issued for burning prohibited waste a violation District Rule 4103 Section 5.1.
S-2308-051	8/26/23 8:45 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Fire can be seen on the flare	Not Confirmed	Staff investigated and found that the facility's flare was operating. The facility, and surrounding area, had experienced a PG&E power loss due to a car hitting a power pole.
S-2308-055	8/28/23 9:57 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Heavy smoke and fire coming from refinery Saturday 8/26/23 very heavy black smoke coming from refinery	Not Confirmed	The facility, and surrounding area, had experienced a PG&E power loss due to a car hitting a power pole. Note, this complaint was an online submittal with a reporting date of two days after the occurrence date.
S-2311-004	11/2/23 1:07 PM			MULLER & WEEDPATCH HWY	Open Burn	Incinerator being used to burn trash and construction materials. By Weedpatch Hwy.	Not Confirmed	Staff investigated at the complaint location and found no evidence of burning at the facility (air curtain burner) or in the immediate vicinity.
S-2311-006	11/3/23 4:13 PM	KIMBER PALLETS		8504 DI GIORGIO RD	Fugitive Dust	11/03/2023 3:30 pm workers cleaning area with dust blower covering everything with wood dust.we cant even go outside because of the dust. this is the 3rd time that this happen 1st - 09-08-2023 2nd - 09-15-2023 3rd today 11-03-2023	No Violation	Staff investigated and did not see dust generation or a leaf blower in use at the facility. The facility contacted stated that a leaf blower is used once per month to clean the pallets but was not used today.
S-2311-017	11/8/23 11:55 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	FLIR camera captured fumes coming from tan tank close to East Panama Lane on the west side of the refinery. Fumes were also captured coming out of stacks.	Not Confirmed	Staff investigated and found the facility operating in compliance. The tank in question stores heavy crude oil and is heated to keep the oil from solidifying. Staff noted what appeared to be steam emanating from the tank's vents. When inspected with a Method 21 instrument, no VOCs were detected.
S-2311-018	11/8/23 12:21 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	Kern Energy Refinery, emissions coming from smoke stacks coming from refinery, smell of petroleum and sulfur	Not Confirmed	Staff reviewed the facility's portable analyzer records and found the facility operating in compliance.
S-2311-056	11/21/23 4:01 PM	PETRO CAPITAL RESOURCES	S-7076	JEWETT LEASE	Other	Chemical smell	Not Confirmed	Staff investigated and utilized a FUR camera to check the wells and tanks for leaks. The facility was not producing at the lease and the tanks were out of service. No leaks or odors were detected during the investigation.
S-2311-071	11/28/23 9:11 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Black and white smoke coming from two different parts of the Kern oil refinery	No Violation	Staff investigated and found visible emissions emanating from a heater within the Crude Unit. A visible emission evaluation was conducted, however, the emissions did not exceed regulatory allowance. Staff also noted the facility's flare operating, no excess emissions were observed.
S-2312-004	12/2/23 1:04 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	Filmed emissions escaping from the top of a tank near the Kern oil refinery with a FLIR camera. The leak was filmed with a Flir camera around 12pm today. There was a faint petroleum smell in the area. (the middle tank in the picture is the one with the leak on top) Flir footage can be made available	Not Confirmed	Staff inspected the subject tank with a FLIR camera and did not observe emission loss.
S-2311-072	11/28/23 9:17 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Hay humo negro saliendo de la refinera. Ha estado pasando por más de una hora. También hay fuego grande y humo blanco que sale después del fuego.	No Violation	Staff investigated and found visible emissions emanating from a heater within the Crude Unit. A visible emission evaluation was conducted, however, the emissions did not exceed regulatory allowance. Staff also noted the facility's flare operating, no excess emissions were observed.
S-2312-021	12/6/23 5:00 PM	PETRO CAPITAL RESOURCES	S-7076	NELSON CT & TOWNER DR	Odor	There is a smell of gasoline and petroleum in the air and it's very strong outside. Residents are worried it may be from oil wells in near by orchards or a well on the corner of Nelson CT and Towner dr	Not Confirmed	Staff investigated and utilized a FLIR camera and RKI Eagle 2 to check the wells and tanks for leaks. No leaks or odors were detected during the investigation.
S-2401-007	1/7/24 9:59 AM	ALG ARVIN SO LLC		13800 DUNCAN ST	Ag Burn	Ag burning	No Violation	Staff investigated and obtained the incident report from the Kern County Fire Department. Agricultural burning was confirmed however the fire was started by trespassers.
S-2401-028	1/16/24 5:45 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Thick black smoke coming continuously from refinery. Has been going for 30 minutes Oil well leak found with FLIR camera off of E Fairview Rd and S Fairfax Rd API: 402947929	No Violation	Staff investigated and did not observe any visible emissions from the facility.
S-2402-021	2/13/24 4:27 PM	TS LEASING OPERATIONS INC	S-3914	LIGHT OIL CENTRAL	Other	Attached is complete report of inspection. This complaint pertains to TS Leasing properties	No Violation	Staff investigated and confirmed leaks from Tanks TK1001 and TK1000. The leaks were previously found and tagged by the operator prior to District inspection and were repaired within the required timeframes of the California Oil and Gas Regulation. The leaks from wells were not confirmed.
S-2402-028	2/17/24 9:36 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Complaint received: I recorded a video of thick white smoke coming from the tall stacks in the middle of the refinery. There was white smoke that was drifting and not disappearing. It started around 10 and it went on until the sun came up.	No Violation	Staff investigated and did not observe any visible emissions from the facility.
S-2402-030	2/18/24 7:52 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	We received a complaint to the Ivan network this morning with this description: Hay humo saliendo de las torres en la refinera. Sale de en medio donde están los tanques también. Siempre lo hacen en la noche. Hoy desperté a las 5:30am y habia mucho humo There is smoke coming from the towers at the refinery. Smoke is also coming out of the middle of the refinery where the tanks are too. They always do it at night. Today I woke up at 5:30am and there was a lot of smoke.	No Violation	Staff investigated and did not observe any visible emissions from the facility.
S-2402-031	2/19/24 4:24 AM			MOUNTAINVIEW RD & SHERMAN RD	Odor	There is a loud booms coming from the refinery. Residents state the noise has been going on since 2am. There is a crude smell that is reaching nearby residents	No Violation	Staff investigated and confirmed loud boom noises; however, no violation was issued as the District does not have jurisdiction over noise complaints. The reported crude odor was not confirmed.
S-2403-005	3/4/24 5:01 PM	SO CAL GAS		PANAMA LN & WEEDPATCH HWY	Odor	There is a SoCal gas crew fixing a leak in front of the refinery. I asked one of the workers if there was a leak and he said yes. I felt sick and nauseous for the last 3 weeks. My eyes and throat have also been irritated. I have visitors at the house, and they have mentioned smelling very strong. Gas-like smells for the last 3 weeks. There is a strong crude oil smell.	No Violation	Staff investigated and confirmed the gas leak; however, no violation was issued as the leak was not subject to District Rules and Regulations. The gas leak was repaired within the required timeframe set forth by the US Department of Transportation. Odor was not confirmed during the investigation.
S-2403-006	3/4/24 5:12 PM	SO CAL GAS		PANAMA LN & WEEDPATCH HWY	Other	Follow up on incident S-2403-005: SoCal gas workers working on leak near Kern Energy refinery are not wearing respirators or masks. Residents near leak have not been notified. No contact with any community members have been made except for one person who went up to workers to ask what was going on.	No Violation	Staff investigated and confirmed the gas leak; however, no violation was issued as the leak was not subject to District Rules and Regulations. The gas leak was repaired within the required timeframe set forth by the US Department of Transportation. Odor was not confirmed during the investigation.
S-2403-015	3/6/24 7:08 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Black smoke coming from west side of refinery. The smoke is dark and gets darker and lighter, but it hasn't stopped for 20 minutes. The stacks in the middle are producing the smoke.	Not Confirmed	Staff investigated and found that the referenced stack was emitting condensate and depending on the viewers position to the sun the condensate appeared darker. With proper positioning, staff confirmed that the grey appearance was caused by another stack's shadow on the condensate plume.
S-2403-020	3/7/24 4:50 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	We received an IVAN report with the following: I drove from HWY 184 towards Fairfax and smelled strong rotten egg smell. I saw one of the tanks near the fence with the silver hatch on top open. I had my AC on when I drove by and the smell was very strong when I was closer to weedpatch	Not Confirmed	Staff investigated and did not detect odors as described by RP.
S-2404-001	4/1/24 7:31 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	We received a IVAN report with the following message: early this morning I saw smoke coming from the tanks near the street at the refinery. It was black and coming from the tanks near the street, closer to weedpatch HWY. The smoke was coming out for more than 30 minutes	No Violation	Staff investigated initially and did not observe any visible emissions from the facility. Further investigation indicated that emissions witnessed by RP likely came from the facility's emergency engine serving a fire water pump. The engine was found to produce black exhaust for approximately 5 seconds upon startup. This engine operates 30 minutes weekly for maintenance purposes and emergency need.
S-2404-027	4/17/24 8:07 AM	RESIDENT		13700 S VINELAND RD	Open Burn	Burn trash every night between 6-8 PM	Not Confirmed	Staff investigated but did not observe burning at the residence. An advisory letter was sent to the resident.

S-2404-034	4/21/24 12:42 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	There is smoke coming from Kern Energy. 1215am time started in back of tree line / other side of tank plant property.	No Violation	Staff investigated and did not observe any visible emissions from the facility.
S-2404-035	4/21/24 1:17 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	There was a huge bang sound that came from refinery around 10:21pm on April 20th. The flare was in just before. Now I see smoke coming from the refinery	No Violation	Staff investigated and did not observe any visible emissions from the facility.
S-2404-044	4/25/24 10:59 AM	LAUT FARMS		COMMANCHE RD & SOUTH BUENA VISTA	Ag Burn	Ag burn occurring at this location very close to the road.	No Violation	Staff investigated an approved Agricultural burn at this location. All permit conditions were being followed.
S-2404-049	4/30/24 10:02 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	We noticed the flare at the Kern Energy Refinery turn off and there is smoke coming from the tanks close to Panama Lane and Weedpatch HWY. The smoke could be coming from behind the tanks. This is happening right now.	No Violation	Staff investigated and did not observe any visible emissions from the facility. However, further inquiries revealed that the facility had experienced a power outage which impacted the refinery's process units, including the sulfur recovery unit where the RP reported seeing emissions from. It is recognized that black smoke did occur at this location, however, the emissions ceased before staff arrival.
S-2404-051	4/30/24 10:17 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Blake plume of smoke coming from refinery	No Violation	Staff investigated but did not observe the black smoke. Facility records revealed that during the time of the complaint, amine fluid entered the gas line to the incinerators causing incomplete combustion resulting in black smoke. No Violation was issued as no exceedance of visible emissions limits were documented.
S-2404-052	4/30/24 12:01 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Black smoke and red flare	No Violation	Staff investigated but did not observe the black smoke. Facility records revealed that during the time of the complaint, amine fluid entered the gas line to the incinerators causing incomplete combustion resulting in black smoke. No Violation was issued as no exceedance of visible emissions limits were documented.
S-2404-053	4/30/24 6:04 PM			COMANCHE DR	Ag Burn	On Thursday at around 11:17am I saw several piles of wood on fire in Arvin located off of Comanche Dr and Buena Vista Blvd	No Violation	Staff confirmed that an approved Agricultural burn had occurred at this location on 4/25/24. All permit conditions were being followed.
S-2405-013	5/3/24 2:57 PM	SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	Other	CCEIN FLIR Inspections: 2 tanks found leaking from Sequoia Exploration, Inc. Tank ID1527 - Oil seen on the side of tank coming from hatch. In our FLIR footage, a fugitive emission was captured and is a constant plume of gas that was heading to the east. Tank ID5219-Rusted tank with streak of discoloration going down from the thief hatch. Rust seems to be eroded by streak of unknown liquid. Thin diameter pipe with 90 degree elbow towards the top also a potential source of gas fugitive emission. (Footage will be attached to follow-up email).	Not Confirmed	Staff inspected per US EPA Method 21 and found the tanks and associated equipment were in compliance with the leak standards of both the California Oil and Gas Regulation (COGR) and District Rule 4409.
S-2405-034	5/14/24 2:10 AM			1/2 MI EAST OF MAIN STREET & EAST PANAMA LANE	Odor	Odor of an old car exhaust	Not Confirmed	Staff investigated however, odor of an old car exhaust was not confirmed.
S-2406-030	6/17/24 12:48 PM			ACROSS THE STREET FROM 8929 PAMANA RD	Open Burn	Large patch of land that has been burning since Friday, strong odor still coming from area	Confirmed	Staff investigated and found an unintentional grass fire with no hazardous materials involved. No responsible party could be identified during the investigation.
S-2406-052	6/27/24 8:16 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	Forwarding a IVAN report: there is a machine close to the corner of Panama and weed patch highway at the refinery. It turned on around 8:00 in the morning and started blowing out dark black smoke for more than 1 minute. Reporting party has video and can be put in touch with inspector.	No Violation	Staff investigated initially and did not observe any visible emissions from the facility. Further investigation indicated that emissions witnessed by RP likely came from the facility's emergency engine serving a fire water pump. The engine was found to produce black exhaust for approximately 5 seconds upon startup. This engine operates 30 minutes weekly for maintenance purposes and emergency need.

Enforcement Plan

Summary of Violations Found

The District implements a robust enforcement program that includes regular inspections of facilities with District permits as well as other potential sources of air contaminants. In the Arvin-Lamont CERP, the District committed to further enhancing its enforcement efforts in the areas of concern to the community. From July 1, 2023 through June 30, 2024, District compliance staff have issued a number of enforcement actions for open burning violations, fugitive dust violations, and excess emissions violations.

When a violation of a District rule or other air pollution regulation is discovered during an inspection, complaint investigation, or through surveillance activities, the violation is documented through the issuance of a formal notice to the owner or operator, and depending on the nature of the violation, may be subject to substantial monetary penalties. The following is a summary of all violation notices issued from July 2023 to June 2024 for violations of District Rules or other State air pollution control regulations within the Arvin-Lamont Community. These include violations at permitted facilities as well as other non-permitted facilities and private residences. A previous list of violations can be found in [Appendix E](#) of the Arvin-Lamont CERP.

Date	Type	Violation #	Issued To	Facility ID	Location	Description	Rules
7/3/2023	NOV	5031283	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Discoveries found during District annual inspection include: I. 10 Rule 4624 leaks. II. 4 Rule 4455 greater than 50,000 PPM leaks. III. 5 Rule 4455 Open Ended Lines found IV. 3 Rule 4623 greater than 10,000 PPM leaks.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids) 4624 (Transfer of Organic Liquids) 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
7/3/2023	NOV	5031289	Rancho Tree Service		1713 Weedpatch Hwy, Bakersfield	i. Failure to limit visible dust emissions to below 20% opacity. ii. Failure to apply for an Authority to Construct/Permit to Operate prior to installing/operating a diesel engine >50hp and associated grinder.	2010 (Permits Required) 8011 (General Requirements) 8031 (Bulk Materials)
7/3/2023	NOV	5031287	Matt Story as an agent of Confidence UST Services		705 S. Union Ave., Bakersfield	Failure to submit the 24-hour pass/fail notification, as required.	1177 (Gasoline Dispensing Facility Tester Certification)
7/5/2023	NOV	5031298	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv on 06/01/2023, 06/09/2023 and 6/30/2023.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4311 (Flares)
7/6/2023	NOV	5031300	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 100 ppm	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4307 (Boilers, Steam Generators, and Process Heaters - 2.0 to 5.0 MMBtu/hr)
7/6/2023	NOV	5031301	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	Failure to monitor SOx emissions from SRU #1	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits)
7/10/2023	NOV	5031322	Sequoia Exploration	S-2585	Light Oil Central,	Discovery of a leak in excess of 50,000 ppm subject to COGR	95669 (CA Code of Regulations, Title 17)
7/11/2023	NOV	5031327	Caballero Operations Llc.	S-890	LIGHT OIL CENTRAL, Bakersfield	Failure to obtain finalized Authority to Construct (ATC) prior to changing the location of tank.	2010 (Permits Required)
7/13/2023	NOV	5031309	Caballero Operations Llc.	S-890	Light Oil Central,	Discovery of the following: 1. Leak exceeding 50,000ppm at thread of engine scrubber of Cherry well 1. 2. Leak exceeding 50,000ppm at hose of engine scrubber of Cherry well 1. 3. Leak exceeding 50,000ppm at valve stem of engine scrubber of Cherry well 2. 4. Leak exceeding 50,000ppm at plug of engine scrubber of Cherry well 2. 5. Leak exceeding 50,000ppm at hatch of Wharton tank 501. 6. Leak exceeding 50,000ppm at hatch of Derby 11 tank. 7. Leak exceeding 50,000ppm at hatch of Dery 45 tank.	95669 (CA Code of Regulations, Title 17)
7/13/2023	NOV	5031310	Caballero Operations Llc.	S-890	Light Oil Central,	Discovery of the following: 1. Leak exceeding 50,000ppm at Krauter 503 tank. 2. Leak exceeding 50,000ppm at Krauter 504 tank.	95669 (CA Code of Regulations, Title 17)
7/17/2023	NOV	5031352	Blackstone Oil & Gas, LLC		Campus Blvd & Sunset Dr (George, Portman, AWA	i. 8 open-ended lines (OELs) ii. 21 leaks/OELs not repaired within the required time frames	4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities)
7/18/2023	NOV	5031368	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	I. Failure to comply with the 162ppm H2S limit on 05/17/2023.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4311 (Flares)
7/19/2023	NOV	46843	Jose Gonzalez		Panama Lane & South Fairfax Avenue, Bakersfield	Open Burn - burning illegal material - dead chickens	4103 (Open Burning)
7/19/2023	NOV	5031371	Arvin Union School District	S-1291	660 South "A" St, Arvin	Failure to maintain the vapor recovery system. (Upper hose torn.)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
7/20/2023	NOV	5031325	Patriot Environmental Services		19421 Creek Rd, Bakersfield	Operating without a permit to operate (PTO).	2010 (Permits Required)
7/24/2023	NOV	5031392	Joey Meza		17453 Brimhall Road, Bakersfield	Open Burn - Burning prohibited material	4103 (Open Burning)
8/7/2023	NOV	5031441	Grimmway Enterprises Inc	S-2841	11412 Malaga Rd, Arvin	Failure to maintain a vapor recovery system	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
8/18/2023	NOV	5031478	Elias Lopez-Sierra		733 S. Derby St., Arvin	Burning prohibited waste. This is a violation of section 5.1 of District Rule 4103.	4103 (Open Burning)
8/24/2023	NOV	5031507	Dillon & Sons Db a The Barn #4	S-6820	11336 Comanche Dr, Arvin	Failure to maintain the vapor recovery system (curb hose torn on fueling point #6)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
9/11/2023	NOV	5031545	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	I. Failure to monitor H2S content in the fuel and flare gas systems. (05/19/2022)	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4001 (New Source Performance Standards)
9/11/2023	NOV	5031548	Berry's Concrete		6048 Zephyr Lane, Bakersfield	Operating a portable engine >50 bhp without a portable equipment registration	2010 (Permits Required)
9/13/2023	NOV	5031559	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to monitor and record stack concentration of NOx, CO, and O2 within 5 days of restarting the unit.	2520 (Federally Mandated Operating Permits) 4702 (Internal Combustion Engines - Phase 2)
9/13/2023	NOV	5031563	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to monitor SOx emissions from SRU#1	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits)
9/15/2023	NOV	5031573	Roy Nunez		2140 E Brundage Ln, Bakersfield	Failure to thoroughly inspect a structure for the presence of asbestos and a failure to submit an asbestos notification 10 days prior to demolition/renovation of a regulated structure. A violation of NESHAPS 40 CFR Part 61.145 (a) (b).	4002 (National Emission Standards for Hazardous Air Pollutants)
9/20/2023	NOV	5031609	The Termo Co	S-1137	Light Oil Central, Arvin	>50,000ppm gas leak at TVR drain at Mountain View Lease. Exceedance of leaks allowed under 10,000-49,999ppm leak threshold.	95669 (CA Code of Regulations, Title 17)
9/27/2023	NOV	46844	Doaba Farming Co		132931 Laval Road, South Rancho Rd., Arvin	Open Burn - Unattended and began burning prior to allowable time.	4103 (Open Burning)
9/28/2023	NOV	5031648	DM Camp & Sons - Ranch #8	S-5224	Malaga Rd And Buena Vista Blvd, Arvin	Exceedance of allowable hours	4702 (Internal Combustion Engines - Phase 2)
10/4/2023	NOV	5031669	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv and late submittal of deviation report.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
10/16/2023	NOV	5031718	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	I. Failure to have tanks equipped with a vapor recovery system.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
10/16/2023	NOV	5031719	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	I. Failure to have tanks equipped with a vapor recovery system.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
11/14/2023	NOV	55159	Noe Torres		400 Holden St, Arvin	Open burning of prohibited materials	4103 (Open Burning)

11/15/2023	NOV	5031872	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv on 10/2/2023, 10/3/23, 10/4/23, 10/6/23, 10/10/23 and 10/18/23. Exceeded number of leaks under "Other Component" type.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
11/27/2023	NOV	5031919	Sequoia Exploration, Inc.	S-3036	Light Oil Central, Arvin	Amended to correct facility ID from S-2985 to S-3036.	4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities)
12/5/2023	NOV	5032048	Grimmway Enterprises Inc	S-2841	11412 Malaga Rd, Arvin	Burning without District authorization	4103 (Open Burning)
12/7/2023	NOV	5032072	Kimber Pallets		8504 Di Giorgio Rd, Lamont	Operating without permits	2010 (Permits Required)
12/26/2023	NOV	5032277	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	Failed annual gap seal inspection.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
12/26/2023	NOV	5032279	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
12/26/2023	NOV	5032281	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	Failure to have refinery fuel gas equipped with a CEMS.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4001 (New Source Performance Standards)
12/26/2023	NOV	5032285	Kern Oil & Refining Co.	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv on 11/14/2023	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
12/26/2023	NOV	5032289	David Welch		321 Fallbrook Avenue, Arvin	Use of a wood burning fireplace, wood burning heater, or outdoor wood burning device on an episodic wood burning curtailment day.	4901 (Wood Burning Fireplaces and Wood Burning Heaters)
1/2/2024	NOV	5032315	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceeding Start up duration as defined in Rule 4703.	4307 (Boilers, Steam Generators, and Process Heaters - 2.0 to 5.0 MMBtu/hr) 2070 (Standards for Granting Applications)
1/5/2024	NOV	5032354	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceedance of NOx and CO limits	2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4307 (Boilers, Steam Generators, and Process Heaters - 2.0 to 5.0 MMBtu/hr)
1/8/2024	NOV	5032370	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to maintain secondary seal free of tears, holes or openings.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
1/16/2024	NOV	5032418	The Termo Co	S-1137	Light Oil Central	I. Discovery of two greater than 50,000 PPM leaks both on valves. II. Discovery of a greater than 50,000 PPM leak on Tank Brite 2 on the hatch. III. Tank 10784, 11001, and 12001 operating with a functioning vapor recovery system.	2070 (Standards for Granting Applications) 4311 (Flares) 4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities) 95669 (CA Code of Regulations, Title 17)
1/19/2024	NOV	5032475	Caballero Operations Llc.	S-890	Light Oil Central	Failure to submit an asbestos notification 10 days prior to demolition of a regulated structure, a violation of NESHAPS 40 CFR Part 61.145 (b)	4002 (National Emission Standards for Hazardous Air Pollutants)
1/24/2024	NOV	5032288	Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv on 11/21/23 & 11/25/2023	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
1/30/2024	NOV	5032547	Kern Energy	S-37	7724 E Panama Ln, Bakersfield	I. Failure to comply with H2S limit of 162 ppmv on 11/29/23 II. Failure to comply with H2S limit of 162 ppmv on 11/30/23 III. Failure to comply with H2S limit of 162 ppmv on 11/28/23	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
1/30/2024	NOV	5032548	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	I. Discovery of 1 greater than 1,000 PPM leak subject to 4624. II. Discovery of 5 greater than 10,000 PPM leaks subject to 4623.	2070 (Standards for Granting Applications) 4623 (Storage of Organic Liquids) 4624 (Transfer of Organic Liquids)
2/1/2024	NOV	5032283	Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Excess sulfur emissions as detected by Refinery Fuel Gas CEMS and Flare CEMS. Excess sulfur at SRU2 incinerator exhaust. * Amended to reflect all 7 deviation events for the month of September 2023. PTO -8: >50,000ppm gas-leak at Manometer (north of VRU compressor) and >10,000ppm gas-leak at Rack A Lane#1 south dry lock; PTOs:-16; -18; -57; and -102: >50,000ppm gas-leak at PVRVs; PTO -154: 25,000ppm gas-leak at PVRV; PTO -107: LPG Loading Racks: 2,000ppm gas-leak at coupling on hose; 3,000ppm gas-leak at threaded connection (north of load hose on east rack); 200ppm gas-leak at threaded connected of ball valve; 3,000ppm at butane pump seal; and 6,000ppm gas-leak at threaded connection at PRD.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
2/1/2024	NOV	5032568	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield		2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids) 4624 (Transfer of Organic Liquids)
2/2/2024	NOV	5032578	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to maintain Plant VRU operating and CSA unit in a leak-free condition.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants) 4623 (Storage of Organic Liquids) 4624 (Transfer of Organic Liquids)
2/2/2024	NOV	5032584	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to maintain waste water pit covered; and Failure to maintain hose cap in a gas-leak free condition.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 4624 (Transfer of Organic Liquids) 4625 (Wastewater Separators)
2/2/2024	NOV	5032586	Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv on 12/4/23; 12/26/23; 12/27/23; 12/28/23 and 12/29/23.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
2/6/2024	NOV	5032601	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceedance of startup period	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4306 (Boilers, Steam Generators, and Process Heaters-Phase 3)
2/16/2024	NTC	5031888	Fiesta Market #2		9710 Main St, Lamont	Failure to submit the 2022 HFC prohibition report to the California Air Resources Board (CARB) Refrigerant Management Program (RMP) by March 1st, 2023.	95375 (CA Code of Regulations, Title 17)
2/16/2024	NTC	5031885	Kern Ridge Growers - Arvin - South		25429 Barbara Street, Arvin	Failure to pay annual Refrigeration Management Program (RMP) implementation fees for calendar year 2022.	95384 (CA Code of Regulations, Title 17)
2/16/2024	NTC	5031886	Kern Ridge Growers, LLC		25429 Barbara Street, Arvin	Failure to pay annual Refrigeration Management Program (RMP) implementation fees for calendar year 2022.	95384 (CA Code of Regulations, Title 17)
2/29/2024	NOV	5032727	Caballero Operations Llc.	S-890	Light Oil Central	Failure to submit an asbestos notification 10 days prior to demolition of a regulated structure, a violation of NESHAPS 40 CFR Part 61.145 (b)	4002 (National Emission Standards for Hazardous Air Pollutants)

3/4/2024 NOV	5032742 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceeded daily SOx and NOx limit on 12/31/23, 1/2/2024 and 1/3/2024 and failure to conduct daily monitoring testing for SRU2 on 1/1/2024.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits)
3/6/2024 NOV	5032754 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to maintain Crude Storage Area Vapor Recovery Unit and Plant Vapor Recovery Unit functional and operating	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
3/6/2024 NOV	5032760 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	PTO -1: >50,000ppm gas-leak at fuel gas regulator on Gas Filter Pot; PTO -3: >50,000 ppm gas leak at vent on East KHT compressor; PTO -4: >50,000ppm gas-leak at threaded connection on South compressor; and PTO -77: Open Ended Line (OEL) on suction line.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
3/6/2024 NOV	5032763 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	PTO -109: >100ppm gas-leak; PTO -118: >50,000ppm gas leak; and PTO -121: > 30 dpm at valve	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
3/6/2024 NOV	5032765 Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv on 01/28/2024, 02/12/2024 and 02/13/2024	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
3/7/2024 NOV	5032766 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Excess NOx emissions	2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4306 (Boilers, Steam Generators, and Process Heaters-Phase 3)
3/11/2024 NOV	5032774 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceedance of NOx limit during source test.	1081 (Source Testing) 2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4306 (Boilers, Steam Generators, and Process Heaters-Phase 3)
3/14/2024 NOV	5032797 City of Arvin		South A Street & El Camino Real, Arvin	Operating without a Permit	2010 (Permits Required)
3/15/2024 NOV	5032807 Rockland Kirk as an agent of Confidence UST Services		800 Bear Mountain Blvd., Arvin	Failure to submit the 24-hour pass/fail notification, as required.	1177 (Gasoline Dispensing Facility Tester Certification)
3/18/2024 NOV	5032810 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to maintain Vapor Recovery Units and CEMS functional and operating at all times.	2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
3/18/2024 NOV	5032813 Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 100 ppm	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits)
3/19/2024 NOV	5032816 Lamont Elementary School	S-9826	7998 Alicante Street, Lamont	Failure to maintain the vapor recovery system. (Curb hose torn.) Failure to conduct required periodic maintenance self-inspections.	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
4/4/2024 NOV	5032888 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	i. failure to source test within 60 days of startup ii. failure to certify CEMS unit	2010 (Permits Required)2201 (New and Modified Stationary Source Review Rule)2520 (Federally Mandated Operating Permits)
4/15/2024 NOV	5032929 Griffin Resources Llc	S-8312	Light Oil Central, Bakersfield	COGR Violations discovered: (1) Leak exceeding 50k ppm on Separator Valve. (2) Leak exceeding 50k ppm on Separator Valve. (3) Leak exceeding 50k ppm on Separator Valve. (4) Leak exceeding 50k ppm on a union connected to Well A78-4. (5) Leak exceeding 50k ppm on a casing collar connected to Well D85. (6) Leak exceeding 50k ppm on a valve connected to Well D77	95669 (CA Code of Regulations, Title 17)
4/16/2024 NOV	5032935 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceedance of the 162ppm H2S limit on 03/14/24, 03/15/24, and 03/16/24.	2070 (Standards for Granting Applications)2520 (Federally Mandated Operating Permits)
4/16/2024 NOV	5032940 Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv	2070 (Standards for Granting Applications)2520 (Federally Mandated Operating Permits)
4/17/2024 NOV	5032947 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Excess NOx emissions	2201 (New and Modified Stationary Source Review Rule)4307 (Boilers, Steam Generators, and Process Heaters - 2.0 to 5.0 MMBtu/hr)
4/26/2024 NOV	5032763 Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	PTO -109: VOC loss detected at pressure vessel's manway; PTO -118: >50,000ppm gas leak; and PTO -121: > 30 dpm at valve	2070 (Standards for Granting Applications)2201 (New and Modified Stationary Source Review Rule)2520 (Federally Mandated Operating Permits)4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
5/2/2024 NOV	5033014 Lamont Elementary School	S-9826	7998 Alicante Street, Lamont	Failure to maintain the vapor recovery system. (650 ml drained from vapor path of hose.)	2070 (Standards for Granting Applications)4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
5/22/2024 NOV	5033096 Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv	2070 (Standards for Granting Applications)2520 (Federally Mandated Operating Permits)
5/22/2024 NOV	5033101 Paragon Bridgeworks Inc.		11228 S. Edison Road, Bakersfield	Operating without a permit	2010 (Permits Required)4603 (Surface Coating of Metal Parts and Products)
6/3/2024 NTC	5031969 Jaco Hill Co	S-2359	801 Haven Dr, Arvin	Failure to conduct and pass the required vapor recovery performance test (V/L). Test was not conducted by a certified technician.	2070 (Standards for Granting Applications)4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
6/3/2024 NTC	5031976 Jamieson Hill	S-2383	800 Bear Mtn Blvd, Arvin	Failure to conduct and pass the required vapor recovery performance tests (CAS, dispenser integrity, and V/L). Tests were not conducted by a certified technician.	2070 (Standards for Granting Applications)4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
06/03/2024 NTC	5031977 Jamieson Hill	S-2383	800 Bear Mtn Blvd, Arvin	Failure to conduct and pass the required vapor recovery performance test (V/L). Tests were not conducted by a certified technician.	2070 (Standards for Granting Applications)4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
06/19/2024 NOV	5033186 Grimmway Enterprises Inc		11412 Malaga Rd, Arvin	Failure to cleanup trackout greater than 50 feet as required by Rule 8041 section 5.0.	8041 (Carryout and Trackout)
06/19/2024 NOV	5033187 Tasteful Selections		11413 Malaga Rd, Arvin	Failure to cleanup trackout greater than 50 feet as required by Rule 8041 section 5.0.	8041 (Carryout and Trackout)
06/25/2024 NOV	5033202 Caballero Operations Llc.	S-890	Kruater Lease, Bakersfield	Open hatch on Tank 503	95669 (CA Code of Regulations, Title 17)