

2023 Enforcement Report

Updates to Enforcement Plan Attachments

Arvin-Lamont AB 617 Community

San Joaquin Valley Air Pollution Control District

Enforcement Plan

List of Permitted Facilities

The Valley Air District has some of the most stringent regulations in the country for limiting emissions from businesses and other stationary sources of air contaminants. There are numerous types of equipment as well as industrial and commercial processes that require a Permit to Operate with the District. The following is a current listing of all facilities located within the Arvin-Lamont Community which have active Permits to Operate with the District. A previous listing was provided in [Appendix E](#) of the Arvin-Lamont Community Emissions Reduction Program (CERP).

Facility Name	Facility ID	Facility Address	Facility Description
7-ELEVEN INC	S-2137	1540 BEAR MOUNTAIN BLVD @ COMMANCHE	GASOLINE DISPENSING
ANTHONY VINEYARDS INC	S-7832	425 KING ST	GRAPES
ARVIN COMMUNITY SERVICES DISTRICT	S-4182	4TH ST & CAMPUS	WATER SUPPLY
ARVIN COMMUNITY SERVICES DISTRICT	S-9591	MILLUX RD & WALNUT DR	GOVERNMENT SERVICES
ARVIN COMMUNITY SERVICES DISTRICT	S-9592	MEYER ST & MILLUX RD	GOVERNMENT SERVICES
ARVIN PETROLEUM INC. #47008	S-9035	950 E BEAR MOUNTAIN BLVD	GASOLINE DISPENSING FACILITY
ARVIN SANITARY LANDFILL	S-3433	5500 N WHEELER RIDGE RD	SANITARY LANDFILL
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	ELEMENTARY AND SECONDARY SCHOOLS
AT&T MOBILITY	S-2927	WEEDPATCH HWY AND BLACKBURN RD	TELECOMMUNICATIONS
BENNETT PETROLEUM	S-333	HEAVY OIL CENTRAL	OIL AND GAS PRODUCTION
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
BURGER KING # 9637	S-4051	802 BEAR MOUNTAIN	RESTAURANT - FAST FOOD
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	OIL AND GAS PRODUCTION
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
CHARTER COMMUNICATIONS	S-8167	10311 STOBAUGH ST	CABLE TELEVISION SERVICES
CITY OF ARVIN	S-4169	200 CAMPUS DR	GOVERNMENT SERVICES
CITY OF ARVIN	S-3031	205 1/2 LANGFORD AVE	GOVERNMENT SERVICES
CKG MART INC	S-3402	8116 LAMONT AVE	GASOLINE DISPENSING
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	GASOLINE DISPENSING
DM CAMP & SON - RANCH #8 - SECTION 28	S-5225	MALAGA AND HWY 223	AGRICULTURAL FIELD CROPS
DM CAMP & SONS - RANCH #8	S-5224	MALAGA RD AND BUENA VISTA BLVD	GENERAL FARMS, PRIMARILY CROP
EDSAL SANDUSKY CORP	S-866	16125 WIDMERE RD	FABRICATED METAL PRODUCTS
FASTRIP OIL CO	S-2357	11209 MAIN ST	GASOLINE DISPENSING
FRANKS CABINET SHOP	S-3130	11204 SAN DIEGO ST	WOOD KITCHEN CABINETS
G3 DAIRY	S-6637	5829 E PANAMA LN	DAIRY FARM
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	GASOLINE DISPENSING
GOGO LLC	S-7235	15311 CUDA RD	RADIOTELEPHONE SERVICES
GREGS PETROLEUM SERVICE	S-2257	901 S DERBY	GASOLINE DISPENSING
GREGS PETROLEUM SERVICE	S-1647	868 S DERBY	BULK PLANT
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
GRIMMWAY ENTERPRISES INC	S-2841	11412 MALAGA RD	VEGETABLES AND MELONS
GRIMMWAY FARMS	S-3197	830 E SYCAMORE	AGRICULTURAL PRODUCTS PREPARATION
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	GASOLINE DISPENSING
HUNTER EDISON OIL DEVELOPMENT, L.P.	S-2961	LIGHT OIL CENTRAL STATIONARY SOURCE	OIL AND GAS PRODUCTION
JACO HILL CO	S-2359	801 HAVEN DR	GASOLINE DISPENSING
JACO HILL CO	S-2372	10000 MAIN ST	GASOLINE DISPENSING
JAMIESON HILL	S-2374	10301 MAIN ST	GASOLINE DISPENSING
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	GASOLINE DISPENSING
JOE'S RENTALS	S-4035	889 S DERBY RD	READY-MIX CONCRETE
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	FIRE PROTECTION
KERN COUNTY GENERAL SERVICES	S-18	12022 MAIN ST	GENERAL GOVERNMENT
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	GENERAL GOVERNMENT
KERN ENERGY	S-4162	PANAMA LN @ WEEDPATCH HWY	SOIL AND GROUNDWATER REMEDIATION
KERN ENERGY	S-7648	VARIOUS UNSPECIFIED LOCATIONS	NONCLASSIFIABLE ESTABLISHMENT
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	PETROLEUM REFINING
KIRSCHENMAN ENTERPRISES INC #4	S-6758	DIGIORGIO RD & MALAGA RD	GENERAL FARMS, PRIMARILY CROP
LAMONT PUBLIC UTILITIES DISTRICT	S-8620	7300 MOUNTAIN VIEW ROAD	PUBLIC UTILITIES
LAMONT PUBLIC UTILITY DIST	S-2811	BEAR MTN BLVD	PUBLIC UTILITIES
LAMONT PUBLIC UTILITY DISTRICT	S-6684	CORNER OF SAN FERNANDO & RIBIER	GOVERNMENT SERVICES
LAMONT PUBLIC UTILITY DISTRICT	S-7452	10722 WILLIAMS ST	WATER SUPPLY
LAMONT PUBLIC UTILITY DISTRICT	S-8573	12809 MAIN ST	PUBLIC UTILITIES
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	OIL AND GAS PRODUCTION
ONE STOP LAMONT	S-9091	12816 MAIN ST	GASOLINE DISPENSING
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	S-1157	8313 SEGRUE RD	TELECOMMUNICATIONS
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	S-1161	365 BEAR MOUNTAIN BLVD	TELECOMMUNICATIONS
PANAMA RANCH	S-7543	6219 E PANAMA LN	DAIRY FARM
PETRO CAPITAL RESOURCES LLC	S-7076	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
QUALITY MARKET & FUEL	S-2621	9701 MAIN ST	GASOLINE DISPENSING
R & R RESOURCES LLC	S-3331	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
RECOLOGY BLOSSOM VALLEY ORGANICS - SOUTH	S-2905	6061 N WHEELER RIDGE RD	FERTILIZER PRODUCTION
RUBEN'S AUTO BODY LLC	S-1688	11112 MAIN ST	AUTO BODY SPRAY COATING
S & S MINI MART, INC	S-679	10618 MAIN ST	GASOLINE DISPENSING
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
SEQUOIA EXPLORATION	S-2585	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
SEQUOIA EXPLORATION, INC.	S-2985	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION

Facility Name	Facility ID	Facility Address	Facility Description
SERGIO'S AUTO BODY & PAINT	S-1603	801 1/2 BEAR MOUNTAIN BLVD	AUTO BODY SPRAY COATING
SOUTHERN VALLEY CHEMICAL CO	S-1580	101 SYCAMORE RD	INDUSTRIAL GASES-WHOLESALE
STENDERUP AG PARTNERS	S-8334	14820 S EDISON RD	GASOLINE DISPENSING FACILITY
TASTEFUL SELECTIONS	S-8533	13003 DI GIORGIO RD	AGRICULTURAL PRODUCTS PROCESSING, STORAGE
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
TS LEASING OPERATIONS INC	S-3914	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
ULRICH BARN BUILDERS OF CALIFORNIA	S-7125	14346 SUNSET BLVD	PREFABRICATED WOOD BUILDINGS & COMPONENTS
US OIL & GAS	S-2286	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
VEOLIA WATER NORTH AMERICA	S-3629	18500 RANCHO RD	WATER SUPPLY
VERIZON WIRELESS (DT LAMONT)	S-7345	8419 DI GIORGIO RD	RADIOTELEPHONE SERVICES
VERIZON WIRELESS - ARVIN	S-4270	15311 CUDA RD	TELECOMMUNICATIONS
VERIZON WIRELESS - NORTH LAMONT	S-7537	5915 WEEDPATCH HWY	TELECOMMUNICATIONS
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	GASOLINE DISPENSING
WINDSOR ARVIN HEALTHCARE LLC	S-7013	323 CAMPUS DR	NURSING AND PERSONAL CARE

Enforcement Plan Facility Inspections

Facilities that have permits with the Valley Air District are inspected on a regular basis by District Compliance staff to ensure all permit requirements are being followed. New and modified equipment is also inspected prior to permit issuance. District inspection staff also observes stack emission testing (known as source testing) for certain types of equipment to ensure that proper testing procedures and protocols are followed by the third-party testing company. They also conduct inspections when unforeseen equipment breakdowns occur which may affect a facility's ability to comply with all permit requirements.

In addition to the numerous inspections already conducted by the District each year at permitted facilities throughout the valley, the District committed in the Arvin-Lamont CERP to increase the frequency of periodic compliance inspections to once every six months at facilities that have had an emissions related violation within the last three years. The following is a listing of all District inspection activities at permitted facilities within the Arvin-Lamont Community from July 2022 through June 2023. A previous listing of inspections can be found in [Appendix E](#) of the Arvin-Lamont CERP.

Facility Name	Facility ID	Facility Address	Date	Inspection Type
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	7/6/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
SEQUOIA EXPLORATION	S-2585	LIGHT OIL CENTRAL	7/6/2022	Return to Compliance Verification Inspection
VERIZON WIRELESS (DT LAMONT)	S-7345	8419 DI GIORGIO RD	7/7/2022	First Day of Routine Compliance Inspection (includes ATC startup)
VERIZON WIRELESS - ARVIN	S-4270	15311 CUDA RD	7/7/2022	First Day of Routine Compliance Inspection (includes ATC startup)
VERIZON WIRELESS - NORTH LAMONT	S-7537	5915 WEEDPATCH HWY	7/7/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	7/8/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	7/11/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-4162	PANAMA LN @ WEEDPATCH HWY	7/14/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-7648	VARIOUS UNSPECIFIED LOCATIONS	7/14/2022	First Day of Routine Compliance Inspection (includes ATC startup)
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	7/21/2022	First Day of Annual Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	7/22/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	7/25/2022	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	7/25/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	7/26/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
DM CAMP & SONS - RANCH #8	S-5224	MALAGA RD AND BUENA VISTA BLVD	7/28/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/1/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	8/4/2022	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	8/4/2022	First Day of Annual Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	8/4/2022	First Day of Annual Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	8/5/2022	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/8/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	8/9/2022	Return to Compliance Verification Inspection
ANTHONY VINEYARDS INC	S-7832	425 KING ST	8/16/2022	First Day of Routine Compliance Inspection (includes ATC startup)
QUALITY MARKET & FUEL	S-2621	9701 MAIN ST	8/17/2022	First Day of Routine Compliance Inspection (includes ATC startup)
DM CAMP & SONS - RANCH #8	S-5224	MALAGA RD AND BUENA VISTA BLVD	8/19/2022	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/22/2022	Record Review (Office Review of Records Submitted as Part of an Inspection)
QUALITY MARKET & FUEL	S-2621	9701 MAIN ST	8/23/2022	Return to Compliance Verification Inspection
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	8/23/2022	First Day of Routine Compliance Inspection (includes ATC startup)
ONE STOP LAMONT	S-9091	12816 MAIN ST	8/23/2022	First Day of Routine Compliance Inspection (includes ATC startup)
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	S-1161	365 BEAR MOUNTAIN BLVD	8/30/2022	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	S-1157	8313 SEGRUE RD	8/30/2022	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	S-1161	365 BEAR MOUNTAIN BLVD	8/30/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	8/30/2022	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
RUBEN'S AUTO BODY LLC	S-1688	11112 MAIN ST	8/30/2022	First Day of Routine Compliance Inspection (includes ATC startup)
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	8/30/2022	First Day of Routine Compliance Inspection (includes ATC startup)
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	S-1157	8313 SEGRUE RD	8/30/2022	First Day of Routine Compliance Inspection (includes ATC startup)
R & R RESOURCES LLC	S-3331	LIGHT OIL CENTRAL	8/31/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/31/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	9/6/2022	Return to Compliance Verification Inspection
JACO HILL CO	S-2372	10000 MAIN ST	9/6/2022	Source Test Observations
CKG MART INC	S-3402	8116 LAMONT AVE	9/12/2022	First Day of Routine Compliance Inspection (includes ATC startup)
CITY OF ARVIN	S-3031	205 1/2 LANGFORD AVE	9/12/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/13/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/13/2022	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
CITY OF ARVIN	S-4169	200 CAMPUS DR	9/14/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/15/2022	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
JACO HILL CO	S-2372	10000 MAIN ST	9/15/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	9/20/2022	Return to Compliance Verification Inspection
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	9/20/2022	First Day of Routine Compliance Inspection (includes ATC startup)
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	9/22/2022	Standalone Startup Inspection (Not Part of a Routine Compliance Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/22/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	9/27/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
JACO HILL CO	S-2372	10000 MAIN ST	10/4/2022	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
STENDERUP AG PARTNERS	S-8334	14820 S EDISON RD	10/4/2022	First Day of Routine Compliance Inspection (includes ATC startup)
GREGS PETROLEUM SERVICE	S-1647	868 S DERBY	10/6/2022	First Day of Routine Compliance Inspection (includes ATC startup)
GREGS PETROLEUM SERVICE	S-2257	901 S DERBY	10/6/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	10/6/2022	Return to Compliance Verification Inspection
SERGIO'S AUTO BODY & PAINT	S-1603	801 1/2 BEAR MOUNTAIN BLVD	10/11/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	10/11/2022	First Day of Routine Compliance Inspection (includes ATC startup)
WINDSOR ARVIN HEALTHCARE LLC	S-7013	323 CAMPUS DR	10/11/2022	First Day of Routine Compliance Inspection (includes ATC startup)
ULRICH BARN BUILDERS OF CALIFORNIA	S-7125	14346 SUNSET BLVD	10/11/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	10/13/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	10/20/2022	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	10/24/2022	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
JOE'S RENTALS	S-4035	889 S DERBY RD	10/25/2022	First Day of Routine Compliance Inspection (includes ATC startup)
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	11/3/2022	First Day of Routine Compliance Inspection (includes ATC startup)
S & S MINI MART, INC	S-679	10618 MAIN ST	11/3/2022	First Day of Routine Compliance Inspection (includes ATC startup)
JAMIESON HILL	S-2374	10301 MAIN ST	11/3/2022	First Day of Routine Compliance Inspection (includes ATC startup)
SOUTHERN VALLEY CHEMICAL CO	S-1580	101 SYCAMORE RD	11/8/2022	First Day of Routine Compliance Inspection (includes ATC startup)
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	11/8/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/15/2022	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/21/2022	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/23/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	11/28/2022	First Day of Annual Inspection
SEQUOIA EXPLORATION	S-2585	LIGHT OIL CENTRAL	11/29/2022	First Day of Annual Inspection
SEQUOIA EXPLORATION, INC.	S-2985	LIGHT OIL CENTRAL	11/29/2022	First Day of Routine Compliance Inspection (includes ATC startup)
SEQUOIA EXPLORATION	S-2585	LIGHT OIL CENTRAL	11/30/2022	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
PETRO CAPITAL RESOURCES LLC	S-7076	LIGHT OIL CENTRAL	12/1/2022	First Day of Annual Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/5/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
ARVIN PETROLEUM INC. #47008	S-9035	950 E BEAR MOUNTAIN BLVD	12/5/2022	First Day of Routine Compliance Inspection (includes ATC startup)
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	12/5/2022	Source Test Observations
PETRO CAPITAL RESOURCES LLC	S-7076	LIGHT OIL CENTRAL	12/5/2022	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/8/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
TASTEFUL SELECTIONS	S-8533	13003 DI GIORGIO RD	12/14/2022	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/27/2022	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
FASTRIP OIL CO	S-2357	11209 MAIN ST	1/10/2023	Source Test Observations
FASTRIP OIL CO	S-2357	11209 MAIN ST	1/10/2023	First Day of Routine Compliance Inspection (includes ATC startup)

Facility Name	Facility ID	Facility Address	Date	Inspection Type
FASTRIP OIL CO	S-2357	11209 MAIN ST	1/12/2023	Return to Compliance Verification Inspection
BURGER KING 28765	S-9764	7930 PANAMA RD	1/17/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/17/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/19/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	1/19/2023	First Day of Annual Inspection
BENNETT PETROLEUM	S-333	HEAVY OIL CENTRAL	1/19/2023	First Day of Routine Compliance Inspection (includes ATC startup)
GRIMMWAY ENTERPRISES INC	S-2841	11412 MALAGA RD	1/23/2023	First Day of Routine Compliance Inspection (includes ATC startup)
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	1/26/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/30/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
GRIMMWAY ENTERPRISES INC	S-2841	11412 MALAGA RD	1/30/2023	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/31/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
ARVIN COMMUNITY SERVICES DISTRICT	S-4182	4TH ST & CAMPUS	2/1/2023	First Day of Routine Compliance Inspection (includes ATC startup)
FRANKS CABINET SHOP	S-3130	11204 SAN DIEGO ST	2/1/2023	Aborted Inspection (no part of inspection started)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	2/2/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	2/3/2023	First Day of Annual Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	2/7/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
QUALITY MARKET & FUEL	S-2621	9701 MAIN ST	2/7/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	2/7/2023	Aborted Inspection
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	2/7/2023	First Day of Routine Compliance Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	2/7/2023	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	2/7/2023	First Day of Annual Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	2/15/2023	Return to Compliance Verification Inspection
FRANKS CABINET SHOP	S-3130	11204 SAN DIEGO ST	2/15/2023	First Day of Routine Compliance Inspection (includes ATC startup)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	2/21/2023	First Day of Routine Compliance Inspection
R & R RESOURCES LLC	S-3331	LIGHT OIL CENTRAL	2/21/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	2/21/2023	First Day of Routine Compliance Inspection (includes ATC startup)
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	2/21/2023	First Day of Annual Inspection
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	2/21/2023	First Day of Routine Compliance Inspection (includes ATC startup)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	2/21/2023	First Day of Routine Compliance Inspection (includes ATC startup)
R & R RESOURCES LLC	S-3331	LIGHT OIL CENTRAL	2/21/2023	First Day of Routine Compliance Inspection
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	2/28/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	2/28/2023	Return to Compliance Verification Inspection
7-ELEVEN INC	S-2137	1540 BEAR MOUNTAIN BLVD @ COMMANCHE	2/28/2023	First Day of Routine Compliance Inspection (includes ATC startup)
7-ELEVEN INC	S-2137	1540 BEAR MOUNTAIN BLVD @ COMMANCHE	2/28/2023	Source Test Observations
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	3/7/2023	First Day of Routine Compliance Inspection (includes ATC startup)
CITY OF ARVIN	S-3031	205 1/2 LANGFORD AVE	3/7/2023	First Day of Routine Compliance Inspection (includes ATC startup)
AT&T MOBILITY	S-2927	WEEDPATCH HWY AND BLACKBURN RD	3/8/2023	First Day of Routine Compliance Inspection (includes ATC startup)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	3/8/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	3/13/2023	Return to Compliance Verification Inspection
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	3/13/2023	Return to Compliance Verification Inspection
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	3/13/2023	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	3/16/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
CKG MART INC	S-3402	8116 LAMONT AVE	3/16/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	3/16/2023	First Day of Routine Compliance Inspection (includes ATC startup)
JACO HILL CO	S-2359	801 HAVEN DR	3/20/2023	Source Test Observations
JAMIESON HILL	S-2374	10301 MAIN ST	3/20/2023	First Day of Routine Compliance Inspection (includes ATC startup)
JACO HILL CO	S-2359	801 HAVEN DR	3/20/2023	First Day of Routine Compliance Inspection (includes ATC startup)
PANAMA RANCH	S-7543	6219 E PANAMA LN	3/23/2023	First Day of Routine Compliance Inspection (includes ATC startup)
G3 DAIRY	S-6637	5829 E PANAMA LN	3/23/2023	First Day of Inspection (Includes Record Review and CMP Site Modification Paperwork)
PANAMA RANCH	S-7543	6219 E PANAMA LN	3/23/2023	First Day of Inspection (Includes Record Review and CMP Site Modification Paperwork)
JAMIESON HILL	S-2374	10301 MAIN ST	3/27/2023	Return to Compliance Verification Inspection
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	3/27/2023	First Day of Routine Compliance Inspection (includes ATC startup)
BURGER KING # 9637	S-4051	802 BEAR MOUNTAIN	3/27/2023	First Day of Routine Compliance Inspection (includes ATC startup)
CKG MART INC	S-3402	8116 LAMONT AVE	3/27/2023	Return to Compliance Verification Inspection
EDSAL SANDUSKY CORP	S-866	16125 WIDMERE RD	3/28/2023	First Day of Annual Inspection
TS LEASING OPERATIONS INC	S-3914	LIGHT OIL CENTRAL	3/29/2023	First Day of Routine Compliance Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	3/29/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	3/29/2023	Source Test Observations
TS LEASING OPERATIONS INC	S-3914	LIGHT OIL CENTRAL	3/29/2023	First Day of Routine Compliance Inspection (includes ATC startup)
RECOLOGY BLOSSOM VALLEY ORGANICS - SOUTH	S-2905	6061 N WHEELER RIDGE RD	3/31/2023	First Day of Routine Compliance Inspection (includes ATC startup)
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	4/10/2023	Source Test Observations
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	4/11/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
STENDERUP AG PARTNERS	S-8334	14820 S EDISON RD	4/12/2023	First Day of Routine Compliance Inspection (includes ATC startup)
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	4/12/2023	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	4/12/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	4/13/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	4/18/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-7648	VARIOUS UNSPECIFIED LOCATIONS	4/18/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-4162	PANAMA LN @ WEEDPATCH HWY	4/18/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	4/18/2023	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	4/19/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	4/24/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
ARVIN SANITARY LANDFILL	S-3433	5500 N WHEELER RIDGE RD	4/26/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	4/27/2023	Return to Compliance Verification Inspection
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	4/27/2023	First Day of Routine Compliance Inspection (includes ATC startup)
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	4/27/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	5/1/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
S & S MINI MART, INC	S-679	10618 MAIN ST	5/1/2023	Source Test Observations
S & S MINI MART, INC	S-679	10618 MAIN ST	5/1/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	5/8/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	5/11/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	5/11/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	5/11/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
HUNTER EDISON OIL DEVELOPMENT, L.P.	S-2961	LIGHT OIL CENTRAL STATIONARY SOURCE	5/17/2023	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	5/17/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)

Facility Name	Facility ID	Facility Address	Date	Inspection Type
HUNTER EDISON OIL DEVELOPMENT, L.P.	S-2961	LIGHT OIL CENTRAL STATIONARY SOURCE	5/17/2023	First Day of Routine Compliance Inspection
HUNTER EDISON OIL DEVELOPMENT, L.P.	S-2961	LIGHT OIL CENTRAL STATIONARY SOURCE	5/17/2023	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	5/17/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
BURGER KING 28765	S-9764	7930 PANAMA RD	5/18/2023	First Day of Routine Compliance Inspection (includes ATC startup)
HUNTER EDISON OIL DEVELOPMENT, L.P.	S-2961	LIGHT OIL CENTRAL STATIONARY SOURCE	5/22/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	5/23/2023	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
SEQUOIA EXPLORATION, INC.	S-2985	LIGHT OIL CENTRAL	5/23/2023	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	5/23/2023	First Day of Routine Compliance Inspection (includes ATC startup)
SEQUOIA EXPLORATION, INC.	S-2985	LIGHT OIL CENTRAL	5/23/2023	First Day of Routine Compliance Inspection
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	5/23/2023	First Day of Annual Inspection
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	5/23/2023	First Day of Annual Inspection
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	5/23/2023	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	5/25/2023	First Day of Routine Compliance Inspection
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	5/25/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	5/25/2023	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	5/25/2023	Source Test Observations
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	5/25/2023	First Day of Annual Inspection
PETRO CAPITAL RESOURCES LLC	S-7076	LIGHT OIL CENTRAL	5/25/2023	First Day of Routine Compliance Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	5/26/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	5/31/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	5/31/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	5/31/2023	Return to Compliance Verification Inspection
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	6/1/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
PETRO CAPITAL RESOURCES LLC	S-7076	LIGHT OIL CENTRAL	6/1/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	6/5/2023	Return to Compliance Verification Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	6/6/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
TASTEFUL SELECTIONS	S-8533	13003 DI GIORGIO RD	6/6/2023	First Day of Routine Compliance Inspection (includes ATC startup)
US OIL & GAS	S-2286	LIGHT OIL CENTRAL	6/7/2023	First Day of Annual Inspection
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	6/7/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	6/8/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	6/12/2023	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	6/14/2023	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
ARVIN PETROLEUM INC. #47008	S-9035	950 E BEAR MOUNTAIN BLVD	6/14/2023	First Day of Routine Compliance Inspection (includes ATC startup)
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	6/23/2023	Return to Compliance Verification Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	6/29/2023	First Day of Routine Compliance Inspection
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	6/29/2023	First Day of Annual Inspection
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	6/29/2023	First Day of Annual Inspection

Enforcement Plan Summary of Complaints

District inspectors respond to approximately 3,000 public air pollution complaints District-wide each year. Some complaints are related to permit facilities, however a majority of complaints received by the District are for other sources of pollution such as illegal open burning, fireplace burning, dust generating activities, and miscellaneous odors. The District responds to all public complaints received, and makes every effort to respond as quickly as possible. Most complaints are investigated the same day they are reported. The following is a summary of all public air pollution complaints received and responded to within the Arvin-Lamont Community from July 2022 through June 2023. A previous report of complaints can be found in [Appendix E](#) of the Arvin-Lamont CERP.

Complaint Number	Complaint Description	Resolution	Resolution Description
S-2207-026	Dirt is being dumped near packing shed for Tasteful Selections all around the canals in this area, right behind residential neighborhood. The dust is very excessive.	No Violation	District staff conducted an inspection and observed a backhoe and water truck in operation. A haul truck entered the property at time of inspection, minor dust emissions were noted. Contacted the property owner and were told that they were going to be spreading the dirt on ag land after harvest and moving forward, they are acquiring property away from sensitive receptors to avoid impacting people. District staff reminded the property owner that this site and any future sites are required to comply with the District's Fugitive Dust regulations.
S-2207-051	Burning furniture in backyard	Not Confirmed	District staff drove around the complaint location looking for signs of illegal burning and were unable to confirm burning at the location or in the surrounding area. The complaint was filed anonymously and District staff was unable to gather any additional information to assist in identifying the location where the illegal burning was taking place. An advisory letter regarding illegal open burning was sent to the resident.
S-2207-054	RP says resident at this address is burning items other than wood.	Not Confirmed	District staff drove around the complaint location looking for signs of illegal burning and were unable to confirm burning at the location or in the surrounding area. The complaint was filed anonymously and District staff was unable to gather any additional information to assist in identifying the location where the illegal burning was taking place. An advisory letter regarding illegal open burning was sent to the resident.
S-2207-065	Kern Oil Refinery has been flaring for approximately 30 minutes. Residents are concerned about the flaring and want to know if this is due to an emergency.	Confirmed	District staff arrived on site and performed an inspection and the flare was not operating at the time. Review of records and communications with the facility revealed that the facility's Light-End Recovery Unit had shutdown, requiring the fuel gas to be sent to the flare for incineration and to prevent it from being vented directly to the atmosphere, which was in compliance with their Permit to Operate.
S-2208-021	RP utilized a FLIR camera and noted possible emission loss coming from a tank hatch. The tanks are owned by The Termo Company and are located at the Knowles Lease.	No Violation	District staff conducted an inspection and discovered emissions from an inaccessible hatch on a wastewater tank. The tank is subject to the California Oil and Gas Regulation. Due to the location of the tank's hatch and no safe access to it, the emissions could not be measured with emissions detection equipment, however, the facility completed the repair to the hatch the next day and District staff confirmed the leaking hatch had been repaired.
S-2208-022	RP utilized a FLIR camera and observed possible emission loss from two wells owned by Sequoia Exploration. The first well is located by Las Palmas Park at the Jewett Lease with emissions emanating from the polish rod stuffing box. The second well is located off N.Walnet St. in front of the charter school. The well is at the Jewett Lease with emissions emanating from the polish rod stuffing box. RP also heard rattling from a well cellar even though the well's engine was not in operation. The well is located at the Stockton Lease.	NOV Issued	District staff conducted an inspection of the wells and discovered two major leaks and one leak in excess of 50,000 ppm. A Notice of Violation was issued for the leak > 50,000ppm in violation of District Rule 4409. The operator informed District staff that the leaks would be repaired by the end of the day and District staff returned to the site and confirmed all of the leaks had been repaired. The rattling noise coming from the well was caused by a spring inside the component, resulting in no emissions.
S-2208-023	RP utilized a FLIR camera and observed possible emission loss at two idle wells owned by Sunray Petroleum. The idle wells have API #s: 402908187 & 402908185.	Referred	District staff reviewed information provided by California Geologic Energy Management (CALGEM) and discovered that the wells are < 20 API gravity with no gas collection and are not steam enhanced. The wells are not subject to District Rules and are exempt from the California Oil & Gas Regulation, however, they are subject to CALGEM regulations. District staff contacted and spoke with CALGEM staff regarding the leak and they explained they would have a member of their staff look into the matter.
S-2208-024	strong odor	Referred	District staff performed an odor survey, driving around the perimeter of the complaint location and was unable to confirm the odor reported. District staff observed several porta potties located on the parcel. District staff contacted the City of Arvin to discuss the situation and was told that they would investigate the matter. District staff also contacted the property owner and advised them of the odor complaint.
S-2208-073	Excessive dust	No Violation	District Staff arrived at the site, a dirt lot located south of Arvin High School, to investigate the complaint regarding traffic through the lot causing dust to be generated. District staff observed a car travel across the dirt parcel. Staff contacted the property owner, Kern Community College District, and advised them of the complaint and impacts. He proposed installing concrete barriers to prevent cars from accessing the property. District staff confirmed the concrete barriers were installed at the site during a follow-up site investigation.
S-2208-090	Gas odor coming from agricultural field. Field is irrigated with carrot processing wastewater. Odor is strongest between 6-7AM.	Referred	District staff conducted a field investigation and performed an odor survey in the area. Odor was detected at an irrigation pond owned by Grimmway Farms. District staff toured the facility and identified the same odor at one of their wastewater storage ponds. District staff referred the complaint to the Regional Water Quality Control Board and conducted a joint inspection of the site with them. The Water Board official confirmed odors were leaving the site and advised District staff that they would be issuing a violation.
S-2208-113	Kern Oil Refinery Flare was relatively large and is continuous. Odor of petroleum.	Confirmed	District Staff conducted an investigation and found that the shutdown of the facility's Light-End Recovery Unit caused a fuel gas imbalance. As a result, gas was sent to the flare to be incinerated until the facility was able to correct the pressure within the fuel gas stream. Review of the facility's Flare Continuous Emissions Monitoring System data showed an increase in H2S readings; however, no permit conditions were violated.
S-2208-114	5-10 ft of flare.	Not Confirmed	District staff arrived on site and the flare was no longer in operation. Review of records and communications with the facility revealed that the facility's Light-End Recovery Unit had shutdown causing an overpressurized event within the fuel gas system. The facility was able to correct the pressure within the fuel gas stream which ended the flaring event. Flare CEMS data showed a spike in H2S; however, no permit conditions were violated.

Complaint Number	Complaint Description	Resolution	Resolution Description
S-2209-003	Dust emissions from dirt piles	NOV Issued	District staff conducted an investigation and discovered trackout extending greater than 50 feet. Staff observed dust emissions as haul trucks deposited their loads, however, a Visible Dust Evaluation could not be performed due to unfavorable vantage point. District staff contacted the property owner and advised them of the complaint and dust emissions from the pile. They advised District staff that they would take action to limit dust emissions. District staff advised them of the trackout and that a Notice of Violation would issued and the trackout was cleaned up.
S-2209-037	Fugitive dust coming from trucks traveling on dirt road	No Violation	District staff conducted an inspection and did not observe dust emissions from this location. Trackout less than 50 ft was observed extending from the property onto the paved public road, which is required to be cleaned by the end of the day and compliance was achieved in accordance with Rule 8041. The property owner also advised District staff that metal grizzlies, trackout prevention device, was going to be installed in a few weeks. District staff informed the County of Kern's Code Enforcement Department as they too have an active investigation regarding this property and they issued two citations for public nuisance and grinding without a permit.
S-2209-041	oil well leak, bubbling and hissing at the joint. Terrible odor	Confirmed	District staff performed an inspection and discovered two leaks on Jewett #3. A major leak was discovered from the weeping hole of a valve and a minor leak was discovered on a threaded connection. The well components are subject to District Rule 4409. One leak was repaired immediately and the other was repaired the following day.
S-2209-049	Pump jack strong, sweet odor coming from it. Something is leaking from it as well.	NOV Issued	District staff performed an odor survey around the perimeter of the complaint location and an inspection of well Simpson #1. Staff discovered a minor leak on a check valve. The well components are subject to District Rule 4409. The repair was made within the timeframe of the rule. Staff conducted a compliance verification inspection. During the inspection, a leak >50,000 ppm was discovered on a valve on the casing line. A Notice of Violation was issued to the operator and the valve was repaired and re-inspected for compliance.
S-2209-067	Dust generated by trucks unloading dirt	Referred To	District staff conducted an inspection and determined the location was in compliance with District rules at time of site visit. Staff informed the County of Kern's Code Enforcement Department as they too have an active investigation regarding this property.
S-2210-018	There are workers transferring dirt from a Tasteful Selections packing shed and dumping it on AG land at this location. This is causing a lot of dust, and also the worker that dumped dirt this morning was making fast donuts in the dirt with his truck and causing even more dust.	NOV Issued	District staff conducted an inspection of the complaint location and did not witness any dust generating activity. The site was assessed for compliance with District Rule 8051. Testing revealed that the property was not compliant with the rule definition for a stabilized surface and a Notice of Violation was issued.
S-2210-022	Lots of dust from vehicles traveling in and out of the parking lot at Sycamore Labor. Parking lot is dirt and the dust in the area is quite heavy.	NOV Issued	District staff conducted an investigation and discovered trackout extending greater than 50 feet. A Notice of Violation was issued for trackout and the trackout was cleaned up.
S-2210-023	Ton of dirt being dumped right behind house causing dust to get all over house and in pool.	NOV Issued	District Staff assessed the site for compliance with District Rule 8051 - Open Areas. District staff performed surface stability testing, that revealed that the property was not compliant with the requirement to maintain a stabilized surface and a Notice of Violation was issued. District staff returned and confirmed that the property owner took action to stabilize the surface.
S-2210-032	Excessive dust from dumping trucks	NOV Issued	District Staff assessed the site for compliance with District Rule 8051 - Open Areas. District staff performed surface stability testing, that revealed that the property was not compliant with the requirement to maintain a stabilized surface and a Notice of Violation was issued. District staff returned and confirmed that the property owner took action to stabilize the surface.
S-2210-044	Dust from trucks traveling on road behind homes	NOV Issued	District Staff assessed the site for compliance with District Rule 8051 - Open Areas. District staff performed surface stability testing, that revealed that the property was not compliant with the requirement to maintain a stabilized surface and a Notice of Violation was issued. District staff returned and confirmed that the property owner took action to stabilize the surface.
S-2211-007	Black smoke coming from the flare	Not Confirmed	District staff conducted an inspection and did not observe visible emission from the refinery flare. Further investigation revealed that the facility experienced an unplanned power outage from PG&E which caused a pressure increase in gas across the facility. These gases needed to be redirected to the flare for emergency disposal to 1:124 avoid uncontrolled release into the atmosphere. The facility submitted a breakdown notification and the district approved the facility's request.
S-2211-008	Black smoke coming from the flare	Not Confirmed	Same event as complaint above
S-2211-009	Black Smoke coming from the flare	Not Confirmed	Same event as complaint above
S-2211-051	Haul trucks generating dust	Not Confirmed	Staff conducted an inspection of property, approximately 40 minutes after receiving the complaint and no dust generating activities were taking place. Staff contacted the operator to inform them of the complaint, the operator made a commitment to reduce disposal frequency at this location.
S-2301-007	Possible burning of trash.	No Violation	Staff investigated and found evidence of a trash burn on the property. Staff also determined transients were living on the property and likely started the burn. The property owner was contacted and burning/trespass mitigation was discussed.
S-2301-034	Strong odor in the school area; RP states it is skunk-like.	Not Confirmed	District staff conducted odor surveillance in the area around the complaint location and in the surrounding area and did not detect an odor. There was evidence of road kill on a nearby street but no odor present. Air monitors in the community were also checked and there were no spikes or irregularities in the air monitoring data.
S-2301-035	Strong odor - RP states odor is skunk-like.	Not Confirmed	Same event as complaint above
S-2302-017	Strong odor of crude oil	Not Confirmed	District staff conducted odor surveillance in the area around the complaint location and did not detect a crude oil odor. The lease operator was contacted and stated that there was no oil production going to the lease. Staff conducted an inspection of the lease and found all tanks, except for one water tank, were out of service and cleaned. The wells are subject to District Rule 4409. No emissions were detected from the tanks or the wells.
S-2302-018	Strong Crude Petro smell. Well head is saturated	Not Confirmed	District staff conducted odor surveillance at the location and did not detect a crude oil odor, however, when inspecting the oil production equipment, District staff discovered two well components leaking under the leak thresholds of District Rule 4409. The components were repaired by the operator on site.

Complaint Number	Complaint Description	Resolution	Resolution Description
S-2302-027	There is a strong odor coming from this location, particular the west side of the refinery. no visible emissions. Odor is causing nausea	Not Confirmed	District staff conducted an inspection and did not confirm odors emanating from the refinery. Staff utilized a Forward Looking Infrared Camera, which is capable of seeing gas leaks, outside and inside the refinery's fence line and did not observe any leaks.
S-2302-040	There is a flare going on at the moment. Right after the flame, there is black smoke, ringleman 4. RP has several videos and pictures. Been going on at least 20 minutes or longer.	Not Confirmed	District staff conducted an inspection and did not observe visible emission from the refinery flare. Further investigation revealed that flaring had occurred as a result of a process unit startup which caused a fuel gas imbalance.
S-2303-024	Large plume of smoke	No Violation	District staff conducted an inspection and found Sunridge Nursery attending to a permitted burn. Staff confirmed that the source was in compliance with the conditions of their burn permit.
S-2306-001	large black cloud looming for over 11 minutes with strong odor	Not Confirmed	District staff conducted an inspection and did not observe visible emissions emanating from the flare, which was operating during the inspection. According to the operator, liquids entered the refinery fuel gas system, causing smoke to be seen and they are working on a system improvement to ensure liquids do not enter the system.

Enforcement Plan

Summary of Violations Found

The District implements a robust enforcement program that includes regular inspections of facilities with District permits as well as other potential sources of air contaminants. In the Arvin-Lamont CERP, the District committed to further enhancing its enforcement efforts in the areas of concern to the community. From July 1, 2022 through June 30, 2023, District compliance staff have issued a number of enforcement actions for open burning violations, fugitive dust violations, and excess emissions violations.

When a violation of a District rule or other air pollution regulation is discovered during an inspection, complaint investigation, or through surveillance activities, the violation is documented through the issuance of a formal notice to the owner or operator, and depending on the nature of the violation, may be subject to substantial monetary penalties. The following is a summary of all violation notices issued from July 2022 to June 2023 for violations of District Rules or other State air pollution control regulations within the Arvin-Lamont Community. These include violations at permitted facilities as well as other non-permitted facilities and private residences. A previous list of violations can be found in [Appendix E](#) of the Arvin-Lamont CERP.

Date	Type	Violation #	Issued To	Facility ID	Location	Description	Rules
7/12/2022	NOV	50207	H & S Chevron Food Mart Inc	S-238	300 Bear Mountain Blvd	Failure to conduct and pass the required vapor recovery performance testing within 60 days of initial start-up.	2010 (Permits Required)
7/19/2022	NOV	5029006	Tasteful Selections	S-8533	13003 Di Giorgio Rd	Utilizing a rental generator without an ATC.	2010 (Permits Required) 4702 (Internal Combustion Engines - Phase 2)
8/3/2022	NOV	5029088	Bennett Petroleum	S-1529	Light Oil Central	Event 1: Discovery of a 50,000 ppm leak on hose. Event 2: Exceeding the number of allowable leaks on threaded connections in accordance to Rule 4409.	4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities)
8/3/2022	NOV	5029089	Bennett Petroleum	S-1529	Light Oil Central	Discovery of a 50,000 leak on the hatch of wash tank subject to COGR	95669 (CA Code of Regulations, Title 17)
8/15/2022	NOV	5029123	Caballero Operations Llc.	S-890	Light Oil Central	Event 1: 50,000 ppm leak found on valve on Krauter 1.	4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities)
8/15/2022	NOV	5029134	Tasteful Selections	S-8533	13003 Di Giorgio Rd	Exceedance of allowable commissioning hours.	2201 (New and Modified Stationary Source Review Rule) 4702 (Internal Combustion Engines - Phase 2)
8/17/2022	NOV	5029144	Sequoia Exploration	S-3036	Light Oil Central	Discovery of a leak exceeding 50,000 pp on a component subject to District Rule 4409 requirements.	4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities)
8/17/2022	NOV	5029150	Caballero Operations Llc.	S-2635	Heavy Oil Central Stationary Source	This tank stored liquids with a True Vapor Pressure (TVP) greater than 1.5 psi, violation of Condition #4 of S-2635-8-0.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule)
8/24/2022	NOV	5029188	Kern County Public Works	S-2247	Wheeler Ridge 1/2 mile s/o Bear Mtn Blvd.	Failure to maintain the vapor recovery system. (>150 ml of liquid found in vapor path of the hose)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
8/30/2022	NOV	50215	H & S Chevron Food Mart Inc	S-238	300 Bear Mountain Blvd	Failure to maintain the vapor recovery system. (Curb hose #3 torn. Whip and curb hose #4 torn. HIRT Thermal Oxidizer off.) Failure to conduct self-inspections.	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
8/30/2022	NOV	50216	City Of Arvin	S-3031	205 1/2 Langford Ave	Failure to conduct and pass the required vapor recovery performance testing.	2070 (Standards for Granting Applications) 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
9/19/2022	NOV	5029319	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	Facility failed H2S RATA applicable standard described in 40 CFR 60.107	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
9/20/2022	NOV	5029327	Kern County Fire Station #51	S-2729	8225 Mckee Rd	Failure to maintain the vapor recovery system. (>150 ml of liquid in vapor path of hose)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
9/22/2022	NTC	5010313	H & S Chevron Food Mart Inc	S-238	300 Bear Mountain Blvd	Failure to maintain the vapor recovery system. (Blockage failed n #3 and 4; drop tube test failed on 87-grade tank.)	41960 (CA Health & Safety Code 41960)
9/22/2022	NOV	5029340	Quality Market & Fuel	S-2621	9701 Main St	Failure to conduct and pass all of the required vapor recovery performance test. (HIRT Operability)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
9/26/2022	NOV	5029348	Sequoia Exploration	S-3036	Light Oil Central	Discovery of a leak in excess of 50,000 ppm	4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities)
9/29/2022	NOV	5029367	Jaco Hill Co	S-2359	801 Haven Dr	Failure to conduct and pass the required vapor recovery performance testing. (V/L test)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
10/3/2022	NOV	5028759	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	Failure to comply with the 162ppm H2S limit. (5 Events) Event #1: 05/08/2022 Event #2: 05/10/2022 Event #3: 05/14/2022 Event #4: 05/19/2022 Event #5: 05/17/2022	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
10/3/2022	NOV	5028749	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Discovery of a greater than 10,000 PPM leak on vapor recovery line of TK 251. II. Discovery of a greater than 10,000 PPM leak on a PVRV on TK 3013.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
10/5/2022	NOV	5029393	Stenderup Ag Partners	S-8334	14820 S Edison Rd	Failure to maintain the vapor recovery system. (>150 ml of liquid found in vapor path of EVR hose.)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
10/17/2022	NOV	5029278	Kern Oil & Refining Co.	S-37	Panama Ln & Weed Patch Hwy	I. OEL discovered on the bottom of float off the gate valve of the LRU II. Leak discovered, greater than 50,000 ppm, on the north flange of fuel line on burner 2 of the DHT	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
10/17/2022	NOV	5028998	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	I. Failure to continuously monitor flare for H2S. (06/02/2022) II. Failure to comply with the 162ppm H2S limit. (3 Events). Event #1: 06/09/2022 Event #2: 06/23/2022 Event #3: 06/24/2022	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
10/17/2022	NOV	5028597	Kern Oil & Refining Co.	S-37	Panama Ln & Weed Patch Hwy	I. Discovery of three open ended lines. (4455) II. Discovery of Drain pit not equipped with solid covers. (4625) III. Discovery of eight greater than 1,000 PPM leaks (4624)	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants) 4624 (Transfer of Organic Liquids) 4625 (Wastewater Separators)
10/25/2022	NOV	5028871	Kern Oil & Refining Co.	S-37	Panama Ln & Weed Patch Hwy	I. Discovery of two open ended lines. (4455) II. Discovery of three greater than 1,000 PPM leaks (4624) III. Discovery of seven greater than 50,000 PPM leaks (4455) IV. Discovery of three greater than 10,000 PPM leaks (4623)	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants) 4623 (Storage of Organic Liquids) 4624 (Transfer of Organic Liquids)
11/1/2022	NOV	5029005	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	I. Failed to maintain tank in a leak-free condition. (06/11/2022)	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
11/1/2022	NOV	5029518	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	I. Failure to have all piping, valves, and fittings be constructed and maintained in a leak-free condition.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
11/7/2022	NOV	5029072	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Failure to ensure the vapor recovery system is functional and operating as designed at all times. (07/09/22) / (07/15/2022)	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)

Date	Type	Violation #	Issued To	Facility ID	Location	Description	Rules
11/8/2022	NOV	5029108	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	I. Failure to have tank equipped with a PV vent.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits)
11/8/2022	NOV	5029558	Jamieson Hill	S-2383	800 Bear Mtn Blvd	Operating a gasoline vapor recovery system with a non-certified component. (Whip hose #5 not certified.)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
11/14/2022	NOV	5029078	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I Failure to submit Emission Control Plan for Rule 4320 by May 1st, 2022.	4320 (Advance Emission Reduction Options for Boilers, Steam Generators, and Process Heaters)
11/28/2022	NOV	5029780	Sequoia Exploration	S-3036	Light Oil Central	Discovery of a leak in excess of 50,000 ppm subject to COGR	95669 (CA Code of Regulations, Title 17)
11/29/2022	NOV	5029796	Sequoia Exploration	S-2585	Light Oil Central	Discovery of a leak in excess of 50,000 ppm subject to COGR	95669 (CA Code of Regulations, Title 17)
11/30/2022	NOV	5029799	H & S Chevron Food Mart Inc	S-238	300 Bear Mountain Blvd	Failure to maintain the vapor recovery system. (Blockage failed n #3 and 4; drop tube test failed on 87-grade tank.)	4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
11/30/2022	NOV	5029800	Quality Market & Fuel	S-2621	9701 Main St	Failure to conduct and pass all of the required vapor recovery performance test. (HIRT Operability) (2nd violation)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
11/30/2022	NOV	5029805	H & S Chevron Food Mart Inc	S-238	300 Bear Mountain Blvd	Failure to conduct and pass the required vapor recovery performance testing within 60 days of initial start-up. (2nd NOV)	2010 (Permits Required)
12/1/2022	NOV	5029819	Petro Capital Resources Llc	S-7076	Light Oil Central	Discovery of a leak exceeding 50,000 ppm on a tank component subject to COGR.	95669 (CA Code of Regulations, Title 17)
12/5/2022	NOV	5029860	Grapeman Farms	Burn Permit #130757	Burbank St & Imperial Rd	Burning prohibited materials, Burning without authorization	4103 (Open Burning)
12/5/2022	NOV	5029861	Sun Pacific Bakersfield (Grapes)	Burn Permit #132351	Zerker Rd & Rd 5039	Burning prohibited materials, Burning without authorization	4103 (Open Burning)
12/6/2022	NOV	5029263	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Exceeding maximum allowable number or percent of leaking components per inspection period.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
12/6/2022	NOV	5029277	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	I. Failure to comply with the 162ppm H2S limit. (8 Events). Event #1: 07/26/2022 Event #2: 07/27/2022 Event #3: 07/28/2022 Event #4: 07/29/2022 Event #5: 07/30/2022 Event #6: 08/11/2022 Event #7: 08/12/2022 Event #8: 08/15/2022 II. Exceeding true vapor pressure of .5 in tank 3027. (8/12/22)	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4311 (Flares) 4623 (Storage of Organic Liquids)
12/20/2022	NOV	5030045	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Failure to maintain tank in a leak free condition as discovered by the operator.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
12/20/2022	NOV	5030056	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	I. Failure to comply with the 162ppm H2S limit. Event #1: 09/09/2022, Event #2: 9/19/2022, Event #3: 9/24/2022, Event #4: 9/28/2022, Event #5 10/3/2022, Event #6: 10/10/2022	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4311 (Flares)
1/10/2023	NOV	5030283	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	I. Failure to maintain tank hatch in a leak free manner while not gauging or sampling as discovered by the operator.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
1/23/2023	NOV	5030351	Grimmway Enterprises Inc	S-2841	11412 Malaga Rd	Failure to maintain a vapor recovery system	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
1/24/2023	NOV	5030366	Bennett Petroleum	S-333	Heavy Oil Central	Discovered 4 leaks greater than 50k.	95669 (CA Code of Regulations, Title 17)
1/31/2023	NOV	5030442	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	Exceedance of Nox Emission limits.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4307 (Boilers, Steam Generators, and Process Heaters - 2.0 to 5.0 MMBtu/hr) 4702 (Internal Combustion Engines - Phase 2)
1/31/2023	NOV	5030443	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Discovery of 4 leaks greater than 1,000 PPM.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4624 (Transfer of Organic Liquids)
2/6/2023	NOV	5030054	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Failure to have tank equipped with a functional and operating vapor recovery.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
2/7/2023	NTC	25739	Quality Market & Fuel	S-2621	9701 Main St	Source test results from August 17, 2022 have not been submitted to the District, as required.	2070 (Standards for Granting Applications) 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
2/21/2023	NOV	50233	Arvin Union School District	S-1291	660 South "A" St	Failure to maintain the vapor recovery system. (>150 ml of liquid drained from hose)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
2/21/2023	NOV	5030594	Kern County Public Works	S-2247	Wheeler Ridge 1/2 mile s/o Bear Mtn Blvd.	Failure to maintain the vapor recovery system. (>150 ml of liquid found in vapor path of the hose)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
2/22/2023	NOV	5030599	Griffin Resources Llc	S-8312	Light Oil Central	Discovery of an open-ended line	4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities)
2/22/2023	NOV	5030602	Caballero Operations Llc.	S-890	Light Oil Central	Event 1: Discovery of a leak exceeding 50,000 ppm on PRV of Porter Day 5 Tank on 2/3/23 Event 2: Discovery of a leak exceeding 50,000 ppm on hatch of Derby 11 Tank on 2/7/23 Event 3: Failure to repair leak exceeding 50,000 ppm on Porter Day 5 Tank within 2 calendar days	95669 (CA Code of Regulations, Title 17)
3/1/2023	NOV	5030650	Dillon & Sons Dba The Barn #4	S-6820	11336 Comanche Dr	Failure to maintain the vapor recovery system. (Curb hose #7 torn.)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
3/7/2023	NOV	5030678	Recology Blossom Valley Organics - South	S-2905	6061 N Wheeler Ridge Rd	Operating unpermitted equipment	2010 (Permits Required)
3/15/2023	NOV	5030669	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Failure to keep the Flare Continuous Emissions Monitoring System (CEMS) calibrated during a Relative Accuracy Test Audit (RATA).	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4311 (Flares)
3/17/2023	NOV	5030709	Kern County Fire Station #51	S-2729	8225 Mckee Rd	Failure to maintain the vapor recovery system. (>150 ml of liquid in vapor path of hose)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
3/17/2023	NOV	5030712	CKG Mart, Inc.	S-3402	8116 Lamont Ave.	Failure to maintain the vapor recovery system. (>150 ml of liquid found in vapor path of hose #5)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
3/28/2023	NOV	5030671	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	Failure to repair a liquid leak of a rate between 3 and 30 drops per minute, within 24 hours after detection.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
4/10/2023	NOV	5030801	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Failure to operate the flare with pilot flame present at all times.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4311 (Flares)

Date	Type	Violation #	Issued To	Facility ID	Location	Description	Rules
4/17/2023	NOV	5030676	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	I. Failure to perform the annual visual seal gap inspection of Tank 55000.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
4/24/2023	NOV	5030675	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	I. Failure to monitor and record the stack concentration of NOx,CO, and O2 within 5 days of start up.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4702 (Internal Combustion Engines - Phase 2)
4/26/2023	NOV	5030861	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	Failure to comply with the 162ppm H2S limit. (4 Events) Event #1: 02/08/2023 Event #2: 02/28/2023 Event #3: 03/02/2023 Event #4: 03/15/2023	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
4/27/2023	NOV	5030881	Wheeler Ridge Shell Station	S-8338	8139 E Bear Mountain Blvd	Failure to maintain the vapor recovery system. (Excess liquid found in fueling points #1 and 8.)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks) 4624 (Transfer of Organic Liquids)
5/2/2023	NOV	5030674	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	Discovery of Three greater than 50,000 PPM leaks Leak 1: 2" vertical gate valve off of V-3510.03 - 50,000 ppm Leak 2: 2" reducer of horizontal needle valve - 50,000 ppm Leak 3: bottom of vertical valve bottom of sight glass - 50,000 ppm	4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
5/2/2023	NOV	5030909	Recology Blossom Valley Organics - South	S-2905	6061 N Wheeler Ridge Rd	Operating unpermitted equipment prior to ATC finalization.	2010 (Permits Required)
5/9/2023	NOV	5030942	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	Exceedance of maximum start-up and shut-down time.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4305 (Boilers, Steam Generators, and Process Heaters-Phase 2) 4306 (Boilers, Steam Generators, and Process Heaters-Phase 3) 4320 (Advance Emission Reduction Options for Boilers, Steam Generators, and Process Heaters)
5/11/2023	NOV	5030966	Gas 4 Less	S-2784	8114 E Bear Mountain Blvd	Failure to maintain the vapor recovery system. (Vapor adaptors serving 87 and 91 tanks frozen. Fill adaptor serving 91 tank frozen.)	4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants)
5/12/2023	NOV	5030973	Wheeler Ridge Shell Station	S-8338	8139 E Bear Mountain Blvd	Failure to maintain the vapor recovery system. (87-grade fill cap gasket loose. 91-grade vapor cap broken.)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
5/15/2023	NOV	5030979	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Failure to maintain vapor recovery system for tanks. II. Failure to maintain vapor recovery system for loading racks.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids) 4624 (Transfer of Organic Liquids)
5/30/2023	NOV	5031047	The Termo Co	S-1137	Light Oil Central	Discovery of an open ended line (OEL) and a leak exceeding 50,000 ppm on a hose near filter pot on well Knowles 86-34. Amended to include: Discovery of an additional leak exceeding 50,000 ppm upstream on fuel hose and the failure to repair initial leak exceeding 50,000 ppm within two calendar days.	4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities)
5/30/2023	NOV	5031048	Petro Capital Resources Llc	S-7076	Light Oil Central	Discovery of a leak exceeding 50,000 ppm on roof seal of Tank 10703.	95669 (CA Code of Regulations, Title 17)
5/30/2023	NOV	5031049	Caballero Operations Llc.	S-890	Light Oil Central	Discovery of the following: 1. Three (3) leaks exceeding 50,000 ppm on two threaded connections and one pressure regulator (Krauter 1) 2. One (1) open ended line (OEL) near scrubber (Krauter 1) 3. One (1) leak exceeding 50,000 ppm on a threaded connection (Porter Day 10)	4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities)
5/30/2023	NOV	5031050	Mountain View Resources Llc	S-9255	Light Oil Central Stationary Source	1. Discovery of leak exceeding 50,000 ppm on threaded connection on Richards 72X-22 2. Exceeding the total allowable number of leaks found on 4409 subject components (3 major leaks and 1 minor leak)	4409 (Components at Light Crude Oil Production Facilities, Natural Gas Production Facilities, and Natural Gas Processing Facilities)
5/30/2023	NOV	5031051	Caballero Operations Llc.	S-890	Light Oil Central	Discovery of the following: 1. Two (2) leaks exceeding 50,000 ppm on a threaded connection and valve on Syndicate 2 well. 2. Two (2) leaks exceeding 50,000 ppm on a threaded connection and casing valve of Porter Day B-2 well. 3. Discovery of a leak exceeding 50,000 ppm on a choke valve of Porter Day 8 well.	95669 (CA Code of Regulations, Title 17)
5/30/2023	NOV	5031052	Kern Oil & Refining Co.	S-37	7724 E Panama Ln	I. Failure to comply with the 162ppm H2S limit. Event #1: 4/03/2023, Event #2: 4/14/2023, Event #3 4/25/2023, Event #4: 5/13/2023	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4311 (Flares)
5/30/2023	NOV	5031054	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Exceeding the duration of a startup and shutdown period.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4305 (Boilers, Steam Generators, and Process Heaters-Phase 2) 4306 (Boilers, Steam Generators, and Process Heaters-Phase 3)
5/30/2023	NOV	5031057	Kern Oil & Refining Co.	S-37	Panama Ln & Weedpatch Hwy	I. Discovery of a 50,000 PPM leak on a drain below a firfan. II. Discovery of 2 open ended lines in the Reformer.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
6/6/2023	NOV	47267	William/Bonnie Bartell	Burn Permit #142970	8737 Herring Rd	Burning Without Authorization	4103 (Open Burning)
6/12/2023	NOV	5031107	Tasteful Selections	S-8533	13003 Di Giorgio Rd	Utilizing a rental air compressor powered by a diesel engine without an ATC.	2010 (Permits Required) 4702 (Internal Combustion Engines - Phase 2)
6/15/2023	NOV	5031139	Anthony's Vineyards	Burn Permit #133478	Wheeler Ridge Rd & David Rd	Burning more acreage than authorized. Burning under the incorrect crop code.	4103 (Open Burning)