

2025 Enforcement Report

Updates to Enforcement Plan Attachments

Arvin-Lamont AB 617 Community

San Joaquin Valley Air Pollution Control District

Enforcement Plan

List of Permitted Facilities

The Valley Air District has some of the most stringent regulations in the country for limiting emissions from businesses and other stationary sources of air contaminants. There are numerous types of equipment as well as industrial and commercial processes that require a Permit to Operate with the District. The following is a current listing of all facilities located within the Arvin-Lamont Community which have active Permits to Operate with the District. A previous listing was provided in [Appendix E](#) of the Arvin-Lamont Community Emissions Reduction Program (CERP).

Facility Name	Facility ID	Facility Address	Facility Description
7-ELEVEN INC	S-2137	1540 BEAR MOUNTAIN BLVD @ COMMANCHE	GASOLINE DISPENSING
ANTHONY VINEYARDS INC	S-7832	425 KING ST	GRAPES
ARVIN COMMUNITY SERVICES DISTRICT	S-4182	4TH ST & CAMPUS	WATER SUPPLY
ARVIN COMMUNITY SERVICES DISTRICT	S-9591	MILLUX RD & WALNUT DR	GOVERNMENT SERVICES
ARVIN COMMUNITY SERVICES DISTRICT	S-9592	MEYER ST & MILLUX RD	GOVERNMENT SERVICES
ARVIN PETROLEUM INC. #47008	S-9035	950 E BEAR MOUNTAIN BLVD	GASOLINE DISPENSING
ARVIN POST ACUTE	S-7013	323 CAMPUS DR	NURSING AND PERSONAL CARE
ARVIN SANITARY LANDFILL	S-3433	5500 N WHEELER RIDGE RD	SANITARY LANDFILL
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	ELEMENTARY AND SECONDARY SCHOOLS
AT&T MOBILITY	S-2927	WEEDPATCH HWY AND BLACKBURN RD	TELECOMMUNICATIONS
BENNETT PETROLEUM	S-333	HEAVY OIL CENTRAL	OIL AND GAS PRODUCTION
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
BURGER KING 28765	S-9764	7930 PANAMA RD	FAST FOOD RESTAURANT
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	OIL AND GAS PRODUCTION
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
CHARTER COMMUNICATIONS	S-8167	10311 STOBAUGH ST	CABLE TELEVISION SERVICES
CITY OF ARVIN	S-4169	200 CAMPUS DR	GOVERNMENT SERVICES
CITY OF ARVIN	S-3031	205 1/2 LANGFORD AVE	GOVERNMENT SERVICES
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	GASOLINE DISPENSING
DM CAMP & SON - RANCH #8 - SECTION 28	S-5225	MALAGA AND HWY 223	AGRICULTURAL FIELD CROPS
DM CAMP & SONS - RANCH #8	S-5224	MALAGA RD AND BUENA VISTA BLVD	GENERAL FARMS, PRIMARILY CROP
EAST TRAVEL PLAZA LLC	S-7378	5552 S WHEELER RIDGE RD	GASOLINE DISPENSING
EDSAL SANDUSKY CORP	S-866	16125 WIDMERE RD	FABRICATED METAL PRODUCTS
FASTRIP OIL CO	S-2357	11209 MAIN ST	GASOLINE DISPENSING
FRANKS CABINET SHOP	S-3130	11204 SAN DIEGO ST	WOOD KITCHEN CABINETS
G3 DAIRY	S-6637	5829 E PANAMA LN	DAIRY FARM
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	GASOLINE DISPENSING
GOGO LLC	S-7235	15311 CUDA RD	RADIOTELEPHONE SERVICES
GREGS PETROLEUM SERVICE	S-2257	901 S DERBY	GASOLINE DISPENSING
GREGS PETROLEUM SERVICE	S-1647	868 S DERBY	BULK PLANT
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
GRIMMWAY ENTERPRISES INC	S-2841	11412 MALAGA RD	VEGETABLES AND MELONS
GRIMMWAY FARMS	S-3197	830 E SYCAMORE	AGRICULTURAL PRODUCTS PREPARATION
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	GASOLINE DISPENSING
HUNTER EDISON OIL DEVELOPMENT, L.P.	S-2961	LIGHT OIL CENTRAL STATIONARY SOURCE	OIL AND GAS PRODUCTION
ION FUEL INC	S-3402	8116 LAMONT AVE	GASOLINE DISPENSING
JACO HILL CO	S-2359	801 HAVEN DR	GASOLINE DISPENSING
JAMIESON HILL	S-2374	10301 MAIN ST	GASOLINE DISPENSING
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	GASOLINE DISPENSING
JOE'S RENTALS	S-4035	889 S DERBY RD	READY-MIX CONCRETE
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	FIRE PROTECTION
KERN COUNTY GENERAL SERVICES	S-18	12022 MAIN ST	GENERAL GOVERNMENT
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	GENERAL GOVERNMENT
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	PETROLEUM REFINERY
KERN ENERGY	S-4162	PANAMA LN @ WEEDPATCH HWY	SOIL AND GROUNDWATER REMEDIATION
KERN ENERGY	S-7648	VARIOUS UNSPECIFIED LOCATIONS	NONCLASSIFIABLE ESTABLISHMENT
KIRSCHENMAN ENTERPRISES INC #4	S-6758	DIGIORGIO RD & MALAGA RD	GENERAL FARMS, PRIMARILY CROP
LAMONT ELEMENTARY SCHOOL	S-9826	7998 ALICANTE STREET	SCHOOLS
LAMONT PUBLIC UTILITIES DISTRICT	S-8620	7300 MOUNTAIN VIEW ROAD	PUBLIC UTILITIES
LAMONT PUBLIC UTILITY DIST	S-2811	BEAR MTN BLVD	PUBLIC UTILITIES
LAMONT PUBLIC UTILITY DISTRICT	S-6684	CORNER OF SAN FERNANDO & RIBIER	GOVERNMENT SERVICES
LAMONT PUBLIC UTILITY DISTRICT	S-10040	7616 HALL RD	PUBLIC UTILITIES
LAMONT PUBLIC UTILITY DISTRICT	S-7452	10722 WILLIAMS ST	WATER SUPPLY
LAMONT PUBLIC UTILITY DISTRICT	S-8573	12809 MAIN ST	PUBLIC UTILITIES
LAUT FARMS	S-107	16140 LANDERS RD	AGRICULTURAL CROP PRODUCTION
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	OIL AND GAS PRODUCTION
ONE STOP LAMONT	S-9091	12816 MAIN ST	GASOLINE DISPENSING
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	S-1157	8313 E SEGRUE RD	TELECOMMUNICATIONS
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	S-1161	365 BEAR MOUNTAIN BLVD	TELECOMMUNICATIONS
PANAMA RANCH	S-7543	6219 E PANAMA LN	DAIRY FARM
PETRO CAPITAL RESOURCES LLC	S-7076	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
QUALITY MARKET & FUEL	S-2621	9701 MAIN ST	GASOLINE DISPENSING
R & R RESOURCES LLC	S-3331	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
RECOLOGY BLOSSOM VALLEY ORGANICS - SOUTH	S-2905	6061 N WHEELER RIDGE RD	FERTILIZER PRODUCTION
RUBEN'S AUTO BODY LLC	S-1688	11112 MAIN ST	AUTO BODY SPRAY COATING
S & S MINI MART, INC	S-679	10618 MAIN ST	GASOLINE DISPENSING
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
SEQUOIA EXPLORATION	S-2585	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
SEQUOIA EXPLORATION, INC.	S-2985	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
SOUTHERN VALLEY CHEMICAL CO	S-1580	101 SYCAMORE RD	INDUSTRIAL GASES-WHOLESALE
STENDERUP AG PARTNERS	S-8334	14820 S EDISON RD	GASOLINE DISPENSING FACILITY
TASTEFUL SELECTIONS	S-8533	13003 DI GIORGIO RD	FROZEN FRUIT AND VEGTABLES

Facility Name	Facility ID	Facility Address	Facility Description
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
TS LEASING OPERATIONS INC	S-3914	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
ULRICH BARN BUILDERS OF CALIFORNIA	S-7125	14346 SUNSET BLVD	PREFABRICATED WOOD BUILDINGS & COMPONENTS
US OIL & GAS	S-2286	LIGHT OIL CENTRAL	OIL AND GAS PRODUCTION
VEOLIA WATER NORTH AMERICA	S-3629	18500 RANCHO RD	WATER SUPPLY
VERIZON WIRELESS - ARVIN	S-4270	15311 CUDA RD	TELECOMMUNICATIONS
VERIZON WIRELESS - NORTH LAMONT	S-7537	5915 WEEDPATCH HWY	TELECOMMUNICATIONS
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	GASOLINE DISPENSING

Enforcement Plan Facility Inspections

Facilities that have permits with the Valley Air District are inspected on a regular basis by District Compliance staff to ensure all permit requirements are being followed. New and modified equipment is also inspected prior to permit issuance. District inspection staff also observes stack emission testing (known as source testing) for certain types of equipment to ensure that proper testing procedures and protocols are followed by the third-party testing company. They also conduct inspections when unforeseen equipment breakdowns occur which may affect a facility's ability to comply with all permit requirements.

In addition to the numerous inspections already conducted by the District each year at permitted facilities throughout the valley, the District committed in the Arvin-Lamont CERP to increase the frequency of periodic compliance inspections to once every six months at facilities that have had an emissions related violation within the last three years. The following is a listing of all District inspection activities at permitted facilities within the Arvin-Lamont Community from July 2024 through June 2025. A previous listing of inspections can be found in [Appendix E](#) of the Arvin-Lamont CERP.

Facility Name	Facility ID	Facility Address	Date	Inspection Type
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	7/3/2024	First Day of Annual Inspection
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	7/16/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	7/16/2024	First Day of Routine Compliance Inspection (includes ATC startup)
BENNETT PETROLEUM	S-1529	LIGHT OIL CENTRAL	7/17/2024	First Day of Routine Compliance Inspection (includes ATC startup)
BENNETT PETROLEUM	S-333	HEAVY OIL CENTRAL	7/17/2024	First Day of Routine Compliance Inspection
US OIL & GAS	S-2286	LIGHT OIL CENTRAL	7/17/2024	First Day of Annual Inspection
BENNETT PETROLEUM	S-333	HEAVY OIL CENTRAL	7/17/2024	First Day of Routine Compliance Inspection (includes ATC startup)
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	7/19/2024	Return to Compliance Verification Inspection
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	8/1/2024	First Day of Annual Inspection
ARVIN POST ACUTE	S-7013	323 CAMPUS DR	8/12/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/16/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
QUALITY MARKET & FUEL	S-2621	9701 MAIN ST	8/19/2024	First Day of Routine Compliance Inspection (includes ATC startup)
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	8/19/2024	First Day of Routine Compliance Inspection (includes ATC startup)
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	8/21/2024	First Day of Routine Compliance Inspection (includes ATC startup)
ONE STOP LAMONT	S-9091	12816 MAIN ST	8/26/2024	First Day of Routine Compliance Inspection (includes ATC startup)
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	8/26/2024	First Day of Routine Compliance Inspection (includes ATC startup)
TASTEFUL SELECTIONS	S-8533	13003 DI GIORGIO RD	8/27/2024	First Day of Routine Compliance Inspection (includes ATC startup)
GRIMMWAY ENTERPRISES INC	S-2841	11412 MALAGA RD	8/27/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/28/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	8/29/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	9/13/2024	First Day of Routine Compliance Inspection (includes ATC startup)
JAMIESON HILL	S-2374	10301 MAIN ST	9/13/2024	First Day of Routine Compliance Inspection (includes ATC startup)
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	9/13/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
ONE STOP LAMONT	S-9091	12816 MAIN ST	9/13/2024	Return to Compliance Verification Inspection
QUALITY MARKET & FUEL	S-2621	9701 MAIN ST	9/13/2024	Return to Compliance Verification Inspection
RUBEN'S AUTO BODY LLC	S-1688	11112 MAIN ST	9/16/2024	First Day of Routine Compliance Inspection (includes ATC startup)
JACO HILL CO	S-2372	10000 MAIN ST	9/17/2024	First Day of Routine Compliance Inspection (includes ATC startup)
GREGS PETROLEUM SERVICE	S-1647	868 S DERBY	9/17/2024	First Day of Routine Compliance Inspection (includes ATC startup)
GREGS PETROLEUM SERVICE	S-2257	901 S DERBY	9/17/2024	First Day of Routine Compliance Inspection (includes ATC startup)
JOE'S RENTALS	S-4035	889 S DERBY RD	9/18/2024	First Day of Routine Compliance Inspection (includes ATC startup)
GREGS PETROLEUM SERVICE	S-1647	868 S DERBY	9/19/2024	Return to Compliance Verification Inspection
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	9/19/2024	Return to Compliance Verification Inspection
ION FUEL INC	S-3402	8116 LAMONT AVE	9/19/2024	First Day of Routine Compliance Inspection (includes ATC startup)
LAMONT ELEMENTARY SCHOOL	S-9826	7998 ALCANTE STREET	9/26/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	9/26/2024	First Day of Routine Compliance Inspection (includes ATC startup)
JAMIESON HILL	S-2383	800 BEAR MTN BLVD	9/26/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
LAMONT ELEMENTARY SCHOOL	S-9826	7998 ALCANTE STREET	9/26/2024	Source Test Observations
RECOLOGY BLOSSOM VALLEY ORGANICS - SOUTH	S-2905	6061 N WHEELER RIDGE RD	9/26/2024	First Day of Routine Compliance Inspection (includes ATC startup)
JACO HILL CO	S-2372	10000 MAIN ST	9/26/2024	Return to Compliance Verification Inspection
ARVIN COMMUNITY SERVICES DISTRICT	S-9591	MILLUX RD & WALNUT DR	10/3/2024	First Day of Routine Compliance Inspection (includes ATC startup)
DM CAMP & SONS - RANCH #8	S-5224	MALAGA RD AND BUENA VISTA BLVD	10/3/2024	First Day of Routine Compliance Inspection (includes ATC startup)
ARVIN COMMUNITY SERVICES DISTRICT	S-4182	4TH ST & CAMPUS	10/3/2024	First Day of Routine Compliance Inspection (includes ATC startup)
ARVIN COMMUNITY SERVICES DISTRICT	S-9592	MEYER ST & MILLUX RD	10/3/2024	First Day of Routine Compliance Inspection (includes ATC startup)
S & S MINI MART, INC	S-679	10618 MAIN ST	10/8/2024	First Day of Routine Compliance Inspection (includes ATC startup)
PANAMA RANCH	S-7543	6219 E PANAMA LN	10/17/2024	First Day of Routine Compliance Inspection (includes ATC startup)
G3 DAIRY	S-6637	5829 E PANAMA LN	10/17/2024	First Day of Routine Compliance Inspection (includes ATC startup)
SOUTHERN VALLEY CHEMICAL CO	S-1580	101 SYCAMORE RD	10/22/2024	First Day of Routine Compliance Inspection (includes ATC startup)
STENDERUP AG PARTNERS	S-8334	14820 S EDISON RD	10/22/2024	First Day of Routine Compliance Inspection (includes ATC startup)
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	10/30/2024	First Day of Routine Compliance Inspection (includes ATC startup)
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	10/30/2024	First Day of Routine Compliance Inspection (includes ATC startup)
ION FUEL INC	S-3402	8116 LAMONT AVE	10/30/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/6/2024	First Day of Routine Compliance Inspection (includes ATC startup)
ION FUEL INC	S-3402	8116 LAMONT AVE	11/7/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	11/7/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/12/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/13/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/14/2024	Group Inspection (For Use When Assisting in an Inspection, Excluding Training)
SEQUOIA EXPLORATION, INC.	S-2985	LIGHT OIL CENTRAL	11/14/2024	First Day of Routine Compliance Inspection (includes ATC startup)
SEQUOIA EXPLORATION	S-2585	LIGHT OIL CENTRAL	11/14/2024	First Day of Routine Compliance Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/14/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/20/2024	Return to Compliance Verification Inspection
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	11/20/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/25/2024	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	11/25/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/3/2024	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/3/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/5/2024	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/5/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	12/9/2024	Return to Compliance Verification Inspection
ULRICH BARN BUILDERS OF CALIFORNIA	S-7125	14346 SUNSET BLVD	12/16/2024	First Day of Routine Compliance Inspection (includes ATC startup)
EDSAL SANDUSKY CORP	S-866	16125 WIDMERE RD	12/16/2024	First Day of Annual Inspection
KERN COUNTY GENERAL SERVICES	S-18	12022 MAIN ST	12/16/2024	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/17/2024	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/17/2024	Return to Compliance Verification Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/17/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
PETRO CAPITAL RESOURCES LLC	S-7076	LIGHT OIL CENTRAL	12/18/2024	First Day of Routine Compliance Inspection
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	12/19/2024	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	12/20/2024	First Day of Routine Compliance Inspection
FASTRIP OIL CO	S-2357	11209 MAIN ST	1/2/2025	Source Test Observations
FASTRIP OIL CO	S-2357	11209 MAIN ST	1/2/2025	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/6/2025	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	1/6/2025	Return to Compliance Verification Inspection
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	1/7/2025	Source Test Observations
GAS 4 LESS	S-2784	8114 E BEAR MOUNTAIN BLVD	1/7/2025	First Day of Routine Compliance Inspection (includes ATC startup)
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	1/7/2025	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY PUBLIC WORKS	S-2247	WHEELER RIDGE 1/2 MI S BEAR MT	1/7/2025	First Day of Routine Compliance Inspection (includes ATC startup)
TASTEFUL SELECTIONS	S-8533	13003 DI GIORGIO RD	1/8/2025	Standalone Startup Inspection (Not Part of a Routine Compliance Inspection)
CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	1/13/2025	First Day of Routine Compliance Inspection
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	1/14/2025	Return to Compliance Verification Inspection
ARVIN UNION SCHOOL DISTRICT	S-1291	660 SOUTH "A" ST	1/17/2025	Return to Compliance Verification Inspection
ARVIN PETROLEUM INC. #47008	S-9035	950 E BEAR MOUNTAIN BLVD	1/27/2025	Source Test Observations
ARVIN PETROLEUM INC. #47008	S-9035	950 E BEAR MOUNTAIN BLVD	1/27/2025	First Day of Routine Compliance Inspection (includes ATC startup)
JACO HILL CO	S-2359	801 HAVEN DR	2/19/2025	Source Test Observations
DILLON & SONS DBA THE BARN #4	S-6820	11336 COMANCHE DR	2/19/2025	First Day of Routine Compliance Inspection (includes ATC startup)
7-ELEVEN INC	S-2137	1540 BEAR MOUNTAIN BLVD @ COMMANCHE	2/19/2025	First Day of Routine Compliance Inspection (includes ATC startup)
ONE STOP LAMONT	S-9091	12816 MAIN ST	2/19/2025	First Day of Routine Compliance Inspection (includes ATC startup)
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	2/19/2025	First Day of Routine Compliance Inspection (includes ATC startup)
JACO HILL CO	S-2359	801 HAVEN DR	2/19/2025	First Day of Routine Compliance Inspection (includes ATC startup)
EAST TRAVEL PLAZA LLC	S-7378	5552 S WHEELER RIDGE RD	2/20/2025	Source Test Observations
EAST TRAVEL PLAZA LLC	S-7378	5552 S WHEELER RIDGE RD	2/20/2025	First Day of Routine Compliance Inspection (includes ATC startup)

Facility Name	Facility ID	Facility Address	Date	Inspection Type
EAST TRAVEL PLAZA LLC	S-7378	5552 S WHEELER RIDGE RD	2/25/2025	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
GRIMMWAY ENTERPRISES INC	S-2841	11412 MALAGA RD	3/5/2025	First Day of Routine Compliance Inspection (includes ATC startup)
SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	3/12/2025	First Day of Routine Compliance Inspection
MOUNTAIN VIEW RESOURCES LLC	S-9255	LIGHT OIL CENTRAL STATIONARY SOURCE	3/12/2025	First Day of Routine Compliance Inspection (includes ATC startup)
TS LEASING OPERATIONS INC	S-3914	LIGHT OIL CENTRAL	3/12/2025	First Day of Routine Compliance Inspection (includes ATC startup)
GREGS PETROLEUM SERVICE	S-1647	868 S DERBY	3/14/2025	First Day of Routine Compliance Inspection (includes ATC startup)
KERN COUNTY FIRE STATION #51	S-2729	8225 MCKEE RD	3/14/2025	First Day of Routine Compliance Inspection (includes ATC startup)
ION FUEL INC	S-3402	8116 LAMONT AVE	3/14/2025	First Day of Routine Compliance Inspection (includes ATC startup)
JAMIESON HILL	S-2374	10301 MAIN ST	3/14/2025	First Day of Routine Compliance Inspection (includes ATC startup)
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	3/14/2025	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
LAUT FARMS	S-107	16140 LANDERS RD	3/19/2025	First Day of Routine Compliance Inspection (includes ATC startup)
VERIZON WIRELESS (DT LAMONT)	S-7345	8419 DI GIORGIO RD	3/20/2025	First Day of Routine Compliance Inspection (includes ATC startup)
VERIZON WIRELESS - ARVIN	S-4270	15311 CUDA RD	3/20/2025	First Day of Routine Compliance Inspection (includes ATC startup)
VERIZON WIRELESS - NORTH LAMONT	S-7537	5915 WEEDPATCH HWY	3/20/2025	First Day of Routine Compliance Inspection (includes ATC startup)
ION FUEL INC	S-3402	8116 LAMONT AVE	3/25/2025	Return to Compliance Verification Inspection
EAST TRAVEL PLAZA LLC	S-7378	5552 S WHEELER RIDGE RD	3/25/2025	Multi-Day, Ongoing Inspection (Includes Completion of Incomplete Inspection)
LAMONT ELEMENTARY SCHOOL	S-9826	7998 ALICANTE STREET	3/25/2025	First Day of Routine Compliance Inspection (includes ATC startup)
JACO HILL CO	S-2372	10000 MAIN ST	3/25/2025	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	3/25/2025	Source Test Observations
H & S CHEVRON FOOD MART INC	S-238	300 BEAR MOUNTAIN BLVD	3/25/2025	Return to Compliance Verification Inspection
RECOLOGY BLOSSOM VALLEY ORGANICS - SOUTH	S-2905	6061 N WHEELER RIDGE RD	3/25/2025	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	4/23/2025	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	4/28/2025	First Day of Routine Compliance Inspection (includes ATC startup)
WHEELER RIDGE SHELL STATION	S-8338	8139 E BEAR MOUNTAIN BLVD	4/28/2025	Source Test Observations
KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	4/29/2025	Breakdown/Deviation Investigation and Record Review (In Office or In Field)
HUNTER EDISON OIL DEVELOPMENT, L.P.	S-2961	LIGHT OIL CENTRAL STATIONARY SOURCE	5/8/2025	First Day of Routine Compliance Inspection (includes ATC startup)
CABALLERO OPERATIONS LLC.	S-2635	HEAVY OIL CENTRAL STATIONARY SOURCE	5/14/2025	First Day of Routine Compliance Inspection (includes ATC startup)
GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	5/20/2025	First Day of Routine Compliance Inspection (includes ATC startup)
CITY OF ARVIN	S-3031	205 1/2 LANGFORD AVE	5/29/2025	First Day of Routine Compliance Inspection (includes ATC startup)
LAMONT PUBLIC UTILITY DIST	S-2811	BEAR MTN BLVD	6/6/2025	First Day of Routine Compliance Inspection (includes ATC startup)
LAMONT PUBLIC UTILITIES DISTRICT	S-8620	7300 MOUNTAIN VIEW ROAD	6/6/2025	First Day of Routine Compliance Inspection (includes ATC startup)
LAMONT PUBLIC UTILITY DISTRICT	S-8573	12809 MAIN ST	6/6/2025	First Day of Routine Compliance Inspection (includes ATC startup)
LAMONT PUBLIC UTILITY DISTRICT	S-10040	7616 HALL RD	6/6/2025	First Day of Routine Compliance Inspection (includes ATC startup)
LAMONT PUBLIC UTILITY DISTRICT	S-6684	CORNER OF SAN FERNANDO & RIBIER	6/6/2025	First Day of Routine Compliance Inspection (includes ATC startup)
LAMONT PUBLIC UTILITY DISTRICT	S-7452	10722 WILLIAMS ST	6/6/2025	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-7648	VARIOUS UNSPECIFIED LOCATIONS	6/19/2025	First Day of Routine Compliance Inspection (includes ATC startup)
KERN ENERGY	S-4162	PANAMA LN @ WEEDPATCH HWY	6/19/2025	First Day of Routine Compliance Inspection (includes ATC startup)
THE TERMO CO	S-1137	LIGHT OIL CENTRAL	6/24/2025	First Day of Annual Inspection
CHARTER COMMUNICATIONS	S-8167	10311 STOBAUGH ST	6/26/2025	First Day of Routine Compliance Inspection (includes ATC startup)
CITY OF ARVIN	S-4169	200 CAMPUS DR	6/30/2025	First Day of Routine Compliance Inspection (includes ATC startup)

Enforcement Plan

Summary of Complaints

District inspectors respond to approximately 3,000 public air pollution complaints District-wide each year. Some complaints are related to permit facilities, however a majority of complaints received by the District are for other sources of pollution such as illegal open burning, fireplace burning, dust generating activities, and miscellaneous odors. The District responds to all public complaints received, and makes every effort to respond as quickly as possible. Most complaints are investigated the same day they are reported. The following is a summary of all public air pollution complaints received and responded to within the Arvin-Lamont Community from July 2024 through June 2025. A previous report of complaints can be found in [Appendix E](#) of the Arvin-Lamont CERP.

Complaint Number	Date/Time Received	Owner/Operator/Responsible Party	Facility ID	Property Address	Complaint Type	Complaint Description	Resolution	Resolution Description
S-2407-009	7/4/24 12:50 PM	Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Visible Emission	A resident made a report about a fire at Kern energy refinery. Someone nearby noticed smoke coming from the facility around 12pm today	Not Confirmed	Staff investigated and found no fire occurring at Kern Energy, and follow-up discussions with facility staff confirmed that the observed plume was not related to onsite activity. Staff discovered a vegetation brush fire about three miles behind the facility as the likely source; the cause and responsible party could not be determined.
S-2407-016	7/9/24 8:31 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	Forwarding IVAN report here: I was near the corner of Panama and weedpatch and smelled strong smells from the refinery. It kind of smells like sulfur. The smells have been around from more than an hour	Not Confirmed	Staff investigated and found no refinery or sulfur odors during the 7-9-24 and 7-16-24 investigations. Staff also discovered tank leaks during the investigation, which were quantified and repaired within compliant timeframes.
S-2407-017	7/9/24 8:31 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	Forwarding IVAN report here: I was near the corner of Panama and weedpatch and smelled strong smells from the refinery. It kind of smells like sulfur. The smells have been around from more than an hour	Not Confirmed	Staff investigated and found no refinery or sulfur odors during the 7-9-24 and 7-16-24 investigations. Staff also discovered tank leaks during the investigation, which were quantified and repaired within compliant timeframes.
S-2407-025	7/12/24 5:25 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	A resident is reporting strong smells coming from the Kern energy refinery. Residents states that the smell is entering their home and has been for two days	Confirmed	Staff investigated and found odor present near the complaint location. Staff also discovered tank leaks during this period, which were quantified and repaired by the facility within compliant timeframes.
S-2407-027	7/12/24 8:24 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	Forwarding IVAN report: Hay olores muy fuertes en las mañanas. Toda esta semana me he despertado a olores que llegan hasta dentro de la casa. Ultimamente siento que tengo problemas con la respiración. Los olores son muy feos, a veces da olor de camarón podrido.	Confirmed	Staff investigated and found odor present near the complaint location. Staff also discovered tank leaks during this period, which were quantified and repaired by the facility within compliant timeframes.
S-2407-031	7/15/24 3:52 PM			9804 Columbine Ave	Open Burn	Resident at this location has been burning their trash in the backyard at night time. This last occurred last Friday, 7/12/24, at night time. Even though this usually occurs at night, the burning odor is also occurring now. This usually happens approximately 2-3 times a week.	Not Confirmed	Staff investigated learned the most recent burn occurred on July 12th. The burn could not be confirmed. An advisory letter was sent to the resident.
S-2407-038	7/20/24 7:27 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	Forwarding IVAN report from resident near Fuller Acres: Almost every night around 2:00 a.m. I start to smell a sulfur like smell lingering in the air. In the mornings the smell makes its way into the house. I have all the fans on but it's not helping. The smell is very distinct and has a sulfur or rotten egg smell. It's different than the smell that comes animals and from the dairy.	Not Confirmed	Staff investigated and found calm conditions with wind at 2 mph from the south and no detectable sulfur or rotten-egg odors. No odors were detected while surveying multiple downwind locations, including Panama Ln, Weedpatch Hwy, Fairfax Rd, Mountain View Rd, and surrounding streets.
S-2407-043	7/23/24 5:33 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	Huge spike of above 1000 ppb for hydrogen sulfide at the Kern energy refinery. The monitors show a pattern of releases in the middle of the night.	No Violation	Staff investigated and confirmed exceedance of H ₂ S reported by fence line monitors. However, the facility was not in violation of District Rules, as the emissions originated from a buried component not subject to District requirements, and the CSA VRU shutdown was covered under variance 5-24-21-5.
S-2407-045	7/23/24 8:47 AM			5513 Weedpatch Hwy	Open Burn	Resident burns trash usually on Friday and Saturday nights. Resident burns trash, mattresses, furniture, and other debris. The burn incident was this last Saturday, 7/20/24.	No Violation	Staff investigated and found no evidence of burning during the inspection.
S-2408-003	8/2/24 9:16 AM	Rodrigo & Maria Espinoza		S Fairfax Rd & Di Giorgio/West of Lamont	Open Burn	Ag burning close to road	No Violation	Staff investigated and found no open burns, smoldering piles, or smoke odors upon driving around and inside the vineyard. No evidence of burning at the location during the inspection.
S-2408-022	8/9/24 12:34 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	Forwarding IVAN report: It's 12am and Their is a load hissing coming from the kern energy plant started smelling the beginning of potential of that smell	Not Confirmed	Staff investigated and found no odors or hissing sounds during an odor and audio survey along the north and east perimeter of Kern Energy, including Panama Lane, Highway 184, Reynolds, and areas south of the facility.
S-2408-023	8/9/24 12:49 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	Loud high pitched sound and hissing coming from Kern Energy and sulfur smell.	Not Confirmed	Staff investigated and found no odors or hissing sounds during an odor and audio survey along the north and east perimeter of Kern Energy, including Panama Lane, Highway 184, Reynolds, and areas south of the facility.
S-2408-059	8/20/24 7:23 AM	Shinda Upple		8001 Weedpatch Hwy	Fugitive Dust	Fields behind Mt. View School are creating a lot of dust. I would like to know anything can be done regarding dust control. Kids come on to campus and it look like fog almost everyday. I would think they would spray some water to control it. Thanks	No Violation	Staff investigated and found that the fugitive dust complaint was not confirmed, as harvesting had already been completed. The grower has completed the CMPP application, bringing the property into compliance.
S-2408-081	8/29/24 1:05 PM			SW of Sycamore Rd & Meyer St	Fugitive Dust	There are new homes being built at this location, and there is a lot of dust affecting nearby residents. Cars are covered in dust, even after just being washed, and affecting breathing. No water is being used.	Not Confirmed	Staff investigated and found that upon arrival, the site was inactive with one water truck and two heavy-duty front loaders present, and no workers were observed. Staff also discovered a stabilized outer lot surface, crusted piles indicating prior watering, and completed a full Regulation VIII inspection for this DCP.
S-2409-015	9/6/24 11:05 AM			8400 Gail Marie Dr	Open Burn	Gray smoke and flames coming from the back yard of this residence ,in the early morning at 7ish and in the evenings at 6pm the smoke is unbearable this goes on every summer when we are in a heat wave. There are palm trees and dried up trees very close to whatever is burning. Unfortunately everyone does not have AC and rely on a swamp cooler for some comfort ,well that smoke gets sucked in and trapped in my house which sometimes smells like burnt rubber	Not Confirmed	Staff investigated and surveyed the surrounding streets, and observed no visible emissions or odors. A Burn Advisory letter was sent to the residents.
S-2409-017	9/7/24 12:33 PM	CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	Other	FLIR fence line inspections conducted by CCEIN found Tank ID 14067 leaking. Tank owned by Caballero Operations LLC. Lease Name Vineyard. FLIR footage has been sent via email to Dave Born.	No Violation	Staff investigated and found that leaks identified at the facility were repaired,
S-2409-018	9/7/24 12:41 PM	CABALLERO OPERATIONS LLC.	S-890	LIGHT OIL CENTRAL	Other	FLIR fence line inspections conducted by CCEIN found oil well API 402914172 leaking. Operator Caballero Operations LLC. Lease name Vineyard Footage. Field Name Mountain View. Footage has been sent via email to Dave Born.	No Violation	Staff investigated and discovered a leaking oil well but determined no violation was warranted because the leak was below the COGR violation threshold. Staff investigated and found that the well was properly tagged and repaired within required COGR timeframes.
S-2409-019	9/7/24 12:50 PM	SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	Other	FLIR fence line inspections conducted by CCEIN found well API #402946808 leaking. Operator Sequoia Exploration, Inc. Lease Name Jewett. Footage has been sent via email to Dave Born.	Confirmed	Staff investigated and discovered that the previously identified leak had been repaired. The well's API gravity is greater than 30 and subject to Rule 4409, the leak—measured above 50,000 ppm—was repaired within the required one-day timeframe, staff confirmed the repair on 9/10/24.
S-2409-020	9/6/24 11:15 AM	SEQUOIA EXPLORATION	S-3036	LIGHT OIL CENTRAL	Odor	Reporting Party (RP) can smell odors from a nearby well. The well has been operating for 24 hours + and the vibration is shaking the walls of the RPs home.	Not Confirmed	Staff investigated and discovered that the reported odor from the oil well was not confirmed, while a gas leak was identified, tagged, and repaired in accordance with COGR, resulting in no violation. Staff found that vibrations from the well were confirmed but outside District jurisdiction, and the facility agreed to operate the well only during normal business hours to reduce vibration impacts.
S-2409-035	9/12/24 9:22 PM			924 Meyer St	Open Burn	The person who is burning things is confrontational and refuses to stop despite multiple complaints from the surrounding neighbors. Attached pictures are the front of the house and the back yard. At the bottom of the backyard photos is the metal tube where the resident is burning wire, trash and according to the RP, car parts. Only one photo could be added. Contact for additional.	Not Confirmed	Staff investigated and surveyed the surrounding area for approximately 15 minutes, however burning was not confirmed. A Burn advisory letter was sent to the property, notifying them of applicable District and State burn rules.
S-2409-043	9/14/24 4:53 PM			8901 Fuller Dr.	Open Burn	Resident burning trash.	NOV Issued	Staff investigated and discovered an open burn on-site involving clean, dry wood burning on the ground, which was confirmed while surveying the area. The resident was informed of District Rules, and Notice of Violation (NOV) 5033681 was issued to the resident.
S-2410-015	10/5/24 5:54 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	We would like more information in regards to the spikes that were reported by the Kern energy fence line monitor. Two spikes were reported	No Violation	Staff discovered that condensate in the air line caused a valve to remain open, allowing additional PUC gas into the tank's vapor space and resulting in the H ₂ S exceedance reported by the Fence Line Monitoring system. The faulty valve was replaced with a digital valve controller and a condensate air filter was installed on the air line to the pneumatic valve serving the PUC line.
S-2410-018	10/5/24 7:18 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	An IVAN report came in with the following description: "12am Their is a load hissing coming from the kern energy plant started smelling the beginning of potential of that smell" A voicemail was left with the reporting party. Contact information of the reporting party can be made available.	No Violation	Staff reviewed the facility's Fence Line Monitoring Report, and found that during the 10/5/24 alert, the facility did not identify any maintenance or operational issues. Staff investigated and found no conditions at the site that indicated an operational or maintenance issue during this event.
S-2410-019	10/6/24 9:58 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	The Kern energy monitor spiked twice this morning. This is the 4th leak spike in 2 days from the facility. Any updates for on the cause of the spikes in H ₂ S	No Violation	Staff discovered that condensate in the air line caused a valve to remain open, allowing additional PUC gas into the tank's vapor space and resulting in the H ₂ S exceedance reported by the Fence Line Monitoring system. The faulty valve was replaced with a digital valve controller and a condensate air filter was installed on the air line to the pneumatic valve serving the PUC line.
S-2410-020	10/6/24 10:36 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	We received an IVAN report with the attached description: En las mañanas hay olores muy fuertes. El olor es más fuerte en las mañanas entre las 2 de la mañana y las 9. Ultimamente no salgo porque me siento mal estar afuera	No Violation	Staff investigated and discovered a slight propane odor near the corner of Panama Ln and Weedpatch Hwy, with no odor detected south of this location or near the tanks east of the refinery. Staff investigated and found no odors when surveying west near the center and west corner of the refinery.

Complaint Number	Date/Time Received	Owner/Operator/Responsible Party	Facility ID	Property Address	Complaint Type	Complaint Description	Resolution	Resolution Description
S-2410-021	10/6/24 10:45 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	We received a IVAN report with the attached description: I live near the refinery on Panama Lane. Almost every single morning in between 6:00 a.m. and 8:00 a.m. there is a pretty strong sulfur smell. The last 2 days the smell has been very strong and I have been having headaches.	No Violation	Staff investigated and discovered a slight propane odor near the corner of Panama Ln and Weedpatch Hwy, with no odor detected south of this location or near the tanks east of the refinery. Staff investigated and found no odors when surveying west near the center and west corner of the refinery.
S-2410-022	10/6/24 10:51 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	We received an IVAN report with the following description: My husband went outside to play with our son in the yard this morning and there was a very strong smell of propane gas in the air. He got a headache and he felt that his nose was getting dry. We decided to leave for a little because my husband was not feeling well and the smell was so strong.	No Violation	Staff investigated and discovered a slight propane odor near the corner of Panama Ln and Weedpatch Hwy, with no odor detected south of this location or near the tanks east of the refinery. Staff investigated and found no odors when surveying west near the center and west corner of the refinery.
S-2410-026	10/7/24 1:38 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	The refinery had a spike around 1:35 am. There have been several complaints in the last two days about strong smells during non operational hours. Especially in the early morning.	No Violation	Staff investigated and surveyed the diesel and crude tank areas with an OGI camera, and discovered no detectable emissions. Staff also discovered that Kern Energy reported elevated H ₂ S readings, possibly related to issues with a vapor recovery unit compressor. Facility staff observed intermittent venting from tank 74000 on 10/7/24, which ceased within minutes and could not be quantified without additional equipment.
S-2410-044	10/9/24 10:19 PM	Kern Energy Refinery	S-37	7724 E Panama Ln, Bakersfield	Odor	We received the following IVAN report: There is a very loud hissing sound coming from the Refinery. It sounds like gas or air being released at a very high pressure, I can hear the hissing inside my home. There is a foul odor as well and it's 10pm	No Violation	Staff investigated and found that the facility was performing abrasive blasting work to clean out tank 12000. Staff discovered that this activity was ongoing and scheduled to be completed by 10/17/2024.
S-2411-002	11/1/24 3:55 PM	GRIFFIN RESOURCES LLC	S-8312	LIGHT OIL CENTRAL	Fugitive Dust	Hello, this is Derek Sanchez with Bakersfield Code Enforcement. We have Received several complaints regarding issues with dust. There are several oil wells being decommissioned at 216 Durham Court and 4908 Durham Avenue. Residents in the area are concerned proper dust control measures are not being taken.	No Violation	Staff investigated and found trackout present at Durham Ave and Durham Ct, but it did not extend beyond 50 feet and no personnel were onsite during the inspection. Staff discovered that the trackout had been cleaned, and the operations manager confirmed the areas would be monitored and cleaned as needed.
S-2411-023	11/11/24 9:26 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	We received a IVAN complaint with the following description; Hay un olor fuerte que huele a llantas quemadas. El olor ha estado desde la mañana y está tan fuerte el olor que me está empezando a doler la cabeza. El viento viene desde la refinería a mi casa. Creo que los olores fuertes vienen de la refinería. We received a IVAN report about residential burning, the description will be pasted below:	Not Confirmed	Staff investigated and initially detected asphalt odors while traveling east on E. Panama Ln across Highway 184, but a second pass southbound on Highway 184 revealed no odors. Staff discovered no visible emissions or additional odor sources during a perimeter inspection of Kern Energy. Fenceline monitoring for 11/11/24 showed no significant levels of measured compounds.
S-2411-046	11/19/24 10:40 AM			Hill Top / Fuller Acres	Open Burn	Dos casas en la area de Hill-top siguen quemando basura que creo yo contiene plastico y llantas. El olor y el humo son muy fuertes que provocan dificultades para respirar. Usualmente esta sucediendo en la noche hasta en las madrugadas. Por favor investiguen porque asi no se pueden vivir con la humadera. My back neighbor burns something mostly every evening and it smells very bad to the point where I can smell it when I am inside my house. I am concerned especially because my children smell this stuff. I've attached pictures that I was able to sneak through the fence. Thank you and I hope you hear from you guys .	Not Confirmed	Staff investigated surveyed multiple locations including Weedpatch Hwy, Hilltop Dr, Juanita St, Brooks Rd, and Fuller Dr, and did not detect any smoke or smoke odors. Staff discovered no evidence of burning trash, as no smoke or odors were present throughout the inspection.
S-2412-029	12/11/24 4:28 PM	Digorgio Trailer Parks		11640 Comanche Dr.	Open Burn	I am concerned especially because my children smell this stuff. I've attached pictures that I was able to sneak through the fence. Thank you and I hope you hear from you guys .	Not Confirmed	Staff investigated and surveyed the area and did not observe any open burn. No smoke odors were detected. Burning of trash was not confirmed.
S-2501-028	1/13/25 6:35 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	We received a IVAN report with the following description: The refinery has gone dark. I saw it when I woke up that none of the lights are on, I'm worried that the equipment protecting us is also turned off. Is everything okay at the refinery?	Confirmed	Staff investigated and found that the facility was shut down for a power transformer upgrade and the installation of a bypass switch to allow future maintenance without power interruptions. Staff discovered that no operational activities—such as unloading, transferring, or pipeline movement of liquids—were occurring during the shutdown. The shutdown is covered under Variance S-24-455.
S-2501-048	1/23/25 9:08 AM			Hermosa Rd And 184 Hwy	Open Burn	We received a IVAN report with the following description: There is heavy smoke coming from a truck yard. The smoke is at ground level and you can taste it. There is also a cloud that spread out in all directions. It looks like black when I look at it from the south with the sun to my back. The smoke I saw was thick white smoke.	Not Confirmed	Staff surveyed the areas along Hermosa Road and Weedpatch Hwy but did not observe any smoke or smoke odors. A Burn Advisory letter was sent to the location requesting additional information and providing educational materials about District rules.
S-2501-056	1/27/25 11:40 AM	Gibraltar		1 mi south & 1/4 mi east from Bear Mountain Blvd & Tower Line Rd.	Ag Burn	We received an IVAN report with the following description: There is burning on the south side of this road. I took pictures	No Violation	Staff investigated and found that the burn was in compliance with its permit conditions, including the approved acreage and material.
S-2501-073	1/31/25 6:10 PM	Agustin Arreguin		231 N. Derby St.	Open Burn	14100 Tower Line Rd, Arvin, CA 93203, USA Kern County Fire Engine 48 was dispatched to a Smoke Investigation and possible structure fire in the area of North Derby and 4th Ave, in Arvin Ca. E48 and Arvin PD arrived in the area to find black smoke coming from behind the listed location and was met by the occupant. He only speaks spanish. Arvin PD officer was able to translate. The man was burning wood in an old washing machine barrel. The wood was soaked in used motor oil, thus putting up a large amount of noxious smoke. The fire was extinguished he was advised that burning like that was against SJAPCD regulations and he could face fines. There was no food or evidence that he was cooking at the time. An additional photo is available to be emailed showing the wood pile with soaked wood and the used oil collection container. Burning oil gives of a particular odor that could be smelled several houses away. Another man at the scene extinguished the burn barrel with a garden hose.	NOV Issued	Staff investigated and confirmed with the Reporting Party that a burn had occurred in a backyard burn barrel, which was extinguished by the Kern County Fire Department. No smoke or odors were detected during the investigation, and RI could not access the residence. Burning wood in a washing machine barrel was not confirmed, however a Notice of Violation 5034710 was issued based on the KCFD Fire Incident Report.
S-2502-005	2/3/25 4:19 PM			11640 Comanche Dr	Open Burn	Open burning of garbage/debris	Not Confirmed	Staff investigated at the complaint location and did not detect any fire. The resident was informed about District Rules prohibiting burning. Open burning of garbage or debris was not confirmed.
S-2502-011	2/5/25 9:11 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Odor	A inspector with the Ivan reporting Network was in the area and spoke with the reporting party. The reporting inspector with the Ivan network was able to confirm the steam coming from the seam on the north side of the tank that faces Panama. The tank is on the southwest corner of Panama and 184 on the Kern energy refinery facility	No Violation	Staff investigated and found that a crude-like smell was confirmed at the site. Staff discovered that the tank is permit-exempt under District 2020 Section 6.6.6 and is also exempt from Rule 4623 requirements, as its contents are residual fuel oil.
S-2502-021	2/13/25 11:28 AM			Di Giorgio Road and Comanche Drive, southwest section	Ag Burn	Ag Burn occurring at land behind gas station.	No Violation	Staff investigated and found that an approved agricultural burn was generating smoke due to southerly winds blowing toward Di Giorgio Rd, prompting concerns and a related complaint. After discussing conditions with the permit holder, the burn was extinguished using a water truck.
S-2502-031	2/18/25 11:42 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Idling Diesel	We received a IVAN report with the following description: The refinery has way more tankers than usual. There is dozens inside and even a row lined up outside on Panama Road. Some of the trucks are idling, are the trucks allowed to idle near my neighborhood?	No Violation	Staff investigated and traveled east on E. Panama Ln toward Kern Energy in response to the complaint and observed approximately 15–20 diesel trucks idling or queued for loading. All trucks appeared to be in compliance with Title 13 CCR Sections 2480 and 2485 regarding idling requirements.
S-2502-044	2/24/25 10:53 AM	HERNANDEZ ROBERTO & GARCIA JOSEFINA		1414 Viana Place	Open Burn	Burning garbage in rear of yard	Not Confirmed	Staff investigated and detected no smoke or odors at the complaint location. There were no burn marks or evidence of outdoor burning.
S-2502-050	2/27/25 2:42 PM			open field	Open Burn	fire in open field	No Violation	Staff investigated and found a rapidly growing fire near Main St and McKee Rd due to high winds. Staff confirmed the fire originated from an illegal encampment on the property.
S-2502-051	2/27/25 3:21 PM			8510 Weedpatch Hwy	Ag Burn	Per reporting community member: There is a large plume of smoke in a field where pesticide is being applied. I'm worried about the fire spreading due to the high winds.	No Violation	Staff investigated and found a rapidly growing fire near Main St and McKee Rd due to high winds. Staff confirmed the fire originated from an illegal encampment on the property.
S-2503-007	3/4/25 12:27 PM			Habecker And Panama Road, Lamont Ca	Ag Burn	We received an Ivan report with the following description: there is a fire happening right now in the field near Habecker and Panama Road. You can see the black smoke from really far away	Not Confirmed	Staff investigated but did not identify any active burn, burn piles or remnants of burning after surveying the surrounding field.

Complaint Number	Date/Time Received	Owner/Operator/Responsible Party	Facility ID	Property Address	Complaint Type	Complaint Description	Resolution	Resolution Description
S-2504-032	4/21/25 12:50 PM			PANAMA LN & WEEDPATCH HWY	Visible Emission	There is heavy black smoke coming from the Kern energy refinery	No Violation	Staff investigated and found that black smoke from a fire was confirmed at a vineyard southwest of East Panama Lane and Weedpatch Hwy. The probable cause or source of the fire could not be determined. Pandol Farms was verified to have proper measures in place to prevent trespassing.
S-2504-033	4/21/25 3:21 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Visible Emission	COMP-63813: We received a IVAN complaint with the following description: I smelled something that smelled like plastic burning and went outside. The flare at the refinery is huge and has some black smoke coming from the end of the fire. This is not normal because the fire likes like it's 20 feet long it's almost as tall as the flare itself.	No Violation	Staff investigated and conducted a Method 22 evaluation at Kern Energy and observed no emissions from the flare during the inspection. A facility-wide power outage caused by the utility company had activated the flare since 1:13 p.m.. Smoke from the flare was not confirmed.
S-2505-042	5/15/25 12:46 PM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Other	Two reports received from community regarding the flare at Kern Energy being turned on and letting off smoke.	NOV Issued	Staff investigated and observed black smoke emitting from Kern Energy's permitted flare (S-37-7). An EPA Method 22 Visible Emissions Evaluation was conducted and confirmed continuous visible excess emissions. Notice of Violation #5035388 was issued for the confirmed excess emissions.
S-2504-046	4/29/25 7:16 AM			5047 CA-184	Open Burn	we received a IVAN report with the following description: On the east side of Weedpatch Highway, a lot of trash is burning, and the smoke is turning black. I imagine it's even burning tires and plastic. The smoke is so strong that it's becoming dangerous for traffic, and it could cause an accident. Please investigate.	NOV Issued	Staff investigated and observed white smoke behind 5047 CA-184 and discovered yard-waste burning on the property. The property owner was burning weeds and dry brush. They allowed KCFD and staff on-site, and the fire was extinguished with no additional burns observed. NOV #39340 was issued in person.
S-2504-047	4/29/25 7:25 AM			5047 CA-184	Open Burn	We received a IVAN complaint with this description: Heavy burning is happening on the East side of hwy 184, creating a hazard to ongoing traffic. Additionally, it is visibly making our air quality worse. This is the second complaint from the same event under complaint S-2504-046. This complaint was submitted by a different reporting party than the previously submitted complaint.	NOV Issued	Staff investigated and observed white smoke behind 5047 CA-184 and discovered yard-waste burning on the property. The property owner was burning weeds and dry brush. They allowed KCFD and staff on-site, and the fire was extinguished with no additional burns observed. NOV #39340 was issued in person.
S-2505-046	5/19/25 8:05 AM			Near Hermosa Road And Hwy 184	Visible Emission	We received a IVAN report with this description: Burning off Hermosa Road is letting off a lot of smoke! It is blowing out south of their trucking property and blowing into Lamont, and we're concerned for our health. That property seems to burn a lot in the early hours of the day.	Not Confirmed	Staff investigated and traced the smoke to a residence on Dublin Lane, where a renter had been burning clean, dry wood in a backyard grill. Staff discovered that no trash or prohibited materials were burned and no other burning activities were observed in the area. As the only burning was clean wood in a device, no violation was issued and the open burn was not confirmed.
S-2505-078	5/29/25 8:25 AM	KERN ENERGY	S-37	PANAMA LN & WEEDPATCH HWY	Idling Diesel	We received a IVAN complaint with the following description: there is a line of trucks coming from the refinery. This is the second day it wraps around the corner down the 184. There has to be more then 30 trucks on the street.	No Violation	Staff investigated and found trucks idling while in queue to receive fuel, prompting consultation with CARB regarding applicable exemptions. CARB confirmed vehicles may idle for unspecified periods while queued and are not required to be "Certified Clean Idle" in this circumstance. A line of trucks waiting to enter the refinery was confirmed, and the activity is exempt from the 5-minute idling limit under CCR Title 13 §2485(d)(1)(B).

Enforcement Plan

Summary of Violations Found

The District implements a robust enforcement program that includes regular inspections of facilities with District permits as well as other potential sources of air contaminants. In the Arvin-Lamont CERP, the District committed to further enhancing its enforcement efforts in the areas of concern to the community. From July 1, 2024 through June 30, 2025, District compliance staff have issued a number of enforcement actions for open burning violations, fugitive dust violations, and excess emissions violations.

When a violation of a District rule or other air pollution regulation is discovered during an inspection, complaint investigation, or through surveillance activities, the violation is documented through the issuance of a formal notice to the owner or operator, and depending on the nature of the violation, may be subject to substantial monetary penalties. The following is a summary of all violation notices issued from July 2024 to June 2025 for violations of District Rules or other State air pollution control regulations within the Arvin-Lamont Community. These include violations at permitted facilities as well as other non-permitted facilities and private residences. A previous list of violations can be found in [Appendix E](#) of the Arvin-Lamont CERP.

Date	Type	Violation #	Issued To	Facility ID	Location	Description	Rules
7/3/2024	NOV	5033227	The Termo Co	S-1137	Brite/Jewett and Mt. View Leases,	I. Discovery of one greater than 50,000 PPM leak on gauge valve on Well Brite #88-16; II. Discovery of a greater than 50,000 PPM leak on Tank Brite 2 on the hatch.	95669 (CA Code of Regulations, Title 17)
7/17/2024	NOV	5033278	S & S Mini Mart, Inc	S-679	10618 Main St, Lamont	Failure to conduct and pass the required vapor recovery performance testing. (V/L not conducting on fueling point #6)	2070 (Standards for Granting Applications), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
7/24/2024	NOV	5033302	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to comply with H2S limit of 162 ppmv (06/17/24, 06/18/24, 06/19/24)	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
7/24/2024	NOV	5033304	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to maintain vapor recovery system in operation	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits), 4623 (Storage of Organic Liquids)
8/1/2024	NOV	5033343	Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv; Failure to submit Deviation Report within 10-days of discovery date.	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
8/2/2024	NOV	5033296	Charter Communications	S-8167	10311 Stobaugh Street, Lamont	Facility is located within 500 feet of a school and has their weekly automated maintenance testing scheduled during non-permitted hours (between 7:30am-8:00am).	2070 (Standards for Granting Applications), 93115 (ATCM for Stationary Compression Ignition Engines)
8/2/2024	NOV	5033346	ETCHISON FARMS		SW OF DIGORGIO RD. AND SOUTH FAIRFAX RD.,	Open burning of prohibited material	4103 (Open Burning)
8/16/2024	NTC	5032071	H & S Chevron Food Mart Inc	S-238	300 Bear Mountain Blvd, Arvin	Failure to conduct and pass the required vapor recovery performance testing (Hirt Burn Operability test).	4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks), 41960 (CA Health & Safety Code 41960)
8/19/2024	NOV	5033427	Dillon & Sons dba The Barn #4	S-6820	11336 Comanche Dr, Arvin	Failure to maintain the vapor recovery system. (Whip hose #4 torn, curb hose #8 torn.)	2070 (Standards for Granting Applications), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
8/20/2024	NOV	5033434	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceedance of allowable leaks in Table 2 per Rule 4455: Valves; Threaded Connections; and Other components.	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits), 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
8/20/2024	NTC	5032074	Anthony Vineyards Inc	S-7832	425 King St, Arvin	Failure to submit the 2023 Emissions Inventory Report to the San Joaquin Valley APCD by May 1st, 2024.	93403 (CA Code of Regulations, Title 17)
8/21/2024	NTC	5032077	Greggs Petroleum Service	S-2257	901 S Derby, Arvin	Failure to conduct and pass the required vapor recovery performance testing. (Phase I EVR Static Leak Decay)	2070 (Standards for Granting Applications), 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
8/26/2024	NOV	5033466	One Stop Lamont	S-9091	12816 Main St, Lamont	Failure to maintain the vapor recovery system. (Curb hose torn on fueling point #3.)	2070 (Standards for Granting Applications), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
8/28/2024	NOV	5033305	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to comply with H2S limit of 100ppm: -1, -3, -4, -116 on 7-24-24 -77, -118, -119, -122 on 7-18-24, 7-24-24, and 7-26-24 and Failure to comply with H2S limit of 162ppm: -38 on 7-24-24	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits), 4301 (Fuel Burning Equipment)
8/29/2024	NOV	5033489	Windsor Arvin Healthcare LLC	S-7013	323 Campus Dr, Arvin	Operating on a suspended permit.	2010 (Permits Required)
9/3/2024	NOV	5033515	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to comply with H2S limit of 162 ppmv (08/07/24, 08/08/24)	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
9/3/2024	NOV	5033493	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to comply with H2S limit of 100ppm	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits), 4301 (Fuel Burning Equipment)
9/4/2024	NTC	5032106	GOGO LLC	S-7235	15311 Cuda Rd, Arvin	Failure to submit 2023 emission inventory by May 1, 2024 deadline.	93403 (CA Code of Regulations, Title 17)
9/13/2024	NOV	5033565	Dillon & Sons dba The Barn #4	S-6820	11336 Comanche Dr, Arvin	Failure to maintain the vapor recovery system. (87-grade vapor adaptor frozen.)	2070 (Standards for Granting Applications), 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants)
9/14/2024	NOV	5033681	Rigoberto Chavez		8901 Fuller Dr., BAKERSFIELD	Open burning of yard waste as prohibited by District Rule 4103	4103 (Open Burning)
9/16/2024	NOV	5033586	City of Arvin - Public Works		5th Ave & A St, Arvin	Failure to immediately clean up trackout greater than 50 feet as required in Rule 8041.	8041 (Carryout and Trackout)
9/17/2024	NOV	5033594	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceedance of annual average heat input	2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits)
9/17/2024	NOV	5033597	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceedance of True Vapor Pressure (TVP) limit of liquids transferred	2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits)
9/17/2024	NOV	5033598	Greggs Petroleum Service	S-1647	868 S Derby, Arvin	Failure to maintain the vapor recovery system. Offloading vapor hose found torn and leaking in excess of 10,000 ppm.	2070 (Standards for Granting Applications), 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants)
9/17/2024	NOV	5033599	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceedance of H2S limits	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits)
9/24/2024	NOV	5033616	Kern Energy	S-4162	7724 E. Panama Lane, Bakersfield	Failure to comply with VOC control efficiency rate of 99.5% in the months of January, April, May and August 2023.	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule)
10/1/2024	NOV	5033677	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
10/1/2024	NOV	5033681	Rigoberto Chavez		8901 Fuller Dr., Bakersfield	Open burning of yard waste as prohibited by District Rule 4103	4103 (Open Burning)
10/16/2024	NOV	5033765	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Exceedance of H2S limits	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits)
10/16/2024	NOV	5033766	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
10/30/2024	NOV	5033835	Kern County Fire Station #51	S-2729	8225 Mckee Rd, Lamont (Stn 51)	Failure to conduct and pass the required vapor recovery performance testing.	2070 (Standards for Granting Applications), 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
10/30/2024	NTC	5033671	Khalsa Ranch		Weedpatch Hwy and Mountain View Rd, Bakersf	Operating without a CMP	4550 (Conservation Management Practices)
11/4/2024	NOV	5033846	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv on 10/21/24 and 10/25/24	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
11/4/2024	NOV	5033850	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	Failure to maintain secondary seal without holes, tears or openings.	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits), 4623 (Storage of Organic Liquids)
11/4/2024	NOV	5033862	ION Petroleum	S-3402	8116 Lamont Ave, Lamont	Failure to maintain the vapor recovery system. (ISD in Readiness Pending)	2070 (Standards for Granting Applications), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
11/20/2024	NOV	5033972	Wheeler Ridge Shell Station	S-8338	8139 E Bear Mountain Blvd, Bakersfield	Failure to properly respond to ISD alarms. Failure to maintain an ISD alarm history log.	2070 (Standards for Granting Applications), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)

Date	Type	Violation #	Issued To	Facility ID	Location	Description	Rules
11/21/2024	NOV	5033980	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	Discoveries found during District annual inspection include: I. Rule 4624: two greater than 1,000ppm gas- leaks. II. Rule 4623 one greater than 10,000ppm gas-leak.	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits), 4623 (Storage of Organic Liquids), 4624 (Transfer of Organic Liquids)
11/21/2024	NOV	5033983	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	District Rule 4455 greater than 50,000ppm gas-leak at threaded connection	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits), 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
12/2/2024	NOV	5034062	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	Two greater than 1,000ppm gas-leak discovered during District annual inspection	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits), 4624 (Transfer of Organic Liquids)
12/4/2024	NOV	5034095	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	One gas-leaks greater than 50,000ppm at DHT compressor, discovered during District's annual inspection.	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits), 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
12/5/2024	NOV	5034109	Gas 4 Less	S-2784	8114 E Bear Mountain Blvd, Bakersfield	Failure to conduct and pass the required vapor recovery performance testing.	2070 (Standards for Granting Applications), 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
12/18/2024	NOV	46768	Dania Esquivel		8917 Art Ln, Lamont	Illegal Open Burning	4103 (Open Burning)
12/19/2024	NOV	5034272	Stenderup Ag Partners	S-8334	14820 S Edison Rd, Bakersfield	Failure to conduct and pass the required vapor recovery performance testing.	2070 (Standards for Granting Applications), 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
12/20/2024	NOV	5034294	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Excess NOx emissions	2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits), 4306 (Boilers, Steam Generators, and Process Heaters-Phase 3), 4702 (Internal Combustion Engines - Phase 2)
12/20/2024	NOV	5034297	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Greater than 50,000ppm gas-leak at threaded connection, discovered during District's annual inspection.	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits), 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants)
12/20/2024	NOV	5034298	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Greater than 100ppm gas-leak at valve	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits)
12/30/2024	NOV	5034357	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to maintain vapor recovery system functional and operating	2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits), 4455 (Components at Petroleum Refineries, Gas Liquids Processing Facilities, and Chemical Plants), 4623 (Storage of Organic Liquids), 4624 (Transfer of Organic Liquids)
1/8/2025	NOV	5034411	Arvin Union School District	S-1291	660 South "A" St, Arvin	Failure to maintain the vapor recovery system (torn curb hose).	2070 (Standards for Granting Applications), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
1/22/2025	NOV	5034554	Luis & Blanca Posada		1415 Paloma Place, Arvin	Use of an outdoor burn barrel	93113 (CA Code of Regulations, Title 17)
1/27/2025	NOV	5034598	The Termo Co	S-1137	Light Oil Central,	Discovery of two(2) greater than 50,000 ppm leaks	95669 (CA Code of Regulations, Title 17)
1/29/2025	NOV	5034361	Kern Energy	S-37	Panama Ln & Weedpatch Hwy., Bakersfield	Failure to maintain a functioning and operating vapor recovery system.	2010 (Permits Required), 2070 (Standards for Granting Applications)
2/4/2025	NOV	5034680	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv on 01/23/25	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
2/6/2025	NOV	5034710	AGUSTIN ARREGUIN		231 N DERBY ST, ARVIN	Burning wood in a burn barrel.	93113 (CA Code of Regulations, Title 17)
2/6/2025	NOV	5034715	Resident		8146 Hilltop Drive, Bakersfield	Burning wood in a burn barrel	93113 (CA Code of Regulations, Title 17)
2/11/2025	NOV	5034746	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with H2S limit of 162 ppmv on 02/02/25	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
2/14/2025	NOV	5034788	Shinda Upple		135393 9026 E Panama Ln, Bakersfield	Burning of Unauthorized Material Unattended Burn	4103 (Open Burning)
2/18/2025	NOV	5034792	Stenderup Ag Partners	S-8334	14820 S Edison Rd, Bakersfield	Failure to conduct and pass the required vapor recovery performance testing. (2nd Violation)	2070 (Standards for Granting Applications), 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
2/20/2025	NOV	46771	Maria Morales		916 Hood St., Arvin	Burning trash in an outdoor wood burning device	4901 (Wood Burning Fireplaces and Wood Burning Heaters)
2/25/2025	NTC	5034232	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to conduct and pass the required vapor recovery performance testing.	2070 (Standards for Granting Applications), 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
2/25/2025	NTC	5034233	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Failure to submit an Authority to construct application to either comply with the phase II EVR requirements of VR-501-D by July 9, 2024 or by limiting the annual throughput of gasoline to 480,000 gallons.	4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
2/26/2025	NOV	5034823	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Second Notice of Violation: i. failure to source test within 60 days of startup ii. failure to certify CEMS unit	2010 (Permits Required), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits)
2/28/2025	NOV	5034834	Mark Fisher as an agent of Confidence UST Services (NWESTCO)		801 Haven Dr., Arvin	Failure to comply with the 24hr notification requirement.	1177 (Gasoline Dispensing Facility Tester Certification)
3/6/2025	NOV	5034852	Grimmway Enterprises Inc	S-2841	11412 Malaga Rd, Arvin	Failure to comply with CO limits	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule)
3/13/2025	NOV	5034907	Mark Fisher as an agent of Confidence UST Services (NWESTCO)		800 Bear Mountain Blvd., Arvin	Failure to comply with the 24hr notification requirement.	1177 (Gasoline Dispensing Facility Tester Certification)
3/17/2025	NOV	5034926	Gregs Petroleum Service	S-1647	868 S Derby, Arvin	Failure to perform loading rack inspections	2070 (Standards for Granting Applications), 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants)
3/19/2025	NOV	5034934	Grimmway Enterprises Inc	S-2841	11412 Malaga Rd, Arvin	Failure to submit source test results within 60 days of conducting a source test.	1081 (Source Testing), 2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
4/2/2025	NOV	5034898	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	Failure to comply with: Flare H2S limit of 162ppm on 3/3/25; and Fuel gas H2S limit of 84.5ppm on 3/24/25	2070 (Standards for Granting Applications), 2201 (New and Modified Stationary Source Review Rule), 2520 (Federally Mandated Operating Permits)

Date	Type	Violation #	Issued To	Facility ID	Location	Description	Rules
4/7/2025	NOV	5035013	Dillon & Sons dba The Barn #4	S-6820	11336 Comanche Dr, Arvin	Failure to conduct and pass the required vapor recovery performance testing.	2070 (Standards for Granting Applications), 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
4/8/2025	NOV	5035031	Kern Energy LLC	S-37	7724 E Panama Ln, Bakersfield	Failure to maintain CEMS	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
4/29/2025	NOV	39340	Gilbert Sanchez		5407 Weedpatch Hwy, Bakersfield	Open burning of prohibited material.	4103 (Open Burning)
4/29/2025	NOV	5035125	Wheeler Ridge Shell Station	S-8338	8139 E Bear Mountain Blvd, Bakersfield	Failure to properly respond to ISD alarms. Failure to maintain an ISD alarm history log.	2070 (Standards for Granting Applications), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
5/1/2025	NOV	5035119	Kern Energy	S-37	Panama Ln & Weedpatch Hwy, Bakersfield	Transmix H-1 Heater exceedance of startup period on 6/22/24 and 1/19/25; Transmix H-1 Heater exceedance of shutdown period on 2/23/25, 3/15/25, 3/23/25 and 1/12/25; Transmix H-2 Heater exceedance of startup period on 3/21/24, 3/31/24, 4/20/24, 1/20/25 and 4/12/25; Transmix H-2 Heater exceedance of shutdown period on 12/23/24, 2/23/25, 3/23/25, 4/7/25, and 4/9/25; KHT Charge Heater exceedance of startup period on 01/09/25; NHT Charge Heater exceedance of startup period on 1/20/25; and Platformer Splitter Reboiler Heater exceedance of shutdown period on 1/9/25.	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits), 4306 (Boilers, Steam Generators, and Process Heaters-Phase 3)
5/20/2025	NOV	5035226	Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Failure to maintain operating flare and fuel gas CEMS on 4/3/25; Failure to comply with H2S limit of 84.5 ppm, 100ppm and 162 ppm on 04/20/25	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)
5/27/2025	NOV	55754	Norma Gueta		SE Corner Hermosa Rd. & Hwy 184, Lamont	Illegal burning	4103 (Open Burning)
6/12/2025	NOV	5035308	Lamont Public Utility District	S-2811	Bear Mtn Blvd, Bakersfield	Exceeded annual non-emergency hours	2070 (Standards for Granting Applications), 4702 (Internal Combustion Engines - Phase 2), 93115 (ATCM for Stationary Compression Ignition Engines)
6/12/2025	NTC	5034940	Verizon Wireless	S-7537	5915 Weedpatch Hwy, Bakersfield	Failure to maintain monthly monitoring records to adequately distinguish between emergency and non-emergency use.	4702 (Internal Combustion Engines - Phase 2)
6/17/2025	NOV	5035337	7-Eleven Inc	S-2137	1540 Bear Mountain Blvd @ Commanche, Arvin	Failure to properly respond to ISD alarms. (Technician not certified to clear ISD alarms.)	2070 (Standards for Granting Applications), 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
6/26/2025	NOV	5035388	Kern Energy	S-37	7724 E Panama Ln, Bakersfield	Visible excess emissions	2070 (Standards for Granting Applications), 2520 (Federally Mandated Operating Permits)