

2024 Enforcement Report

Enforcement Plan Attachments

Stockton AB 617 Community

San Joaquin Valley Air Pollution Control District

Enforcement Plan

List of Permitted Facilities

The Valley Air District has some of the most stringent regulations in the country for limiting emissions from businesses and other stationary sources of air contaminants. Numerous types of equipment as well as industrial and commercial processes require a Permit to Operate with the District. The following is a current listing of all facilities located within the Stockton Community which have active Permits to Operate with the District as of 9/1/2024. Previous lists of permitted facilities were provided in [Appendix F](#) of the Stockton Community Emissions Reduction Program (CERP) and in prior annual reports.

Facility Name	Facility ID	Facility Address	Facility Description
3440 MAIN ST PETROLEUM INC	N-103	3440 E MAIN ST	GASOLINE DISPENSING
620 WEST CHARTER WAY LLC	N-993	620 W CHARTER WY	GASOLINE DISPENSING FACILITY
7-ELEVEN #38877	N-9759	1515 E MAIN AVE	GASOLINE DISPENSING FACILITY
7-ELEVEN, INC.	N-9850	770 W CHARTER WAY	GASOLINE DISPENSING
A & G GAS INC	N-70	16 E HARDING WAY	GASOLINE DISPENSING FACILITY
AA GASOLINE INC	N-4283	440 W CHARTER WAY	GASOLINE DISPENSING
ABDO THABIT NASHIR	N-8540	713 N EL DORADO ST	GASOLINE DISPENSING FACILITY
AC PAINTING	N-8925	620 SAN JUAN AVE	WOOD PRODUCTS COATING OPERATION
ACE ARMATURE & MOTOR SHOP (JOSHUA IRIS)	N-4	529 N ORANGE ST	ELECTRIC MOTOR REBUILDING AND REPAIR
ACEVEDO & SON AUTO BODY AND PAINT	N-10045	366 W LAFAYETTE ST	AUTO BODY SHOP
ALL FOREIGN & DOMESTIC BODY SHOP	N-4399	1917 NAVY DR	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
AMERICAN BEDLINERS & TRUCK ACCESSORIES	N-9476	2029 CHEROKEE RD	TRUCK BED LINER COATING OPERATION
AMERICAN BUILDING SUPPLY	N-1084	1488 TILLIE LEWIS DR	WOOD PRODUCTS MANUFACTURING
ARANDAS TORTILLA CO INC	N-8179	1318 E SCOTTS AVE	FOOD MANUFACTURING OPERATION
ARANDAS TORTILLA COMPANY	N-9424	1450 E SCOTTS AVE STE 8	FOOD MANUFACTURING OPERATION
ARROW INFRASTRUCTURE HOLDING IA LLC	N-2369	2700 W WASHINGTON STREET	BULK PETROLEUM TERMINAL
AURORA COLLISION CENTER	N-9487	810 S MONROE ST	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
AZTLAN ORNAMENTAL IRON FAB	N-3841	129 S WILSON WAY	METAL PRODUCTS FABRICATION
BAGLIETTO SEEDS	N-2371	301 S AURORA ST	AGRICULTURAL PRODUCTS PROCESSING
BANK OF AGRICULTURE & COMMERCE	N-4571	517 E WEBER AVE	STATE COMMERCIAL BANKS
BEST EXPRESS FOODS INC	N-298	2651 S AIRPORT WAY	COMMERCIAL BAKERY
BIG W SALES	N-3870	1045 W CHARTER WAY	FARM MACHINERY AND EQUIPMENT
BIMBO BAKERIES USA C/O STANTEC	N-8790	508 W DR MARTIN LUTHER KING JR BLVD	SOIL REMEDIATION OPERATION
BNSF RAILWAY COMPANY - MORMAN YARD	N-8081	720 SOUTH B ST	RAILROAD COMPANY
BWC TERMINALS LLC	N-10054	80 N PORT ROAD 13	TERMINAL STATION: RECEIVING AND STORAGE
CAL STATE UNIV C/O GRUPE HUBER COMPANY	N-818	1208 N STATE ST	COLLEGES AND UNIVERSITIES
CALAMCO	N-157	2321 W WASHINGTON ST	INORGANIC CHEMICAL RECEIVING, STORAGE, LOADOUT - AMMONIA
CALAMCO COGEN LLC	N-7082	2323 PORT ROAD G	INORGANIC CHEMICAL DISTRIBUTION - AMMONIA
CALIFORNIA PORTLAND CEMENT COMPANY	N-4425	2201 W WASHINGTON ST	BULK CEMENT DISTRIBUTION FACILITY
CALIFORNIA STOP	N-2500	2224 S MANTHEY RD	GASOLINE DISPENSING
CALIFORNIA WATER SERVICE	N-151	1602 E LAFAYETTE ST	WATER SUPPLY
CALIFORNIA WATER SERVICE COMPANY	N-9510	1225 S EL DORADO ST	WATER SUPPLY
CALPORTLAND COMPANY (STOCKTON WEST)	N-691	2845 W WASHINGTON ST	CEMENT RECEIVING, STORAGE, LOADOUT
CALTRANS STOCKTON MAINTENANCE STATION	N-4453	1604 SOUTH B ST BLDG 2	GOVERNMENT SERVICES
CARRY TRANSIT	N-8273	140 PORT ROAD 13	FOOD-GRADE TRANSFER STATION
CASTLE METALS	N-8634	1625 TILLIE LEWIS DR	METAL DISTRIBUTOR
CENTRAL VALLEY AG GROUP	N-9636	530 PORT RD 23	WAREHOUSES
CENTRAL VALLEY HARDWARE	N-1096	924 E CHURCH ST	METAL PRODUCTS FABRICATION
CENTURYLINK COMMUNICATIONS INC	N-4347	952 E LINDSAY ST	TELECOMMUNICATIONS
CHARTER WAY FUELS LLC	N-9977	1720 S FRESNO AVE	GASOLINE DISPENSING FACILITY
CHARTER WAY PETRO INC.	N-2523	508 W CHARTER WAY	GASOLINE DISPENSING FACILITY
CHEMICAL TRANSFER CO., INC.	N-2518	2746 HEINZ ST	CHEMICAL TRANSLOADING
CITY OF STOCKTON	N-800	22 E MARKET ST	GOVERNMENT SERVICES
CITY OF STOCKTON	N-7177	ATTN: FACILITIES DIRECTOR	GOVERNMENT SERVICES
CITY OF STOCKTON	N-4899	22 E WEBER AVE	GOVERNMENT SERVICES
CITY OF STOCKTON - SMG STOCKTON	N-9031	242 E MAIN ST	GOVERNMENT SERVICES
CITY OF STOCKTON MUN. UTILITY	N-1130	1740 HOUSTON AVE	MUNICIPAL WATER SUPPLY
CITY OF STOCKTON/CB RICHARD ELLIS INC	N-2456	400 E MAIN ST	GOVERNMENT SERVICES
CITY OF STOCKTON; FIRE STAT.#2	N-3353	110 W SONORA ST	FIRE PROTECTION

Facility Name	Facility ID	Facility Address	Facility Description
CLEAN PLANET, INC.	N-4997	250 PORT ROAD 23	URBAN WASTE RECYCLING
COMCAST CABLE COMMUNICATIONS INC	N-4017	838 E PARK ST	CABLE TELEVISION SERVICES
CONCRETE, INC.	N-553	400 S LINCOLN ST	READY-MIXED CONCRETE
CONTRACT COATINGS	N-228	2211 NAVY DR	PAINT MANUFACTURING
COUNTRY MARKETPLACE	N-3845	1789 W CHARTER WAY	GASOLINE DISPENSING FACILITY
COVE CONTRACTORS, INC.	N-7986	3242 S EL DORADO ST	SANITARY SERVICES
CSREH CHARTER 540 E MAIN, LLC	N-1004	540 E MAIN ST	NONCLASSIFIABLE ESTABLISHMENT
DAMERON HOSPITAL	N-2392	525 W ACACIA ST	HOSPITALS
DENTONI'S WELDING WORKS INC	N-8332	648 PILGRIM ST	METAL PRODUCTS FABRICATION
DENTONI'S WELDING WORKS, INC.	N-3204	801 S AIRPORT WAY	METAL PRODUCTS FABRICATION
DEPARTMENT OF TRANSPORTATION	N-8529	1976 E DR MARTIN LUTHER KING JR BLVD	STATE GOVERNMENT FACILITY
DIAMOND AUTO BODY & SERVICES INC	N-9633	521 NORTH STOCKTON ST	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
DIAMOND FOODS, LLC	N-285	1050 S DIAMOND ST	AGRICULTURAL PRODUCTS PROCESSING
DSS ENGINEERING CONTRACTORS	N-2340	655 W CLAY ST	NONCLASSIFIABLE ESTABLISHMENTS
DTE STOCKTON, LLC	N-645	2526 W WASHINGTON ST	POWER GENERATION FACILITY
DURAFLAME WEST	N-150	1340 W WASHINGTON ST	WOOD PRODUCTS MANUFACTURING
DURAFLAME, INC.	N-3765	2894 MONTE DIABLO	WOOD PRODUCTS MANUFACTURING
EAST BAY MUNICIPAL UTILITY DISTRICT	N-997	1804 W MAIN ST	WATER SUPPLY
ECO-ENERGY, LLC	N-9579	630 PORT ROAD 23	PETROLEUM BULK FACILITY
EDISON HIGH SCHOOL	N-1150	1425 S CENTER ST	ELEMANTARY AND SECONDARY SCHOOLS
EL DORADO GAS AND MART	N-3451	1605 S EL DORADO ST	GASOLINE DISPENSING FACILITY
ELEANOR SADE	N-8830	2800 S EL DORADO ST	WAREHOUSE
EM RESOURCES LLC	N-4489	2025 W HAZELTON AVE	CONSTRUCTION MATERIALS RECEIVING, STORAGE, HANDLING
EXPRESS FUEL & MART INC	N-454	701 E CHARTER WAY	GASOLINE DISPENSING FACILITY
FAM AUTOBODY	N-9529	740 S SAN JOAQUIN	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
G&I X STOCKTON COMMERCE LP	N-4375	1624 ARMY CT	TOY AND GAME STORE - RETAIL
GPT PROPERTIES TRUST / THE RMR GROUP LLC	N-8703	603 SAN JUAN AVE	GOVERNMENT AGENCY
GULF TERMINALS LLC	N-1153	2717 W WASHINGTON ST	AGRICULTURAL CHEMICALS
H.J.BAKER & BRO. LLC	N-4064	65 STORK RD	INDUSTRIAL INORGANIC CHEMICALS - SULFUR
HDM AMERICA LLC	N-898	735 S SUTTER ST	WOOD PRODUCTS MANUFACTURING
HERNANDEZ AUTO BODY AND PAINT	N-8237	840 E JEFFERSON ST	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
HI-GRADE CLEANERS	N-400	47 S SAN JOAQUIN ST	DRY CLEANING
HOGAN MFG INC	N-389	1754 E MARIPOSA RD	MOBILE EQUIPMENT FABRICATION
INDEPENDENT TRUCKING INC	N-2642	1145 W CHARTER WY	LOCAL TRUCKING WITHOUT STORAGE
JUDICIAL COUNCIL OF CALIFORNIA	N-9129	STOCKTON COURTHOUSE	GOVERNMENT SERVICES
JUVA STOCKTON, INC	N-9767	633 SAN JUAN AVENUE	CANNABIS GROWING AND CULTIVATION
KESAR PETROLEUM INC	N-5278	717 W 8TH ST	GASOLINE DISPENSING FACILITY
LKQ	N-7811	2041 NAVY DR	AUTOMOBILE PARTS DEALER
M & L MOULDING AND MACHINE INC	N-7232	803 S SUTTER ST	WOOD PRODUCTS MANUFACTURING
M&L COMMODITIES, INC	N-7489	DBA INLAND COLD STORAGE - STOCKTON	COLD STORAGE DISTRIBUTION CENTER
MAIN BODY SHOP	N-2943	1861 E MAIN ST	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
MARBLE PALACE INC	N-3791	711 S SAN JOAQUIN ST	SYNTHETIC MARBLE MANUFACTURING
MARINE SERVICES	N-3905	1302 W FREMONT ST	BOAT MANUFACTURING AND REPAIR
MARTIN MARIETTA STOCKTON LLC	N-4022	PORT OF STOCKTON DOCK #4	BULK CEMENT DISTRIBUTION FACILITY
MCCOY TRUCK TIRE SVC CNTR	N-954	1535 E MARKET ST	TIRE REPAIR
MCI	N-7900	510 E MAGNOLIA ST	TELECOMMUNICATIONS
MCM14 CORP	N-86	130 S WILSON WAY	GASOLINE DISPENSING FACILITY
METROPOLITAN STEVEDORE COMPANY	N-270	2201 W WASHINGTON ST, DOCK 12 & 13	MARINE CARGO HANDLING
MIRACLE MILE MARKET	N-549	244 W HARDING WAY	GASOLINE DISPENSING FACILITY

Facility Name	Facility ID	Facility Address	Facility Description
MONTEZUMA FIRE DISTRICT	N-10235	2405 SOUTH B ST	CITY GOVERNMENT
N.J. MCCUTCHEN, INC.	N-524	123 W SONORA ST	METAL PRODUCTS FABRICATION
NEVADA CEMENT COMPANY	N-153	205 PORT ROAD 1	CEMENT RECEIVING, STORAGE, LOADOUT
NEWARK SIERRA PAPERBOARD CORP.	N-577	800 W CHURCH ST	PAPERBOARD MILL
NUSTAR TERMINALS OPS PARTNERSHIP LP	N-829	2941 NAVY DRIVE	BULK PETROLEUM TERMINAL
PACIFIC BELL ENVIRONMENTAL MANAGEMENT	N-7777	242 N SUTTER ST	TELECOMMUNICATION
PACIFIC BELL TELEPHONE CO (DBA AT&T CA)	N-2412	345 N SAN JOAQUIN ST	TELECOMMUNICATIONS
PACIFIC GAS & ELECTRIC	N-7329	540 S CENTER ST	PUBLIC UTILITIES
PARK ST PETROLEUM INC	N-175	642 N HUNTER ST	GASOLINE DISPENSING FACILITY
PELICAN RENEWABLES LLC	N-7365	3028 NAVY DRIVE	ETHANOL PRODUCTION FACILITY
PENNY NEWMAN GRAIN COMPANY	N-227	1805 W HARBOR RD	BULK AGRICULTURAL COMMODITIES RECEIVING, STORAGE, LOADOUT
PLYMOUTH SQUARE	N-3932	1319 N MADISON ST	RESIDENTIAL CARE
PORT OF STOCKTON	N-1013	2201 W WASHINGTON ST	MARINE CARGO HANDLING
PRIME COLLISION	N-2403	108 W HAZELTON AVE	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
QUIKSERVE ENT INC DBA BURGER KING #2268	N-4774	619 W CHARTER WAY	RESTAURANT - FAST FOOD
RAMIREZ AUTO BODY & REPAIR	N-8932	1025 E HAZELTON AVE	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
RANDHAWA PETROLEUM LLC DBA EL DORADO GAS	N-983	1901 S EL DORADO ST	GASOLINE DISPENSING FACILITY
REMCO	N-9823	1627 ARMY COURT SUITE 1	METAL PARTS PRODUCTION
RITE WAY CLEANERS	N-690	700 E MARKET ST	DRY CLEANING
SAN FRANCISCO AUTOBODY FRAME	N-3317	16 S WILSON WAY	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
SAN JOAQUIN COUNTY	N-9209	222 E WEBER AVE	GOVERNMENT SERVICES
SAN JOAQUIN COUNTY	N-9211	24 S HUNTER ST	GOVERNMENT SERVICES
SAN JOAQUIN COUNTY	N-9212	161 S SUTTER ST	GOVERNMENT SERVICES
SAN JOAQUIN COUNTY	N-722	1810 E HAZELTON AVE	GOVERNMENT SERVICES
SAN JOAQUIN COUNTY	N-7933	44 N SAN JOAQUIN ST	GOVERNMENT SERVICES
SAN JOAQUIN COUNTY MOTOR POOL	N-2906	121 S SAN JOAQUIN ST	GOVERNMENT SERVICES
SAN JOAQUIN COUNTY PUBLIC HEALTH SERVICE	N-4677	1601 E HAZELTON AVE	GOVERNMENT SERVICES
SAN JOAQUIN REGIONAL TRANSIT DISTRICT	N-9532	1505 S UNION ST (UNION TRANSFER STATION)	LOCAL AND SUBURBAN TRANSIT SERVICES
SCHUFF STEEL COMPANY	N-629	2324 NAVY DR	METAL PRODUCTS FABRICATION
SEPULVEDA'S TRUCK PAINTING	N-742	130 S UNION	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
SFPP, L.P.	N-1000	2947 NAVY DR	PETROLEUM TRANSPORTATION
SRH FOOD & GAS INC	N-258	749 E MARTIN LUTHER KING JR BLVD	GASOLINE DISPENSING FACILITY
STATE OF CA. 2ND DIST. AG ASSO	N-788	1658 S AIRPORT WAY	OPERATION OF AGRICULTURAL FAIRS
STATE OF CALIFORNIA, DEPT OF TRANS	N-4986	1604 SOUTH B ST	STATE GOVERNMENT FACILITY
STEVEN STEIN ENTERPRISES, INC	N-2382	DBA CAVALLINO COACHWORKS OF STOCKTON	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
STOCKTON AUTO BODY & PAINT	N-3021	915 E WEBER AVE	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
STOCKTON MUNICIPAL UTILITY	N-2535	AIRPORT WAY AT DUCK CREEK	STORM WATER PUMP STATION
STOCKTON MUNICIPAL UTILITY	N-2561	WALKER SLOUGH AT TURNPIKE RD	MUNICIPAL WATER SUPPLY
STOCKTON RWCF	N-811	2500 NAVY DR	WASTEWATER TREATMENT FACILITY
STOCKTON TRI INDUSTRIES, LLC	N-810	2141 E ANDERSON ST	METAL PRODUCTS FABRICATION
STOCKTON UNIFIED SCHOOL DISTRICT	N-9157	701 N MADISON ST	SCHOOL DISTRICT ADMINISTRATION
STOCKTON, CITY OF	N-805	1465 S LINCOLN ST	GOVERNMENT SERVICES
SUNSHINE HAWAIIAN BBQ	N-9572	11 N CENTER ST	RESTAURANT
SYNERGY PETROLEUM 332 INC	N-4419	322 S CENTER ST	GASOLINE DISPENSING
TESORO LOGISTICS OPERATIONS LLC	N-845	3003 NAVY DR	BULK PETROLEUM TERMINAL
TIGER-SUL PRODUCTS LLC	N-9331	61 STORK RD	INDUSTRIAL INORGANIC CHEMICALS - SULFUR
TRAIL COFFEE	N-8727	501 E MAIN ST	ROASTED COFFEE
UNIFIRST CORP	N-4212	819 N HUNTER ST	INDUSTRIAL LAUNDERS
UNION PACIFIC RAILROAD	N-6591	833 E 8TH ST	RAILROAD COMPANY

Facility Name	Facility ID	Facility Address	Facility Description
VALLEY PACIFIC PETROLEUM SERVICES INC	N-4158	1501 W CHARTER WAY	GASOLINE DISPENSING FACILITY
VANCO TRUCK & AUTO PLAZA	N-921	1033 W CHARTER WY	GASOLINE DISPENSING
VERIZON WIRELESS	N-9153	501 WEST WEBER AVENUE	TELECOMMUNICATIONS
VERIZON WIRELESS - PORT OF STOCKTON	N-7643	734 WILSHIRE AVE	TELECOMMUNICATIONS
VERIZON WIRELESS - STOCKTON MSC	N-4560	3202 MOURFIELD RD	TELECOMMUNICATIONS
W-1 MANAGEMENT LLC	N-3367	540 N GRANT ST	MOTOR VEHICLE AND MOBILE EQUIPMENT COATING
WESTWAY FEED PRODUCTS LLC	N-2413	2115 W WASHINGTON ST	ANIMAL FEED PROCESSING
WILLIAMS TANK LINES	N-8141	1477 TILLIE LEWIS DR	TRANSPORTATION
WILMAR OILS & FATS STOCKTON LLC	N-8622	2008 PORT ROAD B	COOKING OIL PROCESSING

Enforcement Plan

Summary of Complaints

District inspectors respond to thousands of public air pollution complaints District-wide each year. Some complaints are related to permitted facilities, however a majority of complaints received by the District are for other sources of pollution such as illegal open burning, fireplace burning, dust generating activities, and miscellaneous odors. The District responds to all public complaints received, and makes every effort to respond as quickly as possible. Most complaints are investigated the same day they are reported. The following is a summary of all public air pollution complaints received and responded to within the Stockton Community from July 2023 through June 2024. Previous summaries of complaints can be found in [Appendix F](#) of the Stockton CERP and in prior annual reports.

Complaint #	Date Received	Owner/Operator/Responsible Party	Property Address	Complaint Type	Complaint Description	Resolution	Resolution Description
N-2308-008	07-Aug-23		600 W Acacia	Odor	Woke up this morning and had to close the windows - still in the 80s inside - because the stink from probably the wastewater treatment plant was so bad.	Not Confirmed	Staff surveyed the area surrounding the suspected source and did not detect the odor described.
N-2308-009	07-Aug-23	DTE STOCKTON, LLC	2526 W WASHINGTON ST	Visible Emission	On Thursday 8.3.2023 the DTE smoke plume which is usually grey was black - I was on my way to work. When I arrived there were multiple issues to attend to other than to notify the SJVAPCD of black smoke.	Not Confirmed	Staff reviewed opacity meter readings which showed compliance.
N-2308-042	17-Aug-23	DTE STOCKTON, LLC	2526 W WASHINGTON ST	Fugitive Dust	Dust from wood chopping at DTE engery in the port of Stockton. The dust will cover and stick to your car. It also irritates your eyes.	No Violation	Though visible emissions observed did not exceed limits, District staff and site contact discussed what could be done to further reduce dust, including increasing water flow to misters, and more closely monitor truck off-loading.
N-2308-056	23-Aug-23		48 W Harding Way	Other	San Joaquin County received a prop 65 notification from DTSC regarding Cannon Cleaners on 8/18/2023. Air Samples were taken in July, 2021 and detected the following chemicals: tetrachloroethylene, benzene, acetone, ethylbenzene, toluene, and xylene. Ple	Not Confirmed	This location was a previously permitted dry cleaning operation that had fully closed in 2020. District staff visited the site and found what appeared to be a botanical shop at the location, no indication of current dry cleaning activity was observed.
N-2309-023	13-Sep-23		W Church St	Open Burn	Under freeway highway overpass large flames and sideways walk sidewalks around dmv at Lincoln and sanora roads areas , very smoke around smells are consistent daily for 6mothd and more continuous	Referred To	Staff observed a cooking fire compliant with District Rule 4103, but referred the Reporting Party's concern to City of Stockton's Neighborhood Services.
N-2309-054	26-Sep-23	Ganesha Investments	1801 E Market Street	Asbestos	Complaint of potential asbestos and dust from demolition occurring at 1801 E Market Street in Stockton.	NOV Issued	District staff visited the site and observed debris piles from a fire, and it was apparent that demolition work had begun. Staff issued NOVs to the property owner, and to the contractor hired to perform the demolition work.
N-2310-006	02-Oct-23		1825 Pacific ave.	Fugitive Dust	Dust	Not Confirmed	District staff visited the site. No dust generating activity was occurring at the time, and compliance with Regulation VIII and asbsestos notification requirements were verified.
N-2310-024	05-Oct-23		1801 E Market Street	Asbestos	Reporting Party states demolition activity is occurring at 1801 E Market Street.	Not Confirmed	Site was previously investigated under complaint N-2309-054 and issued NOV 5031662. District staff performed a field investigation again in response to this complaint, but did not observe ongoing activity at the time.
N-2310-037	11-Oct-23		1205-1213 N San Joaquin St.	Odor	Odor complaint	Not Confirmed	Staff surveyed the area surrounding the suspected source and did not detect the odor described.
N-2310-054	17-Oct-23	Burlington Northern Santa Fe Railway (BNSF)	720 South B Street	Other	RP states that a train depot (BNSF Railway) near their home is causing health problems in the surrounding community due to idle/passing trains constantly in the area. RP states constantly see's fumes from trains in various colors some having a chemical odor.	Not Confirmed	Staff conducted a site visit and did not witness an idling locomotive
N-2311-085	21-Nov-23		Center & El Dorado	Open Burn	illegal burn of trash/plastics	Not Confirmed	Staff performed a field investigation and did not find the alleged activity occurring at the time.
N-2311-091	22-Nov-23		825 W Sonoma Ave	Smoking Chimney	Fireplace emitting a lot of smoke for past 48 hours. Smoking out neighborhood.	Not Confirmed	Staff conducted a field investigation but did not observe smoke coming from the property at the time.
N-2311-119	29-Nov-23		Hwy 4 and S Lincoln St	Open Burn	Individuals burning outside their camper.	Referred To	Following a field investgiation which discovered an encampment, staff referred their observations to City of Stockton Code Enforcement.

Complaint #	Date Received	Owner/Operator/Responsible Party	Property Address	Complaint Type	Complaint Description	Resolution	Resolution Description
N-2312-085	27-Dec-23	Fairgrounds Industrial Park LLC	1110 S Wilson Way	Open Burn	RP states burning plastic, strong smell, and smoking	Referred To	Following a field investigation which discovered an encampment, staff referred their observations to City of Stockton Code Enforcement.
N-2401-009	05-Jan-24	Gonzalez Victor Flores	1860 E. Tenth	Open Burn	Burn Barrel on Property located south side next to gazebo in backyard. A fire occurred yesterday in an RV in the backyard. While over there checking on a complaint, we noticed the burn barrel active.	Not Confirmed	A field investigation did not uncover violations of District rules or regulations at the time.
N-2401-017	09-Jan-24		119 South Sutter Street	Asbestos	Renovation work is occurring at the building located at 119 South Sutter Street, Stockton.	No Violation	This complaint investigation did not reveal any violations of District Rules or the NESHAP.
N-2402-030	21-Feb-24	Spin Cycle Laundry	1439 North El Dorado Street, Suite D	Other	painting outside, fumes are strong in area	Confirmed	District staff performed a field investigation, and detected the odor of detergent but not of paint fumes as described by the RP. RP was connected with City of Stockton Code Enforcement, and assisted to complete a District grant application for an indoor air filter.
N-2402-037	24-Feb-24		Mormon Slough And Downtown Stockton Area.	Open Burn	The transient camps are constantly burning tires, and several other toxic materials at night from 10:00 PM -4:00 AM, affecting the air quality and exposing those who reside and work in the area to toxic fumes. This is affecting the health, air quality, and overall health and quality of life of those who reside in the area. The fumes permeate into buildings and homes causing health symptoms. Please conduct enforcement.	Not Confirmed	A field investigation was conducted, but did not uncover violations of District rules or regulations at the time.
N-2402-039	25-Feb-24		E Willow St	Open Burn	Daily fires in the morning and night are set by homeless persons camping on E Willow St next to a Xavier College The fires make smell of smoke daily. I have reported the issue to the city as they are on the street but it is an on going problem.	Not Confirmed	A field investigation was conducted, but did not uncover violations of District rules or regulations at the time.
N-2402-054	29-Feb-24		S McDonell Ave & Church St	Odor	chemical odor	Not Confirmed	Staff surveyed the area surrounding the suspected source and did not detect the odor described.
N-2403-055	20-Mar-24	Gonzalez Victor Flores	1860 E 10th St	Open Burn	RP states burning, 20ft of wooden fence burned.	NOV Issued	NOV #49874 was issued for violation of District Rule 4103.
N-2404-050	21-Apr-24		330 E Flora Street	Open Burn	Neighbor burning trees, leaves, wood in a device.	Not Confirmed	A field investigation was conducted, but did not uncover violations of District rules or regulations at the time.
N-2404-058	23-Apr-24	Jose Gutierrez	1230 W Vine St	Open Burn	Burning attrition in a concrete tub in backyard.	Not Confirmed	A field investigation was conducted, but did not uncover violations of District rules or regulations at the time.
N-2404-059	24-Apr-24		2548 Shimizu Dr	Other	Yesterday around 5PM this same vehicle was starting a fire and had a nasty odor honestly I can't even say what it smelled like but it was nasty.	Referred To	No evidence of burning was observed at the time of investigation. CalTrans was on site and the time and was clearing the area, with CHP support.
N-2404-066	26-Apr-24		2548 Shimizu Dr	Odor	After caltrans cleaned up person returned and making fire and just leaving poop smell.	Not Confirmed	Staff surveyed the area surrounding the suspected source and did not detect the odor described. Staff also referred RP to ASK Stockton, a resource available to residents of Stockton to provide support for related concerns.
N-2404-067	26-Apr-24		2548 Shimizu Dr	Odor	Making this complaint due to homeless people disturbing my parents home. They have been making so much noise at night and starting fires that we had to call 911 several times. They are always bringing unknown strangers that come by in cars with no plates	Not Confirmed	Staff surveyed the area surrounding the suspected source and did not detect the odor described. Staff also referred RP to ASK Stockton, a resource available to residents of Stockton to provide support for related concerns.

Complaint #	Date Received	Owner/Operator/ Responsible Party	Property Address	Complaint Type	Complaint Description	Resolution	Resolution Description
N-2404-075	30-Apr-24	Juan Aguilar	285 W 4Th St	Open Burn	Resident has been burning wood, cardboard, plastics for most of the day. He is burning it all inside a huge grill that is located in the back yard. The smell is all over the surrounding homes.	Not Confirmed	A field investigation was conducted, but did not uncover violations of District rules or regulations at the time.
N-2405-002	01-May-24		3460 Phelps st	Open Burn	Very dark smoke coming from backyard.	No Violation	A field investigation was conducted, but did not uncover violations of District rules or regulations at the time.
N-2405-029	13-May-24		2548 Shimizu Dr Stockton, CA 95203	Open Burn	I smelled something burning yesterday night. I did not want to go outside to see what it was for my own safety. Today morning I seen this couch part of it burned down.	Confirmed	Following a field investigation which discovered an encampment, staff referred their observations to City of Stockton Code Enforcement, and to CalTrans as the encampment was on CalTrans property.
N-2405-049	21-May-24		2548 Shimizu Dr	Odor	Encampment up against property fence. Fires strong toxix odors Residents property owner has 2 adult children with disabilities that health are being directly effected by this (Nearby residents are) constantly burning trash in her back yard. The smell of burnt plastic is constant. I can't go outside with out getting a headache.	Referred To	Staff surveyed the area surrounding the suspected source and did not detect the odor described. Staff also referred the complaint to CalTrans as the alleged activity was occurring on their property.
N-2405-074	28-May-24	Michael	E Jefferson St	Open Burn	The homeless people are starting fires under the freeway and the smell is coming to my home.	Not Confirmed	A field investigation was conducted, but did not uncover violations of District rules or regulations at the time.
N-2406-066	24-Jun-24		2548 Shimizu Dr Stockton, CA 95203	Open Burn		Not Confirmed	A field investigation was conducted, but did not uncover violations of District rules or regulations at the time.

Enforcement Plan

Summary of Violations Found

The District implements a robust enforcement program that includes regular inspections of facilities with District permits as well as other potential sources of air contaminants. In the Stockton CERP, the District committed to further enhancing its enforcement efforts in a few areas of concern to the community. District compliance staff have completed idling diesel truck surveillance, fugitive dust Regulation VIII inspections, and conducted more frequent inspections at facilities with recent emissions violations.

When a violation of a District rule or other air pollution regulation is discovered during an inspection, complaint investigation, or through surveillance activities, the violation is documented through the issuance of a formal notice to the owner or operator, and depending on the nature of the violation, may be subject to substantial monetary penalties. The following is a summary of all violation notices issued from July 2023 to June 2024 for violations of District Rules or other State air pollution control regulations within the Stockton Community. These include violations at permitted facilities as well as other non-permitted facilities and private residences. Previous lists of violations can be found in [Appendix F](#) of the Stockton CERP and in prior annual reports.

Date	Type	Violation #	Issued To	Facility ID	Location	Description	Rules
05-Jul-23	NOV	5031292	Abdo Thabit Nashir	N-8540	713 N El Dorado St	Failure to conduct and pass the required vapor recovery performance testing.	2070 (Standards for Granting Applications) 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
05-Jul-23	NOV	5031294	Juva Stockton, Inc	N-9767	633 San Juan Avenue	Engine #5 emitted NOx and CO above the permitted limits.	2070 (Standards for Granting Applications)
05-Jul-23	NOV	5031297	State Of CA 2nd Dist. Ag Asso	N-788	1658 S Airport Way (Sj Co Fair)	Failure to conduct and pass the required vapor performance testing.	2070 (Standards for Granting Applications) 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
06-Jul-23	NOV	53662	Mobil Stockton #1/Abdo Nashir	N-175	642 N Hunter St	Failed to maintain the vapor reconvert system. Tank #2 87-grade must be OPW series 1711.	2070 (Standards for Granting Applications) 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, 2070 (Standards for Granting Applications)
06-Jul-23	NOV	5031305	Tesoro Logistics Operations Llc	N-845	3003 Navy Dr	The metallic shoe-type seal was not installed with a minimum vertical distance of 18 inches above the stored liquid surface.	2520 (Federally Mandated Operating Permits) 4623 (Storage of Organic Liquids)
07-Jul-23	NOV	5031306	Verizon Wireless - Stockton Msc	N-4560	3202 Mourfield Ave	Failure to acquire required permits	2010 (Permits Required) 2020 (Exemptions) 2280 (Portable Equipment Registration)
07-Jul-23	NOV	53663	SRH Food & Gas Market	N-258	749 E Martin Luther King Jr Blvd	Failure to conduct and pass the required vapor recovery performance testing.	2070 (Standards for Granting Applications) 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
11-Jul-23	NOV	5031326	Nustar Terminals Ops Partnership Lp	N-829	2941 Navy Drive	Failure to operate truck loading racks such that there are no leaks, three vapor leaks above 10,000 ppm discovered.	2010 (Permits Required) 2520 (Federally Mandated Operating Permits) 4624 (Transfer of Organic Liquids)
12-Jul-23	NOV	49070	Ac Painting	N-8925	620 San Juan Ave	1) Failure to properly maintain daily records for coatings usage, VOC's, and PM10's as is required by the Permit to Operate. 2) Failure to submit the 2022 Emissions Inventory by the due date of 5/25/2023.	1160 (Emission Statements) 2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule)
12-Jul-23	NOV	5031336	Juva Stockton, Inc	N-9767	633 San Juan Avenue	1. Source test results indicate that the CO emissions exceeded the permitted limit of 20 ppm @ 15% O2 and 0.17 g/bhp-hr. 2. Source test results were submitted to the District more than 60 days after the test on 3/7/23 was conducted. 3. Facility failed to source test the engine within +/-30 days of the anniversary date of 1/14/23.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule)
17-Jul-23	NTC	5031352	East Bay Municipal Utility District	N-997	1804 W Main St	Operating a gasoline dispensing facility without certified components- failure to install two Enhanced Conventional (ECO Nozzle) gasoline dispensing nozzles per Executive Order (EO) NVR-1.	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
04-Aug-23	NOV	5031433	Stockton RwcF	N-811	2500 Navy Drive	1) Failure to change the motor oil and the oil filter at least every 500 hours of operation or annually, whichever comes first. 2) Failure to provide a deviation report within 10 days.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
06-Sep-23	NOV	53666	Vanco Truck & Auto Plaza	N-921	1033 W Charter Wy	Failure to properly respond to ISD alarms and to properly maintain an ISD alarm log.	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
12-Sep-23	NTC	5031421	Ramirez Auto Body & Repair	N-8932	1025 E Hazelton Ave	Failure to pay annual Air Toxic Fees	3110 (Air Toxic Fees)
19-Sep-23	NOV	5031601	Arrow Infrastructure Holding Ia Llc	N-2369	2700 W Washington Street	Failure to accurately report information on the Annual Compliance Certification (ACC) for reporting period 01/01/2022 to 12/31/2022.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits)
21-Sep-23	NOV	5031618	Stockton RWCF	N-811	2500 Navy Dr	Failure to maintain the fuel sulfur content at or below 5 grains of total sulfur per 100 standard cubic feet.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4702 (Internal Combustion Engines - Phase 2)
27-Sep-23	NOV	53669	California Stop	N-2500	2224 S Manthey Rd	Failure to maintain the Phase II vapor recovery equipment. (FP#6 loose spout; FP#8 torn whip hose).	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)

Date	Type	Violation #	Issued To	Facility ID	Location	Description	Rules
03-Oct-23	NOV	5031662	Ganesha Investments, Inc.		1801 E Market Street	Failure to comply with NESHAP 40 CFR Part 61.145 1)No trained personnel on site, 2) Regulated Asbestos Containing Materials not maintained wet, 3) Failure to contain in a leak-tight container 4) Visible Emissions 5) Improper disposal, 6) Failure to Notify, 7) Failure to pay fees, 8) Failure to thoroughly survey for asbestos	4002 (National Emission Standards for Hazardous Air Pollutants)
03-Oct-23	NOV	5031663	MTS Engineering		1801 E Market Street	Failure to comply with NESHAP 40 CFR Part 61.145 1)No trained personnel on site, 2) Regulated Asbestos Containing Materials not maintained wet, 3) Failure to contain in a leak-tight container 4) Visible Emissions 5) Improper disposal, 6) Failure to Notify, 7) Failure to pay fees, 8) Failure to thoroughly survey for asbestos	4002 (National Emission Standards for Hazardous Air Pollutants)
11-Oct-23	NOV	49072	Calamco Cogen Llc	N-7082	2323 Port Road G	1) Failure to maintain NOx emissions below permit limits 2) Failure to notify District of NOx exceedance.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 4702 (Internal Combustion Engines - Phase 2)
11-Oct-23	NOV	5031701	Nustar Terminals Ops Partnership Lp	N-829	2941 Navy Drive	During a source test conducted on 6/21/23, the facility exceeded the VOC emissions limit of 0.015 pounds per thousand gallons of gasoline loaded.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits)
18-Oct-23	NTC	5031801	Best Express Foods Inc	N-298	2651 S Airport Way	Failure to obtain an Authority to Construct prior to installing and operating equipment - Permit Exemption Determination application required.	2010 (Permits Required)
26-Oct-23	NTC	5031750	LKQ	N-7811	2041 NAVY DR	Failure to submit the 2022 emissions report to the San Joaquin Valley APCD by May 1st, 2023.	93403 (CA Code of Regulations, Title 17)
26-Oct-23	NTC	5031758	ELEANOR SADE	N-8830	2800 S EL DORADO ST	Failure to submit the 2022 emissions report to the San Joaquin Valley APCD by May 1st, 2023.	93403 (CA Code of Regulations, Title 17)
31-Oct-23	RCAT	5031809	M&L Commodities, Inc	N-7489	Db Inland Cold Storage - Stockton	Failure to maintain recordkeeping per permit condition #15.	4702 (Internal Combustion Engines - Phase 2)
07-Nov-23	NOV	53678	Cal State Univ C/O Grupe Huber Company	N-818	805 Magnolia St	Failure to maintain Phase II vapor recovery system (Torn whip hose).	4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
07-Nov-23	NOV	5031829	Judicial Council Of California	N-9129	180 E Weber Ave	1. Failure to maintain NOx below limits (12 ppm at 3% O2) - Condition 5. 2. Failure to have units tuned at least twice each calendar year, from four to eight months apart - Condition 7	2070 (Standards for Granting Applications) 4307 (Boilers, Steam Generators, and Process Heaters - 2.0 to 5.0 MMBtu/hr)
20-Nov-23	NOV	5031877	Dte Stockton, Llc	N-645	2526 W Washington St	Failure to provide the wet scrubber with monitoring equipment that continuously monitors and records the effluent pH and flow rate of the scrubber liquid	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits)
28-Nov-23	NOV	5031961	City of Stockton	N-805	1465 S Lincoln St	Failure to conduct and pass the required vapor recovery performance testing.	2010 (Permits Required) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
05-Dec-23	NOV	5032039	Sandra Galindo-Mujica		770 Howard Street	Use of a wood burning fireplace, wood burning heater, or outdoor wood burning device on an episodic wood burning curtailment day.	4901 (Wood Burning Fireplaces and Wood Burning Heaters)
12-Dec-23	NOV	53685	Mobil Stockton #1/Abdo Nashir	N-175	642 N Hunter St	Failure to maintain the Phase II vapor recovery system (Fueling Point #7 & 11 have torn whiphose; Nozzle #5 torn nozzle boot). Tagged out Dispenser # 5, 7 and 11.	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
18-Dec-23	NTC	28571	Delta Charter	N-4283	440 W Dr. Martin Luther King Jr Blvd	Operating without a valid permit to operate; failure to submit a transfer of ownership application.	2010 (Permits Required)
11-Jan-24	NTC	5031857	State Of California, Dept Of Trans	N-4986	1604 South B St	Facility was operating a Research & Development site beyond the expiration date of August 30, 2023 without an approved extension from the Air Resources Board.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels,
16-Jan-24	NOV	5032417	Brian & Laura Peacock		920 W Vine Street	Use of a wood burning fireplace, wood burning heater, or outdoor wood burning device on an episodic wood burning curtailment day.	4901 (Wood Burning Fireplaces and Wood Burning Heaters)
16-Jan-24	NOV	5032435	Dte Stockton, Llc	N-645	2526 W Washington St	Failure to demonstrate compliance with the ammonia slip emission rate limit at the 5/10/2023-5/11/2023 source test.	2070 (Standards for Granting Applications)

Date	Type	Violation #	Issued To	Facility ID	Location	Description	Rules
26-Feb-24	NOV	5032693	Bwc Terminals Llc	N-10055	Po Box 6218	Failure to source test within +/- 60 days of start up 03/20/23.	1081 (Source Sampling) 2070 (Standards for Granting Applications) 4305 (Boilers, Steam Generators, and Process Heaters-Phase 2) 4306 (Boilers, Steam Generators, and Process Heaters-Phase 3)
28-Feb-24	NOV	5032715	Diamond Foods, LLC		1050 S. Diamond Street	Failure to submit annual fee payment for 2021 to the Refrigerant Registration and Reporting System (R3).	95384 (CA Code of Regulations, Title 17)
29-Feb-24	NTC	21472	Acevedo & Son Auto Body And Paint	N-10045	366 W Lafayette St	Failure to accurately record PM10 emissions	2201 (New and Modified Stationary Source Review Rule)
12-Mar-24	NOV	5032772	Nustar Terminals Ops Partnership Lp	N-829	2941 Navy Drive	Organic liquid throughput exceed the 24,192,000 gallons in any one calendar year limit.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2250 (Permit Exempt Equipment Registration)
26-Mar-24	NOV	5032845	Arrow Infrastructure Holding la Llc	N-2369	2700 W Washington Street	Vapor leak exceeding 10,000 ppm measured as methane discovered on lane #3's front arm vapor hose for gasoline while in operation.	2070 (Standards for Granting Applications) 2520 (Federally Mandated Operating Permits) 4624 (Transfer of Organic Liquids)
29-Mar-24	NTC	5031910	Synergy	N-103	3440 E Main St	Operating without a valid Permit to Operate, failure to submit a Transfer of Ownership application.	2010 (Permits Required)
29-Mar-24	NTC	5031911	Synergy	N-175	642 N. Hunter Street	Operating without a valid Permit to Operate, failure to submit a Transfer of Ownership application.	2010 (Permits Required)
11-Apr-24	NOV	49874	Jeronimo Gonzalez		1860 E 10th Avenue	Illegal Burn	4103 (Open Burning)
15-Apr-24	NOV	5032922	Ac Painting	N-8925	620 San Juan Ave	Failure to submit the 2022 Emissions Inventory by the due date of 5/25/2023.	1160 (Emission Statements)
22-Apr-24	NTC	5031927	Pelican Renewables LLC	N-7365	3028 Navy Drive	Failure to submit an Emission Control Plan (ECP) as required by the deadline, 5/1/22	4306 (Boilers, Steam Generators, and Process Heaters-Phase 3) 4320 (Advance Emission Reduction Options for Boilers, Steam Generators, and 2070 (Standards for Granting Applications)
01-May-24	NTC	28579	3440 Main St Petroleum Inc.	N-103	3440 E Main St	Failure to conduct and pass vapor recovery performance testing. Anniversary Date 03/14/24; due in 30-days May 31, 2024.	4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
06-May-24	NOV	5033019	Dentoni's Welding Works, Inc.	N-3204	801 S Airport Way	Failure to maintain daily records which include the following information: volume coating/solvent mix ratio, VOC content, and volume of each coating used (gallons).	2070 (Standards for Granting Applications) 4603 (Surface Coating of Metal Parts and Products)
08-May-24	NOV	49875	Dameron Hospital	N-2392	525 W Acacia St	Failure to pay fees by March 31st.	2070 (Standards for Granting Applications) 4320 (Advance Emission Reduction Options for Boilers, Steam Generators, and Process Heaters)
09-May-24	NOV	5033038	Stockton RWCF	N-811	2500 Navy Dr	Failure to monitor Hydrogen Sulfide influent concentration on a daily basis.	2070 (Standards for Granting Applications) 2201 (New and Modified Stationary Source Review Rule) 2520 (Federally Mandated Operating Permits)
15-May-24	NOV	5033064	Synergy Petroleum 332 Inc	N-4419	322 S Center St	Failure to conduct and pass the required vapor recovery performance testing (Anniversary Date: 04/06/24).	2070 (Standards for Granting Applications) 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)
30-May-24	RCAT	5031960	Calamco	N-157	2321 W Washington St	Failure to submit a protocol at least 15 days prior to source testing.	1080 (Stack Monitoring) 2070 (Standards for Granting Applications)
05-Jun-24	NOV	5033138	DTE Stockton, LLC	N-645	2526 W Washington St	Failure to conduct source test within +/- 30 days of the established anniversary date of 4/16	1081 (Source Sampling) 2070 (Standards for Granting Applications)
06-Jun-24	NOV	5033139	Abdo Thabit Nashir	N-8540	713 N El Dorado St	Failure to conduct and pass the required vapor recovery performance testing within +/- 30 days from anniversary date 11/12/23. (Test conducted and passed on: 12/18/23)	2070 (Standards for Granting Applications) 4621 (Gasoline Transfer into Stationary Storage Containers, Delivery Vessels, and Bulk Plants)
13-Jun-24	RCAT	5031997	BWC Terminals LLC	N-10054	80 N Port Road 13	Failure to submit source test results within 60 days of conducting the source test on 03/06/24, making the due date 05/05/24.	1081 (Source Sampling)
13-Jun-24	NOV	5033165	BWC Terminals LLC	N-10055	300 Port Rd 21	Failure to submit the source test results within 60 days of conducting the source test on 03/27/24, making the due date 05/26/24.	1081 (Source Sampling)
21-Jun-24	NOV	53696	Country Marketplace	N-3845	1789 W Charter Way	Failure to maintain the vapor recovery system (Excess liquid in vapor space At 650 ML pump #5)	2070 (Standards for Granting Applications) 4622 (Gasoline Transfer into Motor Vehicle Fuel Tanks)

Enforcement Plan

Facility Inspections

Facilities that have permits with the Valley Air District are inspected on a regular basis by District Compliance staff to ensure all permit requirements are being followed. New and modified equipment is also inspected before commencing operation. District inspection staff also observes stack emission testing (known as source testing) types of equipment to ensure that proper testing procedures and protocols are followed by the third-party testing company. They also conduct inspections when unforeseen equipment breakdowns occur which may affect a facility's ability to comply with all permit requirements.

In addition to the numerous inspections already conducted by the District each year at permitted facilities throughout the valley, the District committed in the Stockton CERP to increase the frequency of periodic compliance inspections to once every six months at facilities that have had an emissions related violation within the last three years. The following is a listing of all District inspection activities at permitted facilities within the Stockton Community from July 2023 through June 2024. Previous lists of inspections can be found in [Appendix F](#) of the Stockton CERP and in prior annual reports.

Facility Name	Facility ID	Facility Address	Date	Inspection Type
RAMIREZ AUTO BODY & REPAIR	N-8932	1025 E HAZELTON AVE	05-Jul-23	First Day of Routine Compliance Inspection
PARK ST PETROLEUM INC	N-175	642 N HUNTER ST	06-Jul-23	Multi-Day, Ongoing Inspection
CONCRETE, INC.	N-553	400 S LINCOLN ST	06-Jul-23	First Day of Routine Compliance Inspection
NUSTAR TERMINALS OPS PARTNERSHIP LP	N-829	2941 NAVY DRIVE	10-Jul-23	First Day of Routine Compliance Inspection
STOCKTON AUTO BODY & PAINT	N-3021	915 E WEBER AVE	11-Jul-23	First Day of Routine Compliance Inspection
SFPP, L.P.	N-1000	2947 NAVY DR	12-Jul-23	First Day of Routine Compliance Inspection
AC PAINTING	N-8925	620 SAN JUAN AVE	12-Jul-23	First Day of Routine Compliance Inspection
EAST BAY MUNICIPAL UTILITY DISTRICT	N-997	1804 W MAIN ST	17-Jul-23	First Day of Routine Compliance Inspection
DSS ENGINEERING CONTRACTORS	N-2340	655 W CLAY ST	17-Jul-23	First Day of Routine Compliance Inspection
JUVA STOCKTON, INC	N-9767	633 SAN JUAN AVENUE	20-Jul-23	First Day of Routine Compliance Inspection
PORT OF STOCKTON	N-1013	2201 W WASHINGTON ST	20-Jul-23	First Day of Annual Inspection
SAN JOAQUIN COUNTY MOTOR POOL	N-2906	121 S SAN JOAQUIN ST	20-Jul-23	First Day of Routine Compliance Inspection
JUVA STOCKTON, INC	N-9767	633 SAN JUAN AVENUE	24-Jul-23	Source Test Observations
VERIZON WIRELESS	N-9153	501 WEST WEBER AVENUE	25-Jul-23	First Day of Routine Compliance Inspection
TIGER-SUL PRODUCTS LLC	N-9331	61 STORK RD	26-Jul-23	First Day of Routine Compliance Inspection
TESORO LOGISTICS OPERATIONS LLC	N-845	3003 NAVY DR	27-Jul-23	First Day of Routine Compliance Inspection
CALTRANS STOCKTON MAINTENANCE STATION	N-4453	1604 SOUTH B ST BLDG 2	31-Jul-23	Source Test Observations
CALTRANS STOCKTON MAINTENANCE STATION	N-4453	1604 SOUTH B ST BLDG 2	31-Jul-23	First Day of Routine Compliance Inspection
SEPULVEDA'S TRUCK PAINTING	N-742	130 S UNION	02-Aug-23	First Day of Routine Compliance Inspection
HERNANDEZ AUTO BODY AND PAINT	N-8237	840 E JEFFERSON ST	02-Aug-23	First Day of Routine Compliance Inspection
BAGLIETTO SEEDS	N-2371	301 S AURORA ST	02-Aug-23	First Day of Routine Compliance Inspection
ELEANOR SADE	N-8830	2800 S EL DORADO ST	04-Aug-23	First Day of Routine Compliance Inspection
CITY OF STOCKTON	N-4899	22 E WEBER AVE	08-Aug-23	First Day of Routine Compliance Inspection
CITY OF STOCKTON/CB RICHARD ELLIS INC	N-2456	400 E MAIN ST	08-Aug-23	First Day of Routine Compliance Inspection
FAM AUTOBODY	N-9529	740 S SAN JOAQUIN	10-Aug-23	First Day of Routine Compliance Inspection
CENTRAL VALLEY HARDWARE	N-1096	924 E CHURCH ST	10-Aug-23	First Day of Routine Compliance Inspection
STOCKTON RWCF	N-811	2500 NAVY DR	14-Aug-23	Breakdown/Deviation Investigation and Record Review
MIRACLE MILE MARKET	N-549	244 W HARDING WAY	15-Aug-23	First Day of Routine Compliance Inspection
A & G GAS INC	N-70	16 E HARDING WAY	15-Aug-23	First Day of Routine Compliance Inspection
EL DORADO GAS AND MART	N-3451	1605 S EL DORADO ST	15-Aug-23	First Day of Routine Compliance Inspection
CALIFORNIA PORTLAND CEMENT COMPANY	N-4425	2201 W WASHINGTON ST	16-Aug-23	First Day of Routine Compliance Inspection
BWC TERMINALS LLC	N-10054	80 N PORT ROAD 13	16-Aug-23	First Day of Routine Compliance Inspection
MARTIN MARIETTA STOCKTON LLC	N-4022	PORT OF STOCKTON DOCK #4	23-Aug-23	First Day of Routine Compliance Inspection
WILLIAMS TANK LINES	N-8141	1477 TILLIE LEWIS DR	23-Aug-23	First Day of Routine Compliance Inspection
NEVADA CEMENT COMPANY	N-153	205 PORT ROAD 1	23-Aug-23	First Day of Routine Compliance Inspection
CALIFORNIA STOP	N-2500	2224 S MANTHEY RD	29-Aug-23	First Day of Routine Compliance Inspection
CLEAN PLANET, INC.	N-4997	250 PORT ROAD 23	01-Sep-23	First Day of Routine Compliance Inspection
VANCO TRUCK & AUTO PLAZA	N-921	1033 W CHARTER WY	06-Sep-23	First Day of Routine Compliance Inspection
SYNERGY PETROLEUM 332 INC	N-4419	322 S CENTER ST	07-Sep-23	First Day of Routine Compliance Inspection
CHARTER WAY FUELS LLC	N-9977	1720 S FRESNO AVE	11-Sep-23	First Day of Routine Compliance Inspection
CITY OF STOCKTON	N-800	22 E MARKET ST	15-Sep-23	First Day of Routine Compliance Inspection
STOCKTON RWCF	N-811	2500 NAVY DR	20-Sep-23	First Day of Routine Compliance Inspection
WESTWAY FEED PRODUCTS LLC	N-2413	2115 W WASHINGTON ST	20-Sep-23	First Day of Routine Compliance Inspection
STATE OF CA. 2ND DIST. AG ASSO	N-788	1658 S AIRPORT WAY	21-Sep-23	First Day of Routine Compliance Inspection
CITY OF STOCKTON; FIRE STAT.#2	N-3353	110 W SONORA ST	21-Sep-23	First Day of Routine Compliance Inspection
AMERICAN BUILDING SUPPLY	N-1084	1488 TILLIE LEWIS DR	27-Sep-23	First Day of Routine Compliance Inspection
CALIFORNIA STOP	N-2500	2224 S MANTHEY RD	27-Sep-23	Source Test Observations
CALIFORNIA STOP	N-2500	2224 S MANTHEY RD	27-Sep-23	First Day of Routine Compliance Inspection
ARROW INFRASTRUCTURE HOLDING IA LLC	N-2369	2700 W WASHINGTON STREET	27-Sep-23	First Day of Routine Compliance Inspection
CALAMCO	N-157	2321 W WASHINGTON ST	29-Sep-23	First Day of Routine Compliance Inspection
G&I X STOCKTON COMMERCE LP	N-4375	1624 ARMY CT	03-Oct-23	First Day of Routine Compliance Inspection
DAMERON HOSPITAL	N-2392	525 W ACACIA ST	03-Oct-23	First Day of Routine Compliance Inspection
NUSTAR TERMINALS OPS PARTNERSHIP LP	N-829	2941 NAVY DRIVE	03-Oct-23	Source Test Observations
ACE ARMATURE & MOTOR SHOP (JOSHUA IRIS)	N-4	529 N ORANGE ST	03-Oct-23	First Day of Routine Compliance Inspection

Facility Name	Facility ID	Facility Address	Date	Inspection Type
DENTONI'S WELDING WORKS, INC.	N-3204	801 S AIRPORT WAY	03-Oct-23	Return to Compliance Verification Inspection
SRH FOOD & GAS INC	N-258	749 E MARTIN LUTHER KING JR BLVD	04-Oct-23	First Day of Routine Compliance Inspection
SRH FOOD & GAS INC	N-258	749 E MARTIN LUTHER KING JR BLVD	04-Oct-23	Source Test Observations
CALAMCO COGEN LLC	N-7082	2323 PORT ROAD G	11-Oct-23	First Day of Routine Compliance Inspection
PENNY NEWMAN GRAIN COMPANY	N-227	1805 W HARBOR RD	17-Oct-23	First Day of Routine Compliance Inspection
BEST EXPRESS FOODS INC	N-298	2651 S AIRPORT WAY	18-Oct-23	First Day of Routine Compliance Inspection
PACIFIC BELL ENVIRONMENTAL MANAGEMENT	N-7777	242 N SUTTER ST	18-Oct-23	First Day of Routine Compliance Inspection
CALIFORNIA STOP	N-2500	2224 S MANTHEY RD	19-Oct-23	Multi-Day, Ongoing Inspection
JUDICIAL COUNCIL OF CALIFORNIA	N-9129	STOCKTON COURTHOUSE	26-Oct-23	First Day of Routine Compliance Inspection
CONTRACT COATINGS	N-228	2211 NAVY DR	26-Oct-23	First Day of Annual Inspection
3440 MAIN ST PETROLEUM INC	N-103	3440 E MAIN ST	27-Oct-23	First Day of Routine Compliance Inspection
SAN JOAQUIN COUNTY	N-722	1810 E HAZELTON AVE	30-Oct-23	First Day of Routine Compliance Inspection
SAN JOAQUIN COUNTY	N-722	1810 E HAZELTON AVE	30-Oct-23	Source Test Observations
BNSF RAILWAY COMPANY - MORMAN YARD	N-8081	720 SOUTH B ST	31-Oct-23	First Day of Routine Compliance Inspection
CALPORTLAND COMPANY (STOCKTON WEST)	N-691	2845 W WASHINGTON ST	31-Oct-23	First Day of Routine Compliance Inspection
PLYMOUTH SQUARE	N-3932	1319 N MADISON ST	31-Oct-23	First Day of Routine Compliance Inspection
M&L COMMODITIES, INC	N-7489	DBA INLAND COLD STORAGE - STOCKTON	31-Oct-23	First Day of Routine Compliance Inspection
KESAR PETROLEUM INC	N-5278	717 W 8TH ST	01-Nov-23	Source Test Observations
KESAR PETROLEUM INC	N-5278	717 W 8TH ST	01-Nov-23	First Day of Routine Compliance Inspection
AZTLAN ORNAMENTAL IRON FAB	N-3841	129 S WILSON WAY	01-Nov-23	First Day of Routine Compliance Inspection
HOGAN MFG INC	N-389	1754 E MARIPOSA RD	07-Nov-23	First Day of Annual Inspection
CAL STATE UNIV C/O GRUPE HUBER COMPANY	N-818	1208 N STATE ST	07-Nov-23	First Day of Routine Compliance Inspection
DENTONI'S WELDING WORKS, INC.	N-3204	801 S AIRPORT WAY	07-Nov-23	First Day of Routine Compliance Inspection
CAL STATE UNIV C/O GRUPE HUBER COMPANY	N-818	1208 N STATE ST	08-Nov-23	Multi-Day, Ongoing Inspection
CASTLE METALS	N-8634	1625 TILLIE LEWIS DR	16-Nov-23	First Day of Routine Compliance Inspection
STEVEN STEIN ENTERPRISES, INC	N-2382	DBA CAVALLINO COACHWORKS OF STOCKTON	16-Nov-23	First Day of Routine Compliance Inspection
ABDO THABIT NASHIR	N-8540	713 N EL DORADO ST	27-Nov-23	First Day of Routine Compliance Inspection
RANDHAWA PETROLEUM LLC DBA EL DORADO GAS	N-983	1901 S EL DORADO ST	04-Dec-23	First Day of Routine Compliance Inspection
7-ELEVEN, INC.	N-9850	770 W CHARTER WAY	05-Dec-23	First Day of Routine Compliance Inspection
CHARTER WAY PETRO INC.	N-2523	508 W CHARTER WAY	05-Dec-23	First Day of Routine Compliance Inspection
PARK ST PETROLEUM INC	N-175	642 N HUNTER ST	12-Dec-23	First Day of Routine Compliance Inspection
EXPRESS FUEL & MART INC	N-454	701 E CHARTER WAY	18-Dec-23	First Day of Routine Compliance Inspection
AA GASOLINE INC	N-4283	440 W CHARTER WAY	18-Dec-23	First Day of Routine Compliance Inspection
W-1 MANAGEMENT LLC	N-3367	540 N GRANT ST	02-Jan-24	First Day of Routine Compliance Inspection
W-1 MANAGEMENT LLC	N-3367	540 N GRANT ST	02-Jan-24	First Day of Routine Compliance Inspection
HDM AMERICA LLC	N-898	735 S SUTTER ST	03-Jan-24	First Day of Routine Compliance Inspection
DEPARTMENT OF TRANSPORTATION	N-8529	1976 E DR MARTIN LUTHER KING JR BLVD	04-Jan-24	First Day of Routine Compliance Inspection
H.J.BAKER & BRO. LLC	N-4064	65 STORK RD	04-Jan-24	First Day of Routine Compliance Inspection
CONCRETE, INC.	N-553	400 S LINCOLN ST	04-Jan-24	First Day of Routine Compliance Inspection
COVE CONTRACTORS, INC.	N-7986	3242 S EL DORADO ST	08-Jan-24	First Day of Routine Compliance Inspection
JUVA STOCKTON, INC	N-9767	633 SAN JUAN AVENUE	18-Jan-24	First Day of Routine Compliance Inspection
GULF TERMINALS LLC	N-1153	2717 W WASHINGTON ST	18-Jan-24	First Day of Routine Compliance Inspection
EXPRESS FUEL & MART INC	N-454	701 E CHARTER WAY	22-Jan-24	Source Test Observations
EXPRESS FUEL & MART INC	N-454	701 E CHARTER WAY	22-Jan-24	First Day of Routine Compliance Inspection
TESORO LOGISTICS OPERATIONS LLC	N-845	3003 NAVY DR	24-Jan-24	First Day of Routine Compliance Inspection
VALLEY PACIFIC PETROLEUM SERVICES INC	N-4158	1501 W CHARTER WAY	25-Jan-24	Source Test Observations
VALLEY PACIFIC PETROLEUM SERVICES INC	N-4158	1501 W CHARTER WAY	25-Jan-24	First Day of Routine Compliance Inspection
MCM14 CORP	N-86	130 S WILSON WAY	25-Jan-24	Source Test Observations
MCM14 CORP	N-86	130 S WILSON WAY	25-Jan-24	First Day of Routine Compliance Inspection
ARANDAS TORTILLA COMPANY	N-9424	1450 E SCOTTS AVE STE 8	29-Jan-24	First Day of Routine Compliance Inspection
ARANDAS TORTILLA CO INC	N-8179	1318 E SCOTTS AVE	29-Jan-24	First Day of Routine Compliance Inspection
NUSTAR TERMINALS OPS PARTNERSHIP LP	N-829	2941 NAVY DRIVE	31-Jan-24	First Day of Routine Compliance Inspection
TIGER-SUL PRODUCTS LLC	N-9331	61 STORK RD	13-Feb-24	First Day of Routine Compliance Inspection
CARRY TRANSIT	N-8273	140 PORT ROAD 13	13-Feb-24	First Day of Routine Compliance Inspection

Facility Name	Facility ID	Facility Address	Date	Inspection Type
CLEAN PLANET, INC.	N-4997	250 PORT ROAD 23	16-Feb-24	First Day of Routine Compliance Inspection
DTE STOCKTON, LLC	N-645	2526 W WASHINGTON ST	16-Feb-24	First Day of Routine Compliance Inspection
SUNSHINE HAWAIIAN BBQ	N-9572	11 N CENTER ST	16-Feb-24	First Day of Routine Compliance Inspection
A & G GAS INC	N-70	16 E HARDING WAY	21-Feb-24	First Day of Routine Compliance Inspection
CENTRAL VALLEY AG GROUP	N-9636	530 PORT RD 23	28-Feb-24	First Day of Routine Compliance Inspection
ACEVEDO & SON AUTO BODY AND PAINT	N-10045	366 W LAFAYETTE ST	29-Feb-24	First Day of Routine Compliance Inspection
AC PAINTING	N-8925	620 SAN JUAN AVE	04-Mar-24	Return to Compliance Verification Inspection
COMCAST CABLE COMMUNICATIONS INC	N-4017	838 E PARK ST	05-Mar-24	First Day of Routine Compliance Inspection
SYNERGY PETROLEUM 332 INC	N-4419	322 S CENTER ST	14-Mar-24	First Day of Routine Compliance Inspection
STATE OF CA. 2ND DIST. AG ASSO	N-788	1658 S AIRPORT WAY	18-Mar-24	First Day of Routine Compliance Inspection
7-ELEVEN #38877	N-9759	1515 E MAIN AVE	18-Mar-24	First Day of Routine Compliance Inspection
CALIFORNIA STOP	N-2500	2224 S MANTHEY RD	19-Mar-24	First Day of Routine Compliance Inspection
BWC TERMINALS LLC	N-10055	300 PORT RD 21	19-Mar-24	First Day of Routine Compliance Inspection
WESTWAY FEED PRODUCTS LLC	N-2413	2115 W WASHINGTON ST	19-Mar-24	First Day of Routine Compliance Inspection
NEWARK SIERRA PAPERBOARD CORP.	N-577	800 W CHURCH ST	20-Mar-24	First Day of Routine Compliance Inspection
WESTWAY FEED PRODUCTS LLC	N-2413	2115 W WASHINGTON ST	20-Mar-24	First Day of Routine Compliance Inspection
BWC TERMINALS LLC	N-10055	300 PORT RD 21	20-Mar-24	First Day of Routine Compliance Inspection
MONTEZUMA FIRE DISTRICT	N-10235	2405 SOUTH B ST	21-Mar-24	First Day of Routine Compliance Inspection
ARROW INFRASTRUCTURE HOLDING IA LLC	N-2369	2700 W WASHINGTON STREET	25-Mar-24	First Day of Routine Compliance Inspection
ARROW INFRASTRUCTURE HOLDING IA LLC	N-2369	2700 W WASHINGTON STREET	26-Mar-24	Return to Compliance Verification Inspection
BWC TERMINALS LLC	N-10055	300 PORT RD 21	28-Mar-24	Source Test Observations
ARROW INFRASTRUCTURE HOLDING IA LLC	N-2369	2700 W WASHINGTON STREET	29-Mar-24	Return to Compliance Verification Inspection
AMERICAN BUILDING SUPPLY	N-1084	1488 TILLIE LEWIS DR	29-Mar-24	First Day of Routine Compliance Inspection
STOCKTON RWCF	N-811	2500 NAVY DR	01-Apr-24	First Day of Routine Compliance Inspection
SRH FOOD & GAS INC	N-258	749 E MARTIN LUTHER KING JR BLVD	12-Apr-24	First Day of Routine Compliance Inspection
DAMERON HOSPITAL	N-2392	525 W ACACIA ST	15-Apr-24	Return to Compliance Verification Inspection
JUVA STOCKTON, INC	N-9767	633 SAN JUAN AVENUE	15-Apr-24	Source Test Observations
SAN JOAQUIN COUNTY	N-7933	44 N SAN JOAQUIN ST	16-Apr-24	First Day of Routine Compliance Inspection
SAN JOAQUIN COUNTY	N-9211	24 S HUNTER ST	16-Apr-24	First Day of Routine Compliance Inspection
SAN JOAQUIN COUNTY	N-9209	222 E WEBER AVE	16-Apr-24	First Day of Routine Compliance Inspection
BANK OF AGRICULTURE & COMMERCE	N-4571	517 E WEBER AVE	17-Apr-24	First Day of Routine Compliance Inspection
EAST BAY MUNICIPAL UTILITY DISTRICT	N-997	1804 W MAIN ST	17-Apr-24	Standalone Startup Inspection
EAST BAY MUNICIPAL UTILITY DISTRICT	N-997	1804 W MAIN ST	17-Apr-24	First Day of Routine Compliance Inspection
EAST BAY MUNICIPAL UTILITY DISTRICT	N-997	1804 W MAIN ST	17-Apr-24	First Day of Routine Compliance Inspection
METROPOLITAN STEVEDORE COMPANY	N-270	2201 W WASHINGTON ST, DOCK 12 & 13	25-Apr-24	First Day of Routine Compliance Inspection
STOCKTON, CITY OF	N-805	1465 S LINCOLN ST	29-Apr-24	Source Test Observations
STOCKTON, CITY OF	N-805	1465 S LINCOLN ST	29-Apr-24	First Day of Routine Compliance Inspection
AZTLAN ORNAMENTAL IRON FAB	N-3841	129 S WILSON WAY	29-Apr-24	First Day of Routine Compliance Inspection
3440 MAIN ST PETROLEUM INC	N-103	3440 E MAIN ST	01-May-24	First Day of Routine Compliance Inspection
DENTONI'S WELDING WORKS, INC.	N-3204	801 S AIRPORT WAY	06-May-24	First Day of Routine Compliance Inspection
DAMERON HOSPITAL	N-2392	525 W ACACIA ST	08-May-24	First Day of Routine Compliance Inspection
STOCKTON RWCF	N-811	2500 NAVY DR	09-May-24	Breakdown/Deviation Investigation and Record Review
STOCKTON RWCF	N-811	2500 NAVY DR	10-May-24	Source Test Observations
CAL STATE UNIV C/O GRUPE HUBER COMPANY	N-818	1208 N STATE ST	13-May-24	First Day of Routine Compliance Inspection
SYNERGY PETROLEUM 332 INC	N-4419	322 S CENTER ST	22-May-24	Source Test Observations
SYNERGY PETROLEUM 332 INC	N-4419	322 S CENTER ST	22-May-24	First Day of Routine Compliance Inspection
ABDO THABIT NASHIR	N-8540	713 N EL DORADO ST	29-May-24	First Day of Routine Compliance Inspection
PARK ST PETROLEUM INC	N-175	642 N HUNTER ST	29-May-24	First Day of Routine Compliance Inspection
PARK ST PETROLEUM INC	N-175	642 N HUNTER ST	29-May-24	Source Test Observations
MAIN BODY SHOP	N-2943	1861 E MAIN ST	06-Jun-24	First Day of Routine Compliance Inspection
SAN FRANCISCO AUTOBODY FRAME	N-3317	16 S WILSON WAY	07-Jun-24	First Day of Routine Compliance Inspection
MARBLE PALACE INC	N-3791	711 S SAN JOAQUIN ST	07-Jun-24	First Day of Routine Compliance Inspection
620 WEST CHARTER WAY LLC	N-993	620 W CHARTER WY	10-Jun-24	First Day of Routine Compliance Inspection
7-ELEVEN, INC.	N-9850	770 W CHARTER WAY	10-Jun-24	First Day of Routine Compliance Inspection

Facility Name	Facility ID	Facility Address	Date	Inspection Type
DIAMOND FOODS, LLC	N-285	1050 S DIAMOND ST	11-Jun-24	First Day of Annual Inspection
CALAMCO	N-157	2321 W WASHINGTON ST	11-Jun-24	Source Test Observations
COUNTRY MARKETPLACE	N-3845	1789 W CHARTER WAY	12-Jun-24	First Day of Routine Compliance Inspection
CALIFORNIA WATER SERVICE	N-151	1602 E LAFAYETTE ST	12-Jun-24	First Day of Routine Compliance Inspection
SCHUFF STEEL COMPANY	N-629	2324 NAVY DR	12-Jun-24	First Day of Routine Compliance Inspection
DURAFLAME WEST	N-150	1340 W WASHINGTON ST	19-Jun-24	First Day of Routine Compliance Inspection
UNIFIRST CORP	N-4212	819 N HUNTER ST	20-Jun-24	First Day of Routine Compliance Inspection
STOCKTON RWCF	N-811	2500 NAVY DR	20-Jun-24	Breakdown/Deviation Investigation and Record Review
STOCKTON RWCF	N-811	2500 NAVY DR	21-Jun-24	Breakdown/Deviation Investigation and Record Review
PELICAN RENEWABLES LLC	N-7365	3028 NAVY DRIVE	25-Jun-24	First Day of Routine Compliance Inspection
N.J. MCCUTCHEN, INC.	N-524	123 W SONORA ST	26-Jun-24	First Day of Annual Inspection
CONCRETE, INC.	N-553	400 S LINCOLN ST	26-Jun-24	First Day of Routine Compliance Inspection
WILMAR OILS & FATS STOCKTON LLC	N-8622	2008 PORT ROAD B	26-Jun-24	First Day of Routine Compliance Inspection
PORT OF STOCKTON	N-1013	2201 W WASHINGTON ST	27-Jun-24	First Day of Annual Inspection